

Net Wt. 1 lb.

DIRECTION GUIDE


INSECT	Application rates for Lawns, Turf.
Fire Ants	Apply 6-8 lbs. of 10% Chlordane Dust per 5000 sq. ft.
Japanese Beetle Larvae For use in Federal/State quarantine programs	Apply 6-11 lbs. of 10% Chlordane Dust per 5000 sq. ft.

ACCEPTED
JUN 2 1954
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended for the purpose of registration under EPA Reg. No. 48-110



CAUTION: Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Keep children and pets off treated turf until material has been washed into the soil by watering or rain.

Toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply in any manner or area not specified on the label. **CAUTION:** This product is highly toxic to bees exposed to direct treatment or residues on flowers or shrubs.



10% CHLORDANE DUST

CONTROLS:

ACTIVE INGREDIENTS	
Technical Chlordane	10.00%
INERT INGREDIENTS	
	90.00%
TOTAL	
	100.00%
EQUIVALENT TO 6% OCTACHLORO-4,7-METHANOTETRAHYDROINDANE AND 4% RELATED COMPOUNDS.	


Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

Net Wt. 1 Lb.

DIRECTION GUIDE

INSECT	Application rates for Lawns, Turf.
Fire Ants	Apply 6-8 lbs. of 10% Chlordane Dust per 5000 sq. ft.
Japanese Beetle Larvae For use in Federal/State quarantine programs	Apply 6-11 lbs. of 10% Chlordane Dust per 5000 sq. ft.



CAUTION: Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Keep children and pets off treated turf until material has been washed into the soil by watering or rain.

Toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply in any manner or area not specified on the label. **CAUTION:** This product is highly toxic to bees exposed to direct treatment or residues on flowers or shrubs.

ANTIDOTE:

EXTERNAL—In case of spillage on skin, wash promptly with soap and water.

INTERNAL—Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

CONTAINER DISPOSAL: Do not reuse empty container. Destroy it by perforating or crushing. Bury in a safe place away from water supplies.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Est. 4887-GA-1

EPA Reg. No. 4887-10

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

STEPHENSON

Chemicals

10% CHLORDANE

DUST

FIRE ANTS, JAPANESE BEETLE LARVAE

CAUTION: KEEP OUT OF REACH OF CHILDREN
(SEE CAUTIONS ON SIDE PANEL)

ACTIVE INGREDIENTS

Technical Chlordane	10.00%
INERT INGREDIENTS	90.00%

TOTAL 100.00%

EQUIVALENT TO 6% OCTACHLORO-4,7-METHANOTETRAHYDROINDANE AND 4% RELATED COMPOUNDS.

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA