

Nov 25, 1974

4887-18

**DO NOT STORE WITH FOODSTUFFS**

(Or Near Any Product Which Will Absorb Odors)

**CONTAINER DISPOSAL**

Promptly crush container and bury with spillage and waste in area away from water supply.

EPA Reg. No. 4887-18  
EPA Est. 4887-GA-1

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

800-6-74

NET CONTENTS



**PINE BEETLE SPRAY**

**GENERAL USE DIRECTIONS**

Keep trees vigorous and free from injuries to trunk. Avoid excessive grading or filling over roots. Promptly remove dead or infested trees to help prevent spreading of infestation to healthy trees. Spray removed trees as directed below. Spray all adjacent trees to prevent infestation.

**SOUTHERN PINE BEETLE**

Dilute 2½ oz. Concentrate with 1 gallon of water (1 part to 55 parts water) and spray entire trunk of tree with a medium spray to point of run-off. Use enough spray pressure to penetrate cracks in bark of tree. Repeat application in 30 to 60 days.

**BLACK TURPENTINE BEETLE**

Dilute 9 oz. Concentrate with 1 gallon of water (1 part to 15 parts water) and spray lower 10 ft. of tree, exposed roots, and fresh stumps with a medium spray to point of run-off. Use enough pressure to penetrate cracks in bark of trees. Do not apply to wet bark. Repeat as needed.

|  |             |
|--|-------------|
| Methylated Aromatic Petroleum Derivatives..... | 71.5%       |
| Gamma Isomer of Benzene Hexachloride.....      | 11.0%       |
| Other Isomers of Benzene Hexachloride.....     | 13.0%       |
| <b>INERT INGREDIENTS:</b> .....                | <b>4.5%</b> |

**TOTAL 100.0%**  
Contains 1 lb. Gamma Isomer of Benzene Hexachloride per U. S. gallon at 68°F.

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA



DO NOT STORE WITH FOODSTUFFS  
(Or Near Any Product Which Will Absorb Odors)

### CONTAINER DISPOSAL

Promptly crush container and bury with spillage and waste in area away from water supply.

EPA Reg. No. 4887-18  
EPA Est. 4887-GA-1

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

### WARNING

MAY BE FATAL IF SWALLOWED. Harmful vapor and mist may cause irritation of skin and eyes. May be absorbed through skin. In case of skin contact wash with soap and water. For eyes flush with water and get prompt medical attention. Do not breathe vapor or mist from spray. Avoid contamination of food and food-stuffs.

NET CONTENTS

STEPHENSON  
Chemicals

## PINE BEETLE SPRAY

FOR CONTROL OF SOUTHERN PINE BEETLE  
AND BLACK TURPENTINE BEETLE.

**WARNING:** KEEP OUT OF REACH OF CHILDREN  
(SEE WARNING ON SIDE PANEL)

#### ACTIVE INGREDIENTS:

Methylated Aromatic Petroleum Derivatives ..... 71.5%  
Toluene Isomer of Benzene Hexachloride ..... 11.0%  
Other Isomers of Benzene Hexachloride ..... 17.5%

#### INERT INGREDIENTS:

TOTAL ..... 100.0%  
Contains 1.0% Toluene Isomer of Benzene Hexachloride  
per U. S. gallon at 68°F

Manufactured by  
STEPHENSON CHEMICAL CO., INC.  
COLLEGE PARK, GEORGIA

### GENERAL USE DIRECTIONS

Keep trees vigorous and free from injuries to trunk. Avoid excessive grading or filling over roots. Promptly remove dead or infested trees to help prevent spreading of infestation to healthy trees. Spray removed trees as directed below. Spray all adjacent trees to prevent infestation.

#### SOUTHERN PINE BEETLE

Dilute 2½ oz. Concentrate with 1 gallon of water (1 part to 55 parts water) and spray entire trunk of tree with a medium spray to point of run-off. Use enough spray pressure to penetrate cracks in bark of tree. Repeat application in 30 to 60 days.

#### BLACK TURPENTINE BEETLE

Dilute 9 oz. Concentrate with 1 gallon of water (1 part to 15 parts water) and spray lower 10 ft. of tree, exposed roots, and fresh stumps with a medium spray to point of run-off. Use enough pressure to penetrate cracks in bark of trees. Do not apply to wet bark. Repeat as needed.

**NOTE:** This dilution will cause burning of grass and shrubbery. If spray comes in contact with these areas, wash thoroughly with clear water.

### NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is not specifically indicated on the label.