

*front panel*



ACCEPTED  
with COMMENTS  
to EPA Letter Dated:

OCT 06 1982

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
is amended, for the pesticide  
registered under EPA Reg. No.  
4887-19

# 45% CHLORDANE

## EMULSIFIABLE CONCENTRATE

### USE TO CONTROL TERMITES

ACTIVE INGREDIENTS:  
Technical Chlordane ..... 45%  
Petroleum Distillate ..... 45%  
INERT INGREDIENTS ..... 10%  
TOTAL ..... 100%  
45% Octachloro-1,7-dithianotetrahydroindane and 18% related  
compounds. (Contains 4 lbs. Chlordane per U.S. gal. at 77  
degrees F.)

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
STATEMENT OF PRACTICAL TREATMENT  
If swallowed - Drink one or two glasses of water and induce vomiting  
by touching back of throat with finger. Do not induce  
vomiting or give anything by mouth to an unconscious  
person. Get medical attention immediately.  
If inhaled - Remove victim to fresh air and apply respiration if  
indicated.  
If on skin - Wash promptly with soap and water. Rinse thoroughly.  
If in eyes - Rinse eyes for at least 15 minutes with water and call  
a physician immediately.  
See side panel for additional precautionary statements.

Net Contents \_\_\_\_\_

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA

**BEST DOCUMENT AVAILABLE**

*side panels*

4887-19

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
( & DOMESTIC ANIMALS )**

**CAUTION**

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of food and foodstuffs.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather favors drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**SUBTERRANEAN TERMITES -- DIRECTIONS FOR HOMEOWNER USE  
TERMITE CONTROL IN EXISTING STRUCTURES  
Buildings with Basements or Crawl-Spaces**

Mix 1 part concentrate with 49 parts of water. First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

4547-19

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours, then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

**DISPOSAL.**

Do not reuse container. Wrap container and put in trash collection.

EPA Reg. No. 481

EPA Est. No. 4527-GA-1

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BEST DOCUMENT AVAILABLE

465/68371  
17/3  
TOP

OCT 06 1982

Stephenson Chemical Company, Inc.  
P. O. Box 87188  
College Park, GA 30337

Attention: C. Denton, Jr.

Gentlemen:

Subject: Termiticide L.I.P.  
45% Chlordane Emulsifiable Concentrate  
EPA Registration No. 4887-19  
Your Application Dated May 10, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing make the following label revisions.

1. Revise the Statement of Practical Treatment to read:

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed - Call a Physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting; vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

BEST DOCUMENT AVAILABLE

4887-19

-2-

If in eyes- Flush eyes with plenty of water. Call a physician if irritation persists.

2. In the Precautionary statements, delete the parenthesis in the subheading: "Hazards To Humans & Domestic Animals."
3. In the Precautionary Statements, under the subheading "Environmental Hazards," delete the following sentences which may appear:

- o Birds feeding on treated areas may be killed.
- o Birds and other wildlife in treated areas may be killed.
- o Do not apply where runoff is likely to occur.
- o Do not apply when weather favors drift from treated areas.

Submit copies of the revised labeling for our files when available.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-167)

TS-767:LaRocca:DCR-07589:WANG-0007B:tfm:Raven:479-2013: 9/10/82

BEST DOCUMENT AVAILABLE