

BEST AVAILABLE COPY

ZRP

~~357~~ / 140413
38 / 3

MAR 8 1985

300 / 140422
17 / 6

Ms. Doris Bennett
Stephenson Chemical Company, Inc.
P.O. Box 87186
College Park, GA 30337

Dear Ms. Bennett:

Subject: Amendments - Revised draft labels
45A Chlordane Emulsifiable Concentrate
EPA Registration No. 4887-19
Aldrin 4 lb. Emulsifiable Concentrate
EPA Registration No. 4887-27
Chlordane 8 lb. Emulsifiable Concentrate
EPA Registration No. 4887-48
Heptachlor 2 lb. Emulsifiable Concentrate
EPA Registration No. 4887-59
Heptachlor 4 lb. Emulsifiable Concentrate
EPA Registration No. 4887-85
Your submissions dated October 26 and November 12, 1984

The amendments referred to above, submitted in connection with registrations under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable provided that you submit five (5) copies of your final printed labeling for each of the subject products listed above before you release that product for shipment under the amended labeling. NOTE - When preparing the finished labels, the REQUIREMENT INSTRUCTIONS which appear at the end of each of the other product labels should also appear in the same location on the homomer product, "45A Chlordane Emulsifiable Concentrate", EPA Reg. No. 4887-19.

Stamped copies of the labels are enclosed for your records.

Sincerely yours,

George T. Laboon
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (7B-767)



BEST AVAILABLE COPY

45% CHLORDANE EMULSIFIABLE CONCENTRATE USE TO CONTROL TERMITES

DRAFT

ACTIVE INGREDIENTS:
 Technical Chlordane 45%
 Petroleum Distillates 40%
 INERT INGREDIENTS 15%
 TOTAL 100%
 *2% Octachloro-7-methanotetrahydroindane and 18% related
 compounds. (Contains 4 lbs Chlordane per U.S. gal at 70
 degrees F.)

ACCEPTED
with COMMENTS
in EPA Letter #...

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a Physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting; vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

MAR 8 1965

Under the Federal Insecticide, Fungicide, and Rodenticide Act amended for the purpose of...

4887-19

Net Contents

Manufactured by
STEPHENSON CHEMICAL CO., INC.
CONNER PARK, GAITHERSBURG, MARYLAND

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE TERMITE CONTROL IN EXISTING STRUCTURES

Buildings with Basements or Crawl-Spaces

Mix 1 part concentrate with 49 parts of water.

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation treat as follows: Do Not Apply Under Pressure. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours, then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Plastic - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.