

accepted stamp
on pg 2 of 3

4887-29

04/06/1959

1/3



FOG CONCENTRATE

AN EFFECTIVE SEMI-CONCENTRATE FOR APPLICATION IN
SPECIALIZED GENERATORS

ACTIVE INGREDIENTS	100%
Piperonyl Butoxide, Technical**	1.5%
Pyrethrins	0.3%
Petroleum Oil	98.2%

** Equivalent to 1.2% of (butyl carbityl) (6-propyl piperonyl) ether, and to 0.3% of related compounds.

NON-POISONOUS TO WARM-BLOODED ANIMALS WHEN USED AS DIRECTED.

STEPHENSON CHEMICAL CO., Inc.
Columbus, Georgia

DIRECTIONS

Use in accordance with manufacturers' directions for the individual type of applicator selected. In the Tifa machine a No. 4 dial setting is recommended, with a dosage of 2 to 4 ounces per 1,000 cubic feet of space. Repeat treatments at intervals as needed.

CAUTION

This insecticide is an oil base material and should not be stored or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid any explosion hazard. Keep away from children. Harmful if swallowed.

NOTICE: Since the use of this product is beyond the control of the seller, the seller makes no warranty of any kind, express or implied, concerning the use or handling of this product. User assumes all risks of use or handling whether in accordance with directions or not.

Contents

_____ Gals.

ACCEPTED

Apr. 6, 1959

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
AND ECONOMIC POISON REGISTER-
ED UNDER NO. 4887-29

FOG CONCENTRATE

This product is a semi-concentrated insecticide, for application in specialized equipment, such as the Tifa Fog, Microsol, Challenger Generators, Tornado, Bes-Kill Aerosol Generator, Electric and compressed air applicators, and similar equipment. Used as recommended, Fog Concentrate is non-toxic and non-injurious to warm-blood animals, and can be used around food, food products, utensils and equipment without danger of contamination by poisonous residues, but should not be applied directly to uncovered food or food stuffs.

In proper, specialized application Fog Concentrate kills the accessible, exposed stages of:

- | | |
|--------------|----------------|
| FLIES | SPIDERS |
| MOSQUITOES | SCORPIONS |
| SILVERFISH | WASPS |
| FLYING MOTHS | HORNETS |
| GNATS | CLOVER MITES |
| CRICKETS | CHEESE MITES |
| ROACHES | CHEESE SKIPPER |

AND MOST COMMON STORED GRAIN PESTS INCLUDING:

- GRANARY WEEVIL
- RICE WEEVIL
- GRAIN BEETLE
- SPIDER BEETLES
- ANGOUMOIS GRAIN MOTH
- MEDITERRANEAN FLOUR MOTH
- GRAIN MITES