accepted stamp on pg 2013 08/03/1945 4887-29 1/3 STE PHENSON Chemicals (SEE CAUTIONS ON A. SIDE PANEL) KEEP OUT OF REACH OF CHILDE CAUTION FOG CONCE N] R F HOT. TYPE AN EFFECTIVE SEMI-CONCENTRATE FOR APPLICATION IN SPECIALIZED GENERATORS ACTIVE INGREDIENTS 100% Piperonyl Butoxide, Technical\*\* 1.5% oneword Pyrethrins -0.3% Petroleum Oll 98.2% \*\* Equivalent to 1.2% of (butyl carbityl) (6-propyl pipe ronyi) ether, and to 0.3% of related compounds. CHEMICAL CO., Inc. LICAIC ΓÞ ST Park, Georgia

## DIRECTIONS

Use in accordance with manufacturers' directions for the individual type of applicator selected. In the Tifa machine a No. 4 dial setting is recommended, with a dosage of 2 to 4 ounces per i,000 cubic feet of space. Repeat treatments at intervals as needed.

## CAUTION

This insecticide is an oil base material and should not be stored or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid any explosion hazard. Keep away from children. Harmful if swallowed.

NOTICE: Since the use of this product is beyond the control of the seller, the seller makes no warranty of any kind, express or implied, concerning the use or handling of this product. User assumes all risks of use or handling whether in accordance with directions or not.

Contents

Gals

LD ACT ED Ultr

19

## USDA Reg. No. 4887-29

## FOG CONCENTRATE

This product is a semi-concentrated insecticide, for application in specialized equipment, such as the Tifa Fog, Microsol, Challenger Generators, Tornado, Bes-Kili Aerosol Generator, Electric and compressed air applicators, and similar equipment. Used as recommended, Fog Concentrate in non-toric and manipurious to warm bleed animals, and can be used around food, food products, utensils and equip-

ment withoutcourgan of contamination by paisonous conducts,

but should not be applied directly to uncovered food or food stuffs, or (000) processing sur (Aces. These should be covered while space spraying.

In proper, specialized application Fog Concentrate kills the accessible, exposed stages of:

A Second Second

FLIESSMOSQUITOESSSILVERFISHWFLYING MOTHSHGNATSCCRICKETSCROACHESC

SPIDERS SCORPIONS WASPS HORNETS CLOYER MITES CHEESE MITES CHEESE SKIPPER

Exposed AND MOSTYCOMMON STORED GRAIN PESTS INCLUDING:

> GRANARY WEEVIL RICE WEEVIL GRAIN BEETLE SPIDER BEETLES ANGOUMOIS GRAIN MOTH MEDITERRANEAN FLOUR MOTH GRAIN MITES