

accepted stamp  
on pg 2 of 3

4887-29

03/16/1967

1/3



CONTENTS \_\_\_\_\_ GAL.

# FOG CONCENTRATE

AN EFFECTIVE SEMI-CONCENTRATE FOR APPLICATION IN SPECIALIZED GENERATORS

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
(SEE CAUTIONS ON SIDE PANEL)

ACTIVE INGREDIENTS .....	100%
Piperonyl Butoxide, Technical** .....	1.5%
Pyrethrins .....	0.3%
Petroleum Oil .....	98.2%

\*\* Equivalent to 1.2% of (butylcarbityl) (6-propylpiperonyl) ether, and to 0.3% of related compounds.

**STEPHENSON CHEMICAL CO., Inc.**  
College Park, Georgia

## DIRECTIONS

Use in accordance with manufacturers' directions for the individual type of applicator selected. In the Tifa machine a No. 4 dial setting is recommended, with a dosage of 2 to 4 ounces per 1,000 cubic feet of space. Repeat treatments at intervals as needed.

## CAUTION

This insecticide is an oil base material and should not be stored or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid any explosion hazard. Keep away from children. Harmful if swallowed.

NOTICE: Since the use of this product is beyond the control of the seller, the seller makes no warranty of any kind, express or implied, concerning the use or handling of this product. User assumes all risks of use or handling whether in accordance with directions or not.

USDA Reg. No. 4887-29

ACCEPTED  
Mar 16, 1967  
FOR COMPLIANCE WITH FEDERAL  
INSECTICIDE ACT  
ED UNDER NO. 4887-29

### FOG CONCENTRATE

This product is a semi-concentrated insecticide, for application in specialized equipment, such as the Tifa Fog, Microsol, Challenger Generators, Tornado, Bes-Kill Aerosol Generator, Electric and compressed air applicators, and similar equipment. Used as recommended, Fog Concentrate can be used around food, food products, utensils and equipment, but should not be applied directly to uncovered food or food stuffs, or food processing surfaces. These should be covered while space spraying.

In proper, specialized application Fog Concentrate kills the accessible, exposed stages of:

- |              |                |
|--------------|----------------|
| FLIES        | SPIDERS        |
| MOSQUITOES   | SCORPIONS      |
| SILVERFISH   | WASPS          |
| FLYING MOTHS | HORNETS        |
| GNATS        | CLOVER MITES   |
| CRICKETS     | CHEESE MITES   |
| ROACHES      | CHEESE SKIPPER |

AND MOST EXPOSED COMMON STORED GRAIN PESTS INCLUDING:

- GRANARY WEEVIL
- RICE WEEVIL
- GRAIN BEETLE
- SPIDER BEETLES
- ANGOUMOIS GRAIN MOTH
- MEDITERRANEAN FLOUR MOTH
- GRAIN MITES