

ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. FOR EYES, IMMEDIATELY FLUSH WITH RUNNING WATER FOR AT LEAST 10 MINUTES AND GET MEDICAL ATTENTION. ATROPINE IS ANTIDOTAL. 2-PAM IS ALSO ANTIDOTAL AND MAY BE ADMINISTERED IN CONJUNCTION WITH ATROPINE.

DANGER

Poisonous if swallowed, inhaled or absorbed through skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying applications wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals.

Do not use in serving areas of restaurants while food is exposed.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS—FIVE GALLON, THIRTY GALLON, and FIFTY-FIVE GALLON DRUMS Pour the following mixture into the empty container.

5—GALLON DRUMS—2 pts. water, 1 2 cup caustic soda (household lye), 2 tablespoonfuls detergent.

30 GALLON DRUMS—3 gallons water, 1 pound caustic soda (household lye) 1 2 cup detergent.

55—GALLON DRUMS—5 gallons water, 2 pounds caustic soda (household lye) 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.


DO NOT use container in any connection with feed, food, or drinking water.

(Caution: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow precautions on the package.) Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED —

Punch holes in the top of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.

FOR USE



DDVP-2

EMULSIFIABLE CONCENTRATE

KILLS FLIES, MOSQUITOES, ANTS, FLEAS

DANGER  POISON

KEEP OUT OF REACH OF CHILDREN
SEE ANTIDOTE AND FIRST AID INFORMATION

ACTIVE INGREDIENTS

*2, 2-dichlorovinyl dimethyl phosphate

*Related Compounds

Aromatic petroleum derivative solvents

INERT INGREDIENTS

*Equivalent to 23.9% by wt Shell Vapona

Manufactured by
STEPHENSON CHEMICAL CO.,
COLLEGE PARK, GEORGIA

FOR USE IN RESTAURANTS, HOTELS, AND OTHER CONTENTS _____ GALS.



ACCEPTED
4887-49

DDVP-2

EMULSIFIABLE CONCENTRATE

KILLS FLIES, MOSQUITOES, ANTS, FLEAS AND MAGGOTS

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN
SEE ANTIDOTE AND DANGER INFORMATION

FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS ONLY

DDVP-2 SPRAY is an insecticidal concentrate containing DDVP and to be used as a baited spray against resistant and non-resistant houseflies and also for the control of many other insect pests. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS, AND DIRECTIONS.**

DO NOT USE IN SERVING AREAS OF RESTAURANTS WHILE FOOD IS EXPOSED.

DIRECTIONS

FLY CONTROL: For the control of resistant and non-resistant houseflies around animal hospitals, drive-ins and human dwellings. Spot spray or apply on floor areas where flies congregate. Repeat as necessary. Mix according to the following directions. Use only out-of-doors around human dwellings.

Gallons of Water	Amount DDVP Conc.	lbs. powder sugar
1	1 tablespoon	1
5	3 tablespoons	2-3
10	3 fl. oz.	4-5
50	5 fl. oz.	7-8
100	1 1/2 pints	30-40
	1 1/2 quarts	50-60

MAGGOT CONTROL: For the control of fly maggots use without sugar. Mix at the rate of 1 oz. (2 tbs.) per gallon (1/2 gal. per 50 gallons). Apply with a sprinkling can or as a coarse spray at the rate of 1 gallon of spray per 100 square feet to fly breeding areas such as garbage dumps.

MOSQUITO LARVAE CONTROL: Use at 6 1/2 oz. per acre (0.1 lb. actual DDVP) in sufficient oil or water to cover evenly when applied by air or ground equipment. Repeat as necessary. Spot spraying: Use at 1:200 in oil or water and apply as a coarse spray to breeding areas. For use by experienced PCO's, Health Departments or Mosquito Abatement Officials. **HIGHLY TOXIC TO SHRIMP AND CRABS. DO NOT USE WHERE THESE ARE IMPORTANT RESOURCES. (DO NOT CONTAMINATE TIDAL WATERS.)**

FLEAS: Apply at 2-4 qts. per 100 gallons (2-4 tsp. per gal.) Spray outdoor areas only, shrubbery, and under out-buildings thoroughly. Repeat as necessary. **DO NOT APPLY DIRECTLY TO ANIMALS.**

AREAS OTHER THAN FOOD HANDLING ESTABLISHMENTS:
ROACHES (Resistant and non-resistant) WATERBUGS AND ANTS INDOORS: For professional PCO use only: Use 1 1/2 oz. per gallon of base oil or water. Make application as a spot treatment. Application should be made as a coarse spray or painted with brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, re-

frigerators, sinks, stoves and similar hiding places of these pests. For Ants, treat trails and points of entry into the house. Repeat treatments when necessary. The diluted material should be applied at a rate of 6 2/3 oz. per 1200 cubic feet of room or an equivalent increase or decrease for larger or smaller rooms. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry.

NOTE: Remove all animals from buildings during spraying operations. Do not spray on animals or birds. Do not use in milk houses.

FOOD HANDLING ESTABLISHMENTS

For Control of Roaches (Resistant and Non-Resistant) and Waterbugs.

Food Areas: Include receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing, cleaning, slicing, cooking, grinding, edible waste storage, enclosed process and systems, mills, dairies, edible oils, syrups.

All food-prep. surfaces should be thoroughly cleaned before using. When using this product in these areas, apply only when plant is not in operation.

Dilute 1/2 oz. per gallon of Base Oil or water and apply as a fine stream in cracks and crevices, baseboards, areas where the seal is broken through which they may enter the building. Include application of this product between equipment and floors, and openings leading to vents and hollow spaces in walls, equipment, and fixtures. Any material which may come into contact with the surfaces of plates and devices must be completely cleaned with soap and water followed by a thorough rinsing with potable water.

Caution should be taken to avoid introducing this material into the air.

Applications of this product in the food areas of food handling establishments other than as a crack and crevice treatment, are not permitted.

Non Food Areas: Include garbage rooms, lavatories, floor maintenance rooms, offices, janitor offices, locker rooms, restrooms, storage rooms, storage in closets, and storage areas.

Dilute 1/2 oz. per gallon of Base Oil or water and apply as a fine stream in cracks and crevices to localized areas where pests are present, including dark corners, under sinks, behind and beneath and behind sinks, lockers, under and behind plumbing and other utility installation, where insects hide or through which they may enter.

ACTIVE INGREDIENTS	
*2, 2-dichlorovinyl dimethyl phosphate	22.2%
*Related Compounds	1.7%
Aromatic petroleum derivative solvents	70.1%
INERT INGREDIENTS	
	6.0%
TOTAL	100.00%

*Equivalent to 23.9% by wt. Shell Vapona

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

ANTIDOTE

USE BY PEST CONTROL OPERATORS
TRAINED PERSONNEL

DANGER

STEPHENSON
Chemicals

PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DDVP-2
EMULSIFIABLE CONCENTRATE

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 497-49

Manufactured by
STEPHENSON CHEMICAL CO.
COLLEGE PARK, GEORGIA

CONTENTS GALS

FOR USE BY PROFESSIONAL PEST

CONTROL OPERATORS ONLY

FOR USE BY PEST CONTROL OPERATORS OR OTHER
TRAINED PERSONNEL ONLY

STEPHENSON

Chemicals

DDVP-2

EMULSIFIABLE CONCENTRATE

KILLS FLIES, MOSQUITOES, AND OTHER PESTS

DIRECTIONS

Quantity of Water	Amount DDVP Conc.	lb. powder sugar
1 gallon	1/2 oz.	2 lb.
2 gallons	1 oz.	4 lb.
3 gallons	1 1/2 oz.	6 lb.
4 gallons	2 oz.	8 lb.
5 gallons	2 1/2 oz.	10 lb.
6 gallons	3 oz.	12 lb.
7 gallons	3 1/2 oz.	14 lb.
8 gallons	4 oz.	16 lb.
9 gallons	4 1/2 oz.	18 lb.
10 gallons	5 oz.	20 lb.

HOUSEHOLD FLY CONTROL
 Mix with water and powder sugar in a spray bottle. Spray in areas where flies are present. Repeat every 2-3 days.

TO CONTROL MOSQUITOES
 Mix with water and powder sugar in a spray bottle. Spray in areas where mosquitoes are present. Repeat every 2-3 days.

TO CONTROL WATERBUGS AND OTHER PESTS
 Mix with water and powder sugar in a spray bottle. Spray in areas where pests are present. Repeat every 2-3 days.

CAUTION: DDVP-2 IS HIGHLY TOXIC TO STRIPED AND CREASSED CRAWLERS. DO NOT USE WHERE THESE ARE IMPORTANT RESOURCES. DO NOT CONTAMINATE IDEAL WATERS.

KEEP OUT OF REACH OF CHILDREN

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA