

ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY! IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. FOR EYES, IMMEDIATELY FLUSH WITH RUNNING WATER FOR AT LEAST 10 MINUTES AND GET MEDICAL ATTENTION. ATROPINE IS ANTIDOTAL. 2-PAM IS ALSO ANTIDOTAL AND MAY BE ADMINISTERED IN CONJUNCTION WITH ATROPINE.

DANGER

Poisonous if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying applications wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals. Do not use in serving areas of restaurants while feed is exposed.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, shrimp, crab, birds and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS—FIVE GALLON, THIRTY GALLON, and FIFTY-FIVE GALLON DRUMS— Pour the following mixture into the empty container.

5-GALLON DRUMS—2 qts. water, 1.2 cup caustic soda (household lye), 2 tablespoonfuls detergent.

30-GALLON DRUMS—3 gallons water, 1 pound caustic soda (household lye) 1.2 cup detergent.

55-GALLON DRUMS—5 gallons water, 2 pounds caustic soda (household lye) 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DO NOT use container in any connection with feed, food, or drinking water.

(Caution: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow precautions on the package.) Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED —

Punch holes in the top of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 4887-49

EPA Est. 4887-GA-1

ACCEPTED
OCT 22 1976
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered for use pursuant to EPA Reg. No. 4887-49.

STEPHENSON
Chemicals

FOR USE BY PEST CONTROL OPERATOR
TRAINED PERSONNEL

DDVP-2
EMULSIFIABLE CONCENTRATE

KILLS FLIES, MOSQUITOES, ANTS, ETC.

ACTIVE INGREDIENTS
2,2-dichlorovinyl dimethyl phosphate
Related Chlorinated
Aromatic petroleum derivatives solvent
INERT INGREDIENTS
Equivalent to 2.3% by wt. Technical

Manufactured by
STEPHENSON CHEMICAL
COLLEGE PARK, GEORGIA

500-874

ACCEPTED
OCT 22 1976
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product has been found to comply with the requirements of the Act and is hereby registered under EPA Reg. No. _____

Contents _____ Gals.

STEPHENSON
Chemicals

FOR USE BY PEST CONTROL OPERATORS OR OTHER TRAINED PERSONNEL ONLY

DDVP-2
EMULSIFIABLE CONCENTRATE

KILLS FLIES, MOSQUITOES, ANTS, FLEAS AND MAGGOTS

ACTIVE INGREDIENTS		
2,2-dichlorovinyl dimethyl phosphox	22.2%	
Related Compounds	1.7%	
Aromatic petroleum derivative solvents	76.1%	
INERT INGREDIENTS	0.0%	
	Total	100.0%

*Equivalent to 4.9% by wt. Technical DDVP

FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS ONLY

DDVP-2 SPRAY is an insecticidal concentrate containing DDVP and to be used as a baited spray against resistant and non-resistant houseflies and also for the control of many other insect pests. **READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS, AND DIRECTIONS.**

DO NOT USE IN SERVING AREAS OF RESTAURANTS WHILE FOOD IS EXPOSED.

DIRECTIONS

FLY CONTROL: For the control of resistant and non-resistant houseflies around animal hospitals, drug stores and human dwellings. Spot spray or apply on floor areas where flies congregate. Repeat as necessary. Mix according to the following directions. Use only out-of-doors around human dwellings.

Gallons of Water	Amount DDVP Conc.	lbs. powder sugar
1	1 tablespoon	1
2	2 tablespoons	2-3
5	3 fl. oz.	4-5
10	3 fl. oz.	7-8
50	1 1/2 pints	30-40
100	1 1/2 quarts	30-40

MAGGOT CONTROL: For the control of fly maggots use without sugar. Mix at the rate of 1 oz. (2 tbs.) per gallon (1/2 gal per 10 gallons). Apply with a sprinkling can or as a coarse spray at the rate of 1 gallon of spray per 100 square feet to fly breeding areas such as garbage dumps.

MOSQUITO LARVAE CONTROL: Use at 1.2 oz per acre (0.1 lb actual DDVP) in sufficient oil or water to cover evenly when applied by air or ground equipment. Repeat as necessary. Spot spraying. Use at 1/200 in oil or water and apply as a coarse spray to breeding areas. For use by experienced PCOs, Health Departments or Mosquito Abatement Officials. **HIGHLY TOXIC TO FISH AND CRABS. DO NOT USE WHERE THESE ARE IMPORTANT RESOURCES. (DO NOT CONTAMINATE TIDAL WATERS.)**

FLEAS: Apply at 2-4 pts. per 100 gallons (2-4 tap. per gal.) Spray outdoor areas only, shrubbery, and under out-buildings thoroughly. Repeat as necessary. **DO NOT APPLY DIRECTLY TO ANIMALS.**

AREAS OTHER THAN FOOD HANDLING ESTABLISHMENTS: ROACHES (Resistant and non-resistant) WATERBUGS AND ANTS INDOORS: For professional PCO use only. Use 1 1/2 oz. per gallon of base oil or water. Make application as a spot treatment. Application should be made as a coarse spray or painted with brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar hiding places of these pests. For Ants, treat trails and points of entry into the house. Repeat treatments when necessary. The diluted material should

be applied at a rate of 2 2/3 oz per 1200 cubic feet of room or equivalent increase or decrease for larger or smaller rooms. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry.

NOTE: Remove all animals from buildings during spraying operations. Do not spray on animals or birds. Do not use in milk houses.

FOOD HANDLING ESTABLISHMENTS: Place under the plastic food covers in which exposed food is stored, covered, or protected or stored.

For Control of Roaches (Resistant and Non-resistant) and Waterbugs.

FOOD AREAS: Includes receiving, serving, storage (dry, cold frozen raw), packaging, canning, bottling, wrapping, boxing, preparing, cleaning, slicing, cooking, grinding, edible waste storage, enclosed processing systems (mills, driers, edible oils, etc.).

Use 1 1/2 oz per gallon of Base Oil or water and apply as a fine stream in small amounts to cracks and crevices where insects hide or through which they may enter the building. Do not spray in joints, spaces between equipment and floors, and ceiling, leading to voids and hollow spaces in walls, ceiling, joists, and base. Any material which may come into contact with areas outside of cracks and crevices must be completely cleaned up using soap and water followed by a thorough rinse with potable water.

If used with water, do not use this product in conduits, meter basins, and electrical switch boxes. Care should be taken to avoid introducing this material into the air.

All food processing surfaces should be thoroughly cleaned before using. When using this product in these areas, apply only when plant is not in operation.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains, restrooms, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage water, canning or bottling.

Use 1 1/2 oz per gallon of Base Oil or water and apply as a coarse wet spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, lockers, tables, pallets, and around plumbing and other utility installations where insects hide or through which they may enter.

KEEP OUT OF REACH OF CHILDREN

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

Manufactured by
STEPHENSON CHEMICAL CO., INC.
 COLLEGE PARK, GEORGIA