

DIRECTIONS FOR USE

Application can be made by pouring liquid on binned material to be treated. Vaporizes quickly forming a heavy vapor which kills insects as it settles through grain or seed. For best results bins should not be filled, but should be leveled off to within six inches of the top prior to applying.


To treat infested seed or grain in ELEVATOR STORAGE apply at the rate of 3 to 4 gallons per 1,000 bushels of material when stored in concrete or steel bins. Double dosage if material is stored in crib bins. For best results, apply to the grain as it is being turned from one bin to another. The surface of the grain should be sprayed through gun adjusted for wet spraying. The minimum recommended exposure period is five days. Longer periods should be permitted whenever possible.

To treat infested seed of grain in FARM STORAGE, apply at the rate of 4 to 5 gallons per 1,000 bushels of material when stored in steel bins. Add 50% to dosage for storage in wooden bins. The minimum recommended exposure period is 5 days. Longer periods should be permitted whenever possible. Do not feed to stock until all odors have disappeared.

To treat FLOUR MILL and BAKERY FLOUR EQUIPMENT apply at the rate of 1 quart per 100 cu. ft. of confined space where location or equipment are airtight, otherwise double dosage. Exposure period may be varied from 24 to 72 hours.

For treating BAGGED CORN, GRAIN, FEED AND SEEDS IN FUMIGATING VAULTS, apply by means of a gun operated by high pressure compressed air at the rate of 2 1/2 to 3 gallons of Stephenson Stored Grain Fumigant per 1,000 cubic feet of vault space. The recommended minimum exposure period is 48 hrs. Longer periods should be permitted whenever possible. Dosage may be poured over crumpled burlap sacks placed in flat pans above load.

Net Contents



STORED GRAIN FUMIGANT

DANGER



POISON

ACTIVE INGREDIENTS	100.00%
Ethylene Dichloride	70.20%
Carbon Tetrachloride	29.80%

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

STEPHENSON CHEMICAL STORED

is a liquid formulation specifically prepared for the control of insects infesting bulk stored grain, equipment, such as bins, spouts, conveyors, elevators, mills and sifters.

When used according to directions it controls Weevil, Rice Weevil, Confused flour beetle, Flat Grain beetle, Saw-toothed grain beetle, meal warm beetle, Cadelle, Angoumois Beetle, Drug Store beetle, Black carpet beetle, Med. Meal Moth, Indian meal moth and grain mite.

NOTE: DO NOT POUR ON DIRTY SURFACES, PAPER BAGS OR BAGS PRINTED WITH

It is impractical to use any fumigant at temperatures below 50 degrees F and where storage facilities or equipment are not airtight.

ANTIDOTE: If inhaled, move victim to fresh air. Give oxygen if available and hot black coffee if swallowed, do not induce vomiting. Move victim to fresh air. In case of contact with skin, remove clothing and immediately wash down with soap and water.

Net Contents



STEPHENSON CHEMICAL STORED GRAIN FUMIGANT

is a liquid formulation specifically prepared for the control of insects infesting bulk stored grain, seeds, flour mill and equipment, such as bins, spouts, conveyors, elevators, roller mills and sifters.

When used according to directions will control the Grain Weevil, Rice Weevil, Confused flour beetle, Rust-red flour beetle, Flat Grain beetle, Saw-toothed Grain beetle, Yellow meal worm beetle, Cadelle, Angoumois Grain Moth, Cigarette Beetle, Drug Store beetle, Black carpet beetle, Common carpet beetle, Med. Meal Moth, Indian Meal Moth, Flour mite and grain mite.

NOTE: DO NOT POUR ON DIRTY SACKS, ASPHALT LINED PAPER BAGS OR BAGS FRINTED WITH SOLUBLE DYES.

It is impractical to use any fumigant at temperatures below 70 degrees F and where storage facilities or equipment will not retain vapors for the recommended exposure period.

ANTIDOTE: If inhaled, move victim to fresh air immediately. Give oxygen if available and hot black coffee if conscious. If swallowed, do not induce vomiting. Move victim to doctor immediately. In case of contact with skin, remove contaminated clothing and immediately wash down with soap and water.

STORED GRAIN FUMIGANT

DANGER  POISON

ACTIVE INGREDIENTS	100.00%
Ethylene Dichloride	70.20%
Carbon Tetrachloride	29.80%

WARNING: MAY BE FATAL IF INHALED. USE ONLY WITH ADEQUATE VENTILATION TO REMOVE THE VAPOR. AVOID CONTACT WITH EYES. DO NOT TAKE INTO THE MOUTH. DO NOT TAKE INTO CONTACT WITH FLAME OR HOT SURFACES. STORE AWAY FROM CHILDREN. KEEP AWAY FROM CHILDREN. DO NOT ENTER TREATED AREAS WITHOUT PROPER PROTECTION AGAINST VAPORS.

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

STEPHENSON

Chemicals •

STORED GRAIN FUMIGANT

CONTAINER DISPOSAL: Do not reuse empty container. Destroy it by perforating or crushing. Bury in a safe place away from water supplies.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 4887-5.

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

STEPHENSON

Chemicals •

STORED GRAIN FUMIGANT

Fumigant for stored grain. It is a potent fumigant which is highly effective against all stages of insect life. It is also highly effective against mold and mildew. It is non-toxic to humans and animals. It is easy to use and does not require special equipment. It is available in a variety of quantities and forms. It is the most effective and safest fumigant available for the control of stored grain insects.

NOTE: This product is a highly volatile liquid. It should be handled with care and in a well-ventilated area. It should not be inhaled or swallowed. It should not be used near open flames or heat sources. It should be stored in a cool, dry place away from children and pets.

NOTE: This product is a highly volatile liquid. It should be handled with care and in a well-ventilated area. It should not be inhaled or swallowed. It should not be used near open flames or heat sources. It should be stored in a cool, dry place away from children and pets.

DANGER

HAZARDOUS VAPOR AND LIQUID. MAY BE FATAL IF INHALED OR SWALLOWED. USE ONLY WITH ADEQUATE VENTILATION. DO NOT BREATHE VAPOUR. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. DO NOT TAKE INTERNALLY. AVOID CONTACT WITH FLAME OR HOT SURFACE. KEEP IN CLOSED CONTAINERS. STORE AWAY FROM HIGH TEMPERATURES. KEEP AWAY FROM CHILDREN AND PETS. DO NOT RE-ENTER TREATED AREAS WITHOUT AN AIRLINE RESPIRATOR OR A FULL FACE GAS MASK WITH A CANISTER FOR PROTECTION AGAINST ORGANIC VAPORS.

not reuse empty
rating or crushing.
water supplies.

expressed or implied,
ther than indicated on
handling is contrary to

7-57

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA