

Net Contents 4 oz.

STEPHENSON CHEMICALS  
2.5% HEPTACHLOR GRANULES

(Not to be sold individually)

WARNING: Keep out of reach of children.  
See outer container for other  
cautions and directions for use.

Active Ingredients:

*Heptachlor	2.50%
Related Compounds	.97%
<u>Inert Ingredients</u>	<u>96.53%</u>
Total	100.00%

\*heptachlorotetrahydro-4, 7-  
methanoindene

EPA Reg. No. 4887-58

Manufactured by  
Stephenson Chemical Co., Inc.  
College Park, Georgia

4887 58

July 11-

## DIRECTIONS

This product is limited strictly to use on lawns and ornamentals so as to avoid contamination of food and feed crops.

**MOUND TREATMENT OF IMPORTED FIRE ANT:** Apply 1 lb. of 2.5% Heptachlor Granules to the entrance of the nest and an area 3 feet around it. If necessary, repeat treatment 2 weeks after first application. Treatment must be limited to non-food crop areas.

**BROADCAST TREATMENT:** For control of ANTS, JAPANESE BEETLE LARVAE, WHITE GRUBS, WHITE FRINGED BEETLE LARVAE, EUROPEAN CHAFER LARVAE and ASIATIC GARDEN BEETLES. Apply 80 lbs. 2.5% Heptachlor Granules per acre or 2 lbs. per 1000 sq. ft. direct or in a heptachlor-fertilizer combination to non-food crop areas including lawns, cemeteries, golf courses, park areas and nurseries. Wash into top few inches of soil. Note: Birds feeding over treated lawn may be harmed.


For control of CHIGGERS, FLEAS, MOSQUITOES and TICKS, apply 40 lbs. of 2.5% Heptachlor Granules per acre or 1 lb. per 1000 sq. ft. to the above mentioned areas.

## NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**CONTAINER DISPOSAL:** Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

NET WT. 4 LB.



# 2.5% HEPTACHLOR GRANULES

## CONTROLS:

### ACTIVE INGREDIENTS:

•Heptachlor .....	2.50%
Related Compounds .....	.97%

INERT INGREDIENTS .....	96.53%
TOTAL .....	100.00%

Heptachlor (1,1-dichloro-4,4'-methylenediphenyl ether)

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA

NET WT 11.5

## DIRECTIONS

This product is limited strictly to use on lawns and ornamentals areas to avoid contamination of food and feed crops.

**MOUND TREATMENT OF IMPORTED FIRE ANT:** Apply 1 lb. of 2.5% Heptachlor Granules to the entrance of the nest and an area 3 feet around it. If necessary, repeat treatment at 2 week intervals. Application of treatment must be limited to non-food crop areas.

**BROADCAST TREATMENT:** FOR CONTROL OF ANTS, JAPANESE BEETLE LARVAE, WHITE GRUBS, WHITE FRINGED BEETLE LARVAE, EUROPEAN CHAFER LARVAE and ASIATIC GARDEN BEETLES. Apply 40 lbs. of 2.5% Heptachlor Granules per acre or 2 lbs. per 1000 sq. ft. direct or in a heptachlor fertilizer combination to non-food crop areas including lawns, cemeteries, golf courses, park areas and nurseries. Wash into top few inches of soil. Note: Birds feeding over treated lawn may be harmed.

For control of CHIGGERS, FLEAS, MOSQUITOES and TICKS, apply 40 lbs. of 2.5% Heptachlor Granules per acre or 2 lbs. per 1000 sq. ft. to the above mentioned areas.

## NOTICE

seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**CONTAINER DISPOSAL:** Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

## WARNING

**MAY BE FATAL IF SWALLOWED. DO NOT BREATHE VAPOR, DUST OR SPRAY MIST. DO NOT GET ON SKIN. IN CASE OF CONTACT, WASH IMMEDIATELY WITH SOAP AND WATER. DO NOT CONTAMINATE FEED OR FOODSTUFFS.**

**HIGHLY TOXIC TO FISH AND WILDLIFE. DO NOT CONTAMINATE ANY BODY OF WATER, BY DIRECT APPLICATION, CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES AND CONTAINERS.**

**NOTE: BIRDS FEEDING OVER TREATED LAWNS MAY BE KILLED.**

## ANTIDOTE

**EXTERNAL—**In case of spillage on skin, wash promptly with soap and water.

**INTERNAL—**Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

USDA Reg. No. 4887-58

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA

4887-58  
**STEPHENSON**

**Chemicals** ®

# 2.5% HEPTACHLOR GRANULES

IMPORTED FIRE ANTS, JAPANESE BEETLE LARVAE, WHITE GRUBS, WHITE FRINGED BEETLE LARVAE, EUROPEAN CHAFER LARVAE AND ASIATIC GARDEN BEETLES, CHIGGERS, FLEAS, MOSQUITOES AND TICKS.

**WARNING:** KEEP OUT OF REACH OF CHILDREN  
(SEE WARNING ON BACK PANEL)

ACTIVE INGREDIENTS

HEPTACHLOR

90% (90% HEPTACHLOR)

INERT INGREDIENTS

10%

10%

10%

10%

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA