

## ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY! IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. FOR EYES, IMMEDIATELY FLUSH WITH RUNNING WATER FOR AT LEAST 10 MINUTES AND GET MEDICAL ATTENTION. ATROPINE IS AN ANTIDOTE. 2-PAM IS ALSO ANTIDOTAL AND MAY BE ADMINISTERED IN CONJUNCTION WITH ATROPINE.

## DANGER

Poisonous if swallowed, inhaled or absorbed through skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying applications wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals.

Do not use in serving areas of restaurants while food is exposed.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

## PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS—FIVE GALLON, THIRTY GALLON, and FIFTY-FIVE GALLON DRUMS— Pour the following mixture into the empty container.

5—GALLON DRUMS—2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoonfuls detergent.

30—GALLON DRUMS—3 gallons water, 1 pound caustic soda (household lye) 1/2 cup detergent.

55—GALLON DRUMS—5 gallons water, 2 pounds caustic soda (household lye) 1 cup detergent.


Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DO NOT use container in any connection with feed, food, or drinking water.

(Caution: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow precautions on the package.) Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area.

### IF THE ABOVE RINSE METHOD CANNOT BE USED —

Punch holes in the top of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.



FOR USE BY PEST CONTROL OPERATORS OR OTHER TRAINED PERSONNEL ONLY

**DDVP-4**  
EMULSIFIABLE CONCENTRATE

ACCEPTED  
JUL 23 1976  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4987-63

**DANGER**  **POISON**

KEEP OUT OF REACH OF CHILDREN  
(SEE ANTIDOTE AND WARNING ON SIDE PANEL)

**KILLS FLIES, MOSQUITOES, ANTS, FLEAS AND MAGGOTS**

ACTIVE INGREDIENTS	
*2, 2-dichlorovinyl dimethyl phosphate .....	42.10%
*Related Compounds .....	3.20%
Aromatic petroleum derivative solvents .....	40.20%
INERT INGREDIENTS .....	5.50%
	Total 100.00%

\*Equivalent to 46.3% by wt. Shell Vapona

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK GEORGIA

### ANTIDOTE

IMMEDIATELY GIVE ONE TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS  
 PRODUCED. GET M LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY IN CASE OF CONTACT. REMOVE  
 CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. EYES SHOULD BE IMMEDIATELY FLUSHED  
 WITH RUNNING WATER FOR AT LEAST 10 MINUTES AND GET MEDICAL ATTENTION. ATROPINE IS AN IDEAL ANTIDOTE.  
 ANTIDOTE CAN BE ADMINISTERED IN CONJUNCTION WITH ATROPINE.

### DANGER

Extremely toxic if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or in clothing. Wear natural rubber gloves, eye  
 protection and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. Dur-  
 ing fogging or mist spraying applications wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP protection.  
 Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all  
 contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from  
 domestic animals.  
 Do not use in serving areas of restaurants while food is exposed.  
 This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not  
 apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water  
 by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

### PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location  
 away from water supplies.

GLASS CONTAINERS—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.  
 METAL CONTAINERS—FIVE GALLON, THIRTY GALLON, and FIFTY-FIVE GALLON DRUMS—Pour the following mixture into the  
 empty container.

1 GALLON DRUMS—2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent  
 3 GALLON DRUMS—3 gallons water, 1 pound caustic soda (household lye), 1/2 cup detergent  
 5 GALLON DRUMS—5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent.  
 Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away  
 from water supplies.

DO NOT use container in any connection with feed, food, or drinking water.  
 Caution: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow  
 instructions on the package. Punch holes in the top and bottom of the container, crush the container, and bury deeply in an isolated area.

#### IF THE ABOVE RINSE METHOD CANNOT BE USED --

Punch holes in the top of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme  
 caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes.  
 Do not attempt to burn more than five containers at one time.

### NOTICE

**Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on  
 the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is con-  
 trary to label instructions.**

EPA Reg. No. 4887-63

EPA Est. 4887-GA-1

**STEPHENSON**  
**Chemicals**

FOR USE BY PEST CONTROL OPERATORS OR OTHER  
 TRAINED PERSONNEL ONLY

**DDVP-4**  
**EMULSIFIABLE CONCENTRATE**

**ACCEPTED**  
**JUL 23 1976**  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended for the pesticide  
 registered under  
 EPA Reg. No.

KILLS FLIES, MOSQUITOES, ANTS, FLEAS AND MAGGOTS

ACTIVE INGREDIENTS	
*2,2-dichlorovinyl dimethyl phosphate	42.10%
*Related Compounds	3.20%
Aromatic petroleum derivative solvents	49.20%
INERT INGREDIENTS	5.50%
Total: 100.00%	

\*Equivalent to 45.3% by wt. Shell Vacuma

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
 COLLEGE PARK, GEORGIA

Contents — — — Gals.

# STEPHENSON

Chemicals

FOR USE BY PEST CONTROL OPERATORS OR OTHER TRAINED PERSONNEL ONLY

## DDVP-4 EMULSIFIABLE CONCENTRATE

**ACCEPTED**  
JUL 23 1976  
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pest use restricted under EPA Reg. No.

KILLS FLIES, MOSQUITOES, ANTS, FLEAS AND MAGGOTS

ACTIVE INGREDIENTS	
*2, 2-dichlorovinyl dimethyl phosphate	42.10%
*Related Compounds	3.20%
Aromatic petroleum derivative solvents	48.20%
INERT INGREDIENTS	
	5.50%
Total 100.00%	

\*Equivalent to 45.1% by wt. Shell Vapona

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA

### FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS ONLY

DDVP-4 SPRAY is an insecticidal concentrate containing DDVP and to be used as a baited spray against resistant and non-resistant houseflies and also for the control of many other insect pests. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL, CAUTIONS, WARNINGS, AND DIRECTIONS.

DO NOT USE IN SERVING AREAS OF RESTAURANTS WHILE FOOD IS EXPOSED.

#### DIRECTIONS

**FLY CONTROL:** For the control of resistant and non-resistant houseflies around animal hospitals, districts and human dwellings. Spot spray or apply on floor areas where flies congregate. Repeat as necessary. Mix according to the following directions. Use only out-of-doors around human dwelling.

Gallons of Water	Amount DDVP Conc.	lbs. powder sugar
1	1/2 tablespoon	1
3	1 1/2 tablespoons	2-3
5	1 1/2 cups	4-5
10	2 1/2 cups	7-8
50	3 1/2 pints	30-40
100	3 1/2 pints	50-60

**MAGGOT CONTROL:** For the control of fly maggots use without sugar. Mix at the rate of 1/2 oz. 1 lbs. per gallon. 1 qt. per 50 gallons. Apply with a sprinkling can or as a coarse spray at the rate of 1 gallon of spray per 100 square feet to fly breeding areas such as garbage dumps.

**MOSQUITO LARVAE CONTROL:** Use at 3 1/4 oz. per 100 (0.1 lb. actual DDVP) in sufficient oil or water to cover evenly when applied by air or ground equipment. Repeat as necessary. Spot spraying. Use at 1/400 in oil or water and apply as a coarse spray to breeding areas. For use by experienced PCO's, Health Departments or Mosquito Abatement Officials. **HIGHLY TOXIC TO SHRIMP AND CRABS. DO NOT USE WHERE THESE ARE IMPORTANT RESOURCES (DO NOT CONTAMINATE TIDAL WATERS.)**

**FLEAS:** Apply at 1/2 oz. per 100 gallons. 1-2 tsp. per gal. Spray outdoor areas only, shrubbery, and under out-buildings thoroughly. Repeat as necessary. **DO NOT APPLY DIRECTLY TO ANIMALS.**

**AREAS OTHER THAN FOOD HANDLING ESTABLISHMENTS:** **ROACHES (Resistant and non-resistant) WATERBUGS AND ANTS INDOORS:** For professional PCO use only. Use 2-4 oz. per gallon of base oil or water. Make application as a spot treatment. Application should be made as a coarse spray or painted with brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar hiding places of these pests. For Ants, treat trails and points of entry into the house. Repeat treatments when necessary. The diluted material should

**KEEP OUT OF REACH OF CHILDREN**

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME**

... 1200 sq. feet of ...  
... which will be contacted frequently by ...  
... until surfaces ...  
... spraying of ...  
... use in milk ...

**FOOD HANDLING ESTABLISHMENTS**  
For Control of Roaches, Resistant and Non-resistant Waterbugs

**FOOD AREAS**

...

...

**REPLICATIONS OF THIS PRODUCT IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED**

...

...

...

**NON FOOD AREAS**

...

...

**REDWOOD'S  
VAPONA  
INSECTICIDE OIL CONCENTRATE  
FOR PROFESSIONAL USE ONLY  
NOT FOR STORAGE IN OR  
AROUND THE HOME**

For Control of: Cockroaches, Ants, Spiders and silverfish in households, restaurants, theatres, food processing plants, industrial plants and warehouses.

**DOSAGE ACTUAL VAPONA INSECTICIDE:** To make a 0.5% solution of oil concentrate, use 1 quart of 2 lb. material to 12 1/2 gallons of deodorized kerosene or other base oil.

**APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS.**

Limited to Crack and Crevice Treatment only—Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where cockroaches, ants, spiders and silverfish hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Application of this product in the food areas of food handling establishments, other than as a Crack and Crevice treatment, are not permitted.

Equipment that can deliver a pencil-thin stream of insecticide must be used for Crack and Crevice treatment. A coarse wet spray would not be appropriate for this type of treatment.

**HOUSEHOLD USE:** For control of Cockroaches, Ants, Spiders and silverfish. Apply a 0.5% Vapona as a coarse, wet spray with low pressure sprayer to localized areas insects may infest. Treat infested areas around baseboards, cracks, walls, door and window frames and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat animals with this product.

This product is toxic to fish and wildlife. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

Rinse empty container thoroughly with water and discard it.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

ACCEPTED

MAY 1955

**REDWOOD'S  
VAPONA®  
INSECTICIDE OIL CONCENTRATE**

2 pounds of VAPONA Insecticide per gallon

ACTIVE INGREDIENTS:

Dimethyl 2,2-dichlorovinyl phosphate*	23.2% Weight
Related Compounds .....	1.7% Weight
Petroleum Distillate .....	75.1% Weight
Total	100.0% Weight

\* Equivalent to 24.9% Vapona® Insecticide

**DANGER  POISON  
KEEP OUT OF REACH OF CHILDREN**

See side panel for additional cautions.

**ANTIDOTE: ATROPINE IS ANTIDOTAL.** 2-PAM is also antidotal and may be administered in conjunction with Atropine. If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet.

In case of eye contact, immediately flush with running water for at least 10 minutes and get medical attention.

**CALL A PHYSICIAN IMMEDIATELY.**

If on skin: In case of contact, remove contaminated clothing immediately and wash skin with soap and water.

If inhaled: Remove victim to fresh air.

**DANGER:** Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get into eyes or on skin. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type recommended by the U.S. Bureau of Mines for DIMP Protection. In case of contact, wash immediately with soap and water. Keep all unprotected humans out of operational area. Do not contaminate food and feedstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not get in eyes or on skin or on clothing.

Formulated by

**REDWOOD CHEMICAL INCORPORATED**

Net Contents: 1 gal.


Stock No. 13222

\* Shell Trademark

EPA Reg. No. 4981-28

10F2  
PM:5

4287-63



FOR USE BY PEST CONTROL OPERATORS OR OTHER  
TRAINED PERSONNEL ONLY

**DDVP-4**  
EMULSIFIABLE CONCENTRATE

**DANGER POISON**

KEEP OUT OF REACH OF CHILDREN  
(SEE ANTIDOTE AND WARNING ON SIDE PANEL)

KILLS FLIES, MOSQUITOES, ANTS, FLEAS AND MAGGOTS

ACCEPTED  
JUL 23 1976  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under 4887-63  
EPA Reg. No.

**FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS ONLY**

DDVP-4 SPRAY is an insecticidal concentrate containing DDVP and is to be used as a baited spray against resistant and non-resistant houseflies and also for the control of many other insect pests. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS, AND DIRECTIONS.

**DO NOT USE IN SERVING AREAS OF RESTAURANTS WHILE FOOD IS EXPOSED.**

**DIRECTIONS**

**FLY CONTROL:** For the control of resistant and non-resistant houseflies around animal hospitals, drive-ins and human dwellings. Spot spray or apply on floor areas where flies congregate. Repeat as necessary. Mix according to the following directions. Use only out-of-doors around human dwellings.

Gallons of Water	Amount DDVP Conc.	Sp. powder sugar
1	1/2 tablespoon	1
3	1 1/2 tablespoons	3-3
5	1 1/2 fl. oz	4-5
10	3 1/2 fl. oz	7-8
20	3 1/2 pint	16-20
100	3/4 quart	50-60

**MAGGOT CONTROL:** For the control of fly maggots use without sugar. Mix at the rate of 1 3/4 oz (1 1/2 lbs) per gallon (1 qt. per 30 gallons). Apply with a sprinkling can or as a coarse spray at the rate of 1 gallon of spray per 100 square feet to fly breeding areas such as garbage dumps.

**MOSQUITO LARVAE CONTROL:** Use at 3 1/4 oz per acre (0.1 lb. actual DDVP) in sufficient oil or water to cover evenly when applied by air or ground equipment. Repeat as necessary. Spot spraying: Use at 1.400 in oil or water and apply as a coarse spray to breeding areas. For use by experienced PCO's, Health Departments or Mosquito Abatement Officials. **HIGHLY TOXIC TO SHRIMP AND CRABS. DO NOT USE WHERE THESE ARE IMPORTANT RESOURCES. (DO NOT CONTAMINATE TIDAL WATERS.)**

**FLEAS:** Apply at 1 - 2 qts. per 100 gallons (1 - 2 tsp. per gal.) Spray outdoor areas only, shrubbery, and under out-buildings thoroughly. Repeat as necessary. **DO NOT APPLY DIRECTLY TO ANIMALS.**

**AREAS OTHER THAN FOOD HANDLING ESTABLISHMENTS:** **ROACHES** (Resistant and non-resistant) **WATERBUGS AND ANTS** **INDOORS:** For professional PCO use only: Use 3/4 oz. per gallon of base oil or water. Make application as a spot treatment. Application should be made as a coarse spray or painted with brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar hiding places of these pests. For ANTS, treat trails and points of entry into the house. Repeat treatments when necessary. The diluted material should

be applied at a rate of 7 oz per 1000 cubic feet of room or an equivalent increase or decrease for larger or smaller rooms. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry.

**NOTE:** Remove all animals from buildings during spraying operations. Do not spray on animals or birds. Do not use in milk houses.

**FOOD HANDLING ESTABLISHMENTS**  
For Control of Roaches (Resistant and Non-resistant) and Waterbugs:

**FOOD AREAS:** Includes receiving, serving, storage (dry, cold frozen, T-9), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, driers, edible oils, syrups).

All food-processing surfaces should be thoroughly cleaned before using. When using this product in these areas, apply only when plant is not in operation or foods are not exposed.

**APPLICATIONS OF THIS PRODUCT IN FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.**

Dilute 3/4 oz per gallon of Base Oil or water and apply as a fine stream in small amounts to cracks and crevices where insects hide or through which they may enter the building; includes expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment, legs and bases.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Any material which may come into contact with areas outside of cracks and crevices must be completely cleaned up using soap and water followed by a thorough rinsing with potable water.

**NON-FOOD AREAS:** Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Dilute 3/4 oz per gallon of Base Oil or water and apply as a coarse wet spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, lockers, tables, pallets, and around plumbing and other utility installations where insects hide or through which they may enter.

Poisonous if swallowed, inhaled or absorbed through skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying applications wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP protection. Do not contaminate feed and feedstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals.

Do not use in serving areas of restaurants while food is exposed.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

## PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS—FIVE GALLON, THIRTY GALLON, and FIFTY-FIVE GALLON DRUMS— Pour the following mixture into the empty container.

5-GALLON DRUMS—2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent.

30-GALLON DRUMS—3 gallons water, 1 pound caustic soda (household lye) 1/2 cup detergent

55-GALLON DRUMS—6 gallons water, 2 pounds caustic soda (household lye) 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DO NOT use container in any connection with feed, food, or drinking water.

(Caution: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow precautions on the package.) Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area.

### IF THE ABOVE RINSE METHOD CANNOT BE USED —

Punch holes in the top of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.



1400 2187777 2537