

DIRECTIONS FOR USE

For use and safety information, see the label on the container. For more information, see the label on the container.

AREAS OTHER THAN FOOD PROCESSING ESTABLISHMENTS
 Dilute 1/2 oz. of DK-II per gallon of water. Spray in areas where insects are found. Do not use on food or bedding for 12 hours after spraying. Wash and remove bedding before use.

Cockroaches (waterbugs), Ants, and Crickets.
 Make spot applications of DK-II as a coarse spray or spray in the early dawn to baseboards, areas around water pipes, cracks and crevices, sink, toilet and bath tub drains, and other areas where these insects hide. For ants, treat ant trails, trails, and nests.

Spiders.
 Apply DK-II spray around windows, doors, and along baseboards. Make spot applications to other areas over which this pest may crawl.

Bedbugs.
 Spray mattress and bedding heavily, including seams and springs. Apply to baseboards, edges of carpets, cracks, and insect hiding places. Do not use food or bedding for 12 hours after spraying. Wash and remove bedding before use.

Brown Dog Ticks and Fleas.
 Make thorough application of a DK-II spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and floors of areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animal with flea treatment.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared, or served.

Food Areas: Includes receiving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cooking, slicing, cooking, grinding), edible waste storage, enclosed processing systems (bars, dairies, edible oils, syrups).

All food-processing surfaces should be thoroughly cleaned before using.

Control of Roaches (waterbugs), Ants, and Crickets: dilute 1/2 oz. of 1/2 gallon of Base Oil or water and apply with equipment capable of giving a fine stream of insecticide in small amounts to cracks and other insect hiding places through which they may enter the building. Apply to expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. **Use this product in conduits, motor housings, and electrical switch boxes when diluted with water.**

Control of Spiders: dilute 1/2 oz. of 1/2 gallon of Base Oil or water and apply with equipment capable of giving a fine stream of insecticide in small amounts to cracks and other insect hiding places through which they may enter the building. Apply to expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. **Use this product in conduits, motor housings, and electrical switch boxes when diluted with water.**

Control of Fleas and Ticks: dilute 1/2 oz. of 1/2 gallon of Base Oil or water and apply with equipment capable of giving a fine stream of insecticide in small amounts to cracks and other insect hiding places through which they may enter the building. Apply to expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. **Use this product in conduits, motor housings, and electrical switch boxes when diluted with water.**

Control of Mosquitoes: dilute 1/2 oz. of 1/2 gallon of Base Oil or water and apply with equipment capable of giving a fine stream of insecticide in small amounts to cracks and other insect hiding places through which they may enter the building. Apply to expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. **Use this product in conduits, motor housings, and electrical switch boxes when diluted with water.**

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Serving Areas: Dilute 1/2 oz. of DK-II per gallon of water. Spray in areas where insects are found. Do not use on food or bedding for 12 hours after spraying. Wash and remove bedding before use.

Non-Food Areas of Food-Handling Establishments (Spot Application):
 Dilute 1/2 oz. of DK-II per gallon of water. Spray in areas where insects are found. Do not use on food or bedding for 12 hours after spraying. Wash and remove bedding before use.

PRECAUTIONS IN USING
 Do not use on food or bedding for 12 hours after spraying. Wash and remove bedding before use.

PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT reuse the container. Completely empty the contents and bury the used container at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS
Pour the following mixture into the empty container:
 1 gallon cans — 1 qt. water, 1/4 cup caustic soda (household lye), 1 tablespoon detergent.
 5-gallon drums — 2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent.
 30-gallon drums — 1 gallon water, 1 pound caustic soda (household lye), 1 cup detergent.
 55-gallon drums — 5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the container at least 18 inches deep in an isolated area away from water supplies.

DO NOT use a container in any connection with food, feed, or drinking water. (CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package.)

Punch holes in the top and the bottom of the container, crush the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED—
 Destroy by perforating or crushing and burying in a safe place away from water supplies.

WARNING - FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME

EPA Reg. No. 487-04

EPA Reg. No. 487-04-1

EM

(Cont)

ACT
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100

NET CONTENTS _____

DAN

Serving Areas—This product is intended for use in all areas where food is served, including restaurants, hotels, clubs, bars, and other establishments. For control of flies, mosquitoes, and other pests, apply to walls, ceilings, and other surfaces. For control of roaches, apply to cracks and crevices, under sinks, and other areas where they hide.

Non-Food Areas of Food Handling Establishments (Spot Application)—Apply to walls, ceilings, and other surfaces in areas where food is handled, including pantries, storerooms, and other areas. For control of flies, mosquitoes, and other pests, apply to walls, ceilings, and other surfaces. For control of roaches, apply to cracks and crevices, under sinks, and other areas where they hide.

PRECAUTIONS IN USING
With the exception of the applicator, the building should be cleared of humans, pets, birds, or fish. Allow 24 hours to ventilate the structure before re-occupancy. Do not eat, drink, or use cosmetics in areas treated with water. Keep out of reach of children. Do not allow children to enter treated areas until surfaces are dry.

PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the container and bury the unused material at least 18 inches deep in an isolated location away from water supplies.

GLASS CONTAINERS—Break the container and bury the pieces at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS
Pour the following mixture into the empty container:

1-gallon cans—1 qt. water, 1/4 cup caustic soda (household lye), 1 tablespoon detergent.

5-gallon drums—2 qts. water, 1/2 cup caustic soda (household lye), 2 tablespoons detergent.

30-gallon drums—5 gallons water, 1 pound caustic soda (household lye), 1/2 cup detergent.

55-gallon drums—5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DO NOT use container in any connection with feed, food, or drinking water. (CAUTION: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package.)

Punch holes in the top and the bottom of the container, crush the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED—Destroy by perforating or crushing and burying in a safe place away from water supplies.

FOR USE BY PEST CONTROL OPERATORS ONLY.

STEPHENSON

Chemicals

DK-11

EMULSIFIABLE CONCENTRATE



(Contains approximately 1# DDVP and 1# Ronnel® per gallon)

ACTIVE INGREDIENTS	
• 2,2-dichloroethyl dimethyl phosphate	11.11%
• Related Compounds	8.45%
• Ronnel (2,4-dimethyl 0-(2, 4, 5-trichlorophenyl phosphothioate)	12.00%
Tetrachloroethylene	5.00%
Xylene	59.50%
INERT INGREDIENTS	11.55%
**Equivalent to 11.95% of Shell Vapona Insecticide.	100.00%

Poisonous if swallowed, inhaled or absorbed through skin or on clothing. Wear natural rubber gloves when handling the concentrate to prevent exposure to fumes. During fogging or misting, wear a respirator of a type passed by the United States Department of Health. Do not contaminate feed and foodstuffs. Wash thoroughly with soap and water before eating or drinking. Wash with soap and hot water before re-use. Keep away from domestic animals.

This product is toxic to fish, birds, and other animals. Do not contaminate water by cleaning of equipment or disposal of product only as specified on this label.

ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOON OF WATER AND REPEAT UNTIL VOMITING OCCURS. IF DOWN AND KEEP QUIET. CALL A PHYSICIAN. IF CONTACT, REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER. ANTIMONY TRIOXIDE is an antidote and may be administered in conjunction with other measures.

NOTE

Seller makes no warranty, expressed or implied, other than indicated on this label. Buyer assumes all liability for use and/or handling of this material when such use and/or handling is not specifically approved on this label.

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

AWAY FROM HEAT OR OPEN FLAME

NET CONTENTS _____

FOR USE BY PEST CONTROL OPERATORS ONLY.



DANGER

Poisonous if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying applications, wear a mask or respirator of a type passed by the United States Bureau of Mines for DDVP protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

4887-24

DK-11

MULSIFIABLE CONCENTRATE

ANTIDOTE

DANGER **POISON**

KEEP OUT OF REACH OF CHILDREN.
NOTICE AND DANGER ON SIDE PANEL.

IF SWALLOWED, GIVE A TABLESPOON OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY! IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

4887-24

(Contains approximately 1 1/2 DDVP and 1 1/2 Ronnel* per gallon)

ACTIVE INGREDIENTS	
**2,2-dichlorovinyl dimethyl phosphate	11.11%
**Related Compounds	.84%
**Ronnel (C.I.D. methyl 0-(2, 4, 6-trichlorophenyl phosphorothioate)	12.00%
Tetrachloroethylene	5.00%
Xylene	59.50%
INERT INGREDIENTS	
Equivalent to 11.95% of Shell Vapona Insecticide.	100.00%

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

DIRECTIONS FOR USE

For use indoors to control Roaches (waterbugs), Ants, Crickets, Spiders, Fleas, Bedbugs, and Brown Dog Ticks when used as directed.

AREAS OTHER THAN FOOD PROCESSING ESTABLISHMENTS:

Dilute 2½ oz. of DK-11 per gallon of Base Oil or water and apply as directed taking care not to exceed the use of over 8 oz. of spray mixture per 1000 cubic feet of space. Repeat application as necessary to maintain control.

Cockroaches (waterbugs), Ants, and Crickets:

Make spot applications of DK-11 as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide. For ants, treat ant trails, runs, and nests.

Spiders:

Apply DK-11 spray around windows doors, and along baseboards. Make spot applications to other areas over which this pest may crawl.

Bedbugs:

Spray mattress and bedding lightly, including seams and springs, along baseboards, edges of carpets, cracks, and insect hiding places about room. Do not use bed or bedding for 12 hours after spraying. Wash all removable bedding before reusing.

Apply liberally to inside walls and floors of laundry trucks. Repeat as needed to maintain control.

Brown Dog Ticks and Fleas:

Make thorough application of a DK-11 spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared, or served.

Food Areas: Includes receiving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups).

All food-processing surfaces should be thoroughly cleaned before using.

For Control of Roaches (waterbugs), Ants, and Crickets, dilute 2½ oz. of DK-11 per gallon of Base Oil or water and apply with equipment capable of delivering a pin stream of insecticide in small amounts to cracks and crevices where insects hide or through which they may enter the building: Includes expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. Do not use this product in conduits, motor housings, and electrical switch boxes when diluted with water.

When using Base Oil for dilution, applications may be made in conduits, motor housings, and electrical switch boxes. Prior to application in conduits, motor housings, and electrical switch boxes, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. If any material should come in contact with areas outside cracks and crevices, clean it up completely using soap and water followed by a thorough rinsing with potable water.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Serving Areas - Facilities where prepared food is served, including prep rooms, but excluding areas where food is prepared. For Control of Roaches (waterbugs), DK-11 per gallon of Base Oil or water selective surfaces such as baseboards, cracks and crevices. Avoid treating surfaces where food is prepared. (Do not apply when facility is in operation.)
Non-Food Areas of Food-Handling Establishments: Includes garbage rooms, lavatories, floor drains, restrooms, locker rooms, machine rooms, offices, locker rooms, machine rooms, closets, and storage (after canning or bottling). For Control of Roaches (waterbugs), DK-11 per gallon of Base Oil or water not to exceed the use of over 8 oz. of space. Repeat application as necessary. Apply as a coarse wet spray or wipe where these pests are found or normally occur. Includes rooms and closets; cracks and crevices, baseboards, beneath and behind sinks, lockers, and other utility installations where pests may enter.

PRECAUTIONS IN USING

With the exception of the applicator, avoid contact with humans, pets, birds or fish. Allow one hour before re-occupancy. Do not contaminate water. Keep Out of Reach of Children. Avoid areas until surfaces are dry.

PROCEDURES FOR DECONTAMINATING EMPTY CONTAINERS

DO NOT re-use the container. Completely clean the unused chemical at least 18 inches from water supplies.

GLASS CONTAINERS—Break the container at least 18 inches deep in an isolated location.

METAL CONTAINERS
Pour the following mixture into the empty container:
1-gallon cans - 1 qt. water, ¼ cup detergent.

5-gallon drums—2 qts. water, ½ cup detergent.

30-gallon drums—3 gallons water, 1 ½ cup detergent.

55-gallon drums—5 gallons water, 2 ½ cup detergent.

Rotate container carefully until all inner surfaces are rinsed. Rinse the rinse solution at least 18 inches from water supplies.

DO NOT use container in any connection with water supplies. (CAUTION: Handle caustic soda (household lye) with care. Avoid contact with skin, in eyes, or on clothing. See cautions on the package.)

Punch holes in the top and the bottom of the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED: Destroy by perforating or crushing and disposing of the water supplies.

DIRECTIONS FOR USE

AREAS OTHER THAN FOOD PROCESSING ESTABLISHMENTS.

Cockroaches (waterbugs), Ants, and Crickets.

Spiders:

Bedbugs:

Brown Dog Ticks and Fleas:

FOOD HANDLING ESTABLISHMENTS:

Food Areas

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Do not use this product in conduits, meter housings, and electrical switch boxes when diluted with water.

Serving Areas:

Non-Food Areas of Food-Handling Establishments (Spot Application):

Precautions in Using:

Procedures for Decontamination and Safe Disposal of Empty Containers:

Glass Containers:

Metal Containers:

Do Not:

Caution:

If the above rinse method cannot be used:

Destroy by perforating or crushing and burying in a safe place away from water supplies.

Destroy by perforating or crushing and burying in a safe place away from water supplies.

Destroy by perforating or crushing and burying in a safe place away from water supplies.

Destroy by perforating or crushing and burying in a safe place away from water supplies.

Destroy by perforating or crushing and burying in a safe place away from water supplies.

Destroy by perforating or crushing and burying in a safe place away from water supplies.

NET CONTENTS

FOR USE BY PEST CONTROL OPERATORS ONLY.

STEPHENSON

Chemicals

DK-11

EMULSIFIABLE CONCENTRATE

KEEP AWAY FROM HEAT OR OPEN FLAME.

EPA Est. 4887-GA-1

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

NET CONTENTS

FOR USE BY PEST CONTROL OPERATORS ONLY.

STEPHENSON
Chemicals

DK-11

EMULSIFIABLE CONCENTRATE

Contains 1% DDVP and 1% Resmethal per gallon

ACTIVE INGREDIENTS	
2,4-Dichloro-1-methyl-4-nitrophenyl phosphate	11.11%
Resmethal	1.11%
INERT INGREDIENTS	
Emulsifier	5.00%
Stabilizer	5.00%
Filler	11.55%
Emulsifier	100.00%

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

DANGER

Poisonous if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying applications, wear a mask or respirator of a type passed by the United States Bureau of Mines for DDVP protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOON OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY! IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is not recommended on the label.

OPEN FLAME.

Est. 4897-GA-1

NET CONTENTS _____

DANGER

FOR USE BY PEST CONTROL OPERATORS ONLY.



Poisonous if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying applications, wear a mask or respirator of a type passed by the United States Bureau of Mines for DDVP protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DK-11 EMULSIFIABLE CONCENTRATE

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN
(SEE ANTIDOTE AND DANGER ON SIDE PANEL)

(Contains approximately 1± DDVP and 1± Ronnel* per gallon)

ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOON OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY! IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Feb 10, 1975

4887-84

ACTIVE INGREDIENTS	
**2,2-dichlorovinyl dimethyl phosphate	11.11%
**Related Compounds84%
**Ronnel (0,0-Dimethyl 0-(2, 4, 5-trichlorophenyl phosphorothioate)	12.00%
Tetrachloroethylene	5.00%
Xylene	59.50%
INERT INGREDIENTS	
**Equivalent to 11.95% of Shell Vapona Insecticide.	100.00%

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA