Jun. 29,1970 <u>ب</u> 下: 制作: CMIC POISON REGISTERED 1-102 UNDER 140

DIRECTIONS: TO CONTROL RATS

Spread 2 level teaspoonsful of paste on slices of bread weighing about one ounce each. Make a sandwich of two of these slices of bread on which the paste has been Press the sandwich together firmly, and cut into spread. 1/2 inch squares. Use one square as a bait. Cubed or chunk style baits will be carried by rodents from otherwise safe placements. Place baits in 1/2 inch mesh closed, wire baskets that are securely anchored. Stephenson's Phosphorus Paste may also be mixed with fresh ground meat or fish, or canned salmon. Use two tablesponsful of paste to a pound of bait, or one pound of paste to nine pounds of boit. Distribute boits in teospoonful quantities. Repeat, treatments at approximate. two-month intervars if necessary. pose baits only in areas inaccessible to children, pets and domestic animals. DO NOT USE FOODS WHICH WILL BE ATTRACTIVE TO CHILDREN, SUCH AS COOKIES, CAN DIES, NUTS, ETC. DOGS AND CATS WILL ACTIVELY THEY WILL NOT BE FED. UPON BY THESE ANIMALS. OF place in

For use by professional pest control operators and government agencies in commercial and industrial areas. Not







ACTIVE INGREDIENT: Phosphorus _ INERT INGREDIENTS

> Manufactured for STEPHENSON CHEMICAL CO., INC. COLLEGE PARK GEORGIA

NET WT.____LBS.

PASTE


POISON

ROACHES AND WATER BUGS

To control roaches and water bugs, spread Stephenson's Phosphorus Paste with a spatula or putty inite, on pieces of cardboard or small paper plates, and place them where the roaches can find them. Small dabs of paste may also be placed on the rafters in basements or on the basement walls. Repeat this treatment in all cases as often as necessary. This product is not effective against the small brown roach commonly found in kitchens and pantries. Stephenson's Phosphorus Paste is not inflammable. It will not burn, and it cannot set fire to other substances brought into contact with it.

GENERAL DIRECTIONS

- 1. Place baits at 8 to 10 foot intervals where rats and mice feed, water, or travel.
- 2. Baits must be placed in locations not accessible to children, pets, and domestic animals, or in tamperproof bait boxes.
- 3. Collect and destroy all uneaten baits after completion of control program.



USDA Reg. No. 4887-102

ANGLE

NET IP - S

*

CONTAINER DISPOSAL. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

 $(EPA) Rep = N = \{15, 7, 7\}$

STEPHENSON Chemicals

ANTU -- 20%

A CONCENTRATED RODENTICIDE FOR USE IN PREPARING BAITS FOR ("ONTROL OF NORWAY RATS

NOTICE: Concerni**ng** the tabel.

O

this mater

label instru

NGEH

] ·

•

not reuse empty container. De ste or burning. Stay away from

SIEPHENSON Chemicals

ANTU -- 20%

A CONCENTRATED RODENTICIDE FOR USE IN PREPARING BAITS FOR CONTROL OF NOPWAY RATS

NOTICE: Seller makes no warranty expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions.

DIRECTION. FOR MANNEL PART

ESRECTIONS FOR LOSSINGS

4387-102

DIRECTIONS: TO CONTROL RATS

Spread 2 level teaspoonsful of paste on slices of bread weighing about one ounce each. Make a sandwich of two of these slices of bread on which the paste has been spread. Press the sandwich together firmly, and cut into 1'2 inch squares. Use one square as a bait. Cubed or chunk style baits will be carried by rodents from otherwise safe placements. Place baits in 1-2 inch mesh closed. wire baskets that are securely anchored. Stephenson's Phosphorus Paste may also be mixed with fresh around meat or fish, or canned salmon. Use two tablesponsful of paste to a pound of bait, or one pound of paste to nine pounds of boit. Distribute boits in teaspoonful quantities. Repeat treatments at approximately two-month lintervals in necessary. pose baits only in areas inaccessible to children, pets and domestic animals. DO NOT USE FOODS WHICH WILL BE ATTRACTIVE TO CHILDREN, SUCH AS COOKIES, CAN DIES, NUTS, ETC. DOGS AND CATS WILL ACTIVELY THEY WILL NOT BE FED UPON BY THESE ANIMALS. OF place in DANGER SPOISON

For use by professional pest control operators and government agencies in commercial and industrial areas. Not



PHOSPHORUS PASTE



ACTIVE INGREDIENT: Phosphorus INERT INGREDIENTS

> Manufactured for STEPHENSON CHEMICAL CO COLLEGE PARK, GEORGIA

NET WT. LBS.

ROACHES AND WATER BUGS

To control rouches and water bugs, spread Stephenson's Phosphorus Paste with a spatula or putty knife, on pieces of cardboard or small paper plates, and place them where the roaches can find them. Small dabs of paste may also be placed on the rafters in basements or on the basement walls Repeat this treatment in all cases as often as neces sary. This product is not effective against the small brow roach commonly found in kitchens and pantries. Stept ... son's Phosphorus Paste is not inflammable. It will not have and it cannot set fire to other substances brought intercontact with it.

GENERAL DIRECTIONS

- 1 Place baits at 8 to 10 foot intervals where rats and mice feed, water, or travel
- Baits must be placed in locations not accessible to children, pets and domestic animals, or in tamperproof bait boxes.
- 3 Collect and destroy all uneaten baits after completion of ontrol program.

				-	
		•			
	~				
•					
		_			Ĵ
	~				
	2°e				
	2°¢ 98°≎				
	70 - 0			•	
	1000/			, i i i i i i i i i i i i i i i i i i i	•
	100%				
)., INC.					
				*	
	•				

USDA Reg. No. 4887-102

EM HONE TO CONTROL RATS

to the general public,

SEPHENSON

Chemicals

PHOSPHORUS PASTE

A Contract State WARNING

:

THIS PRODUCT CONTAINS PHOSPHORUS A DEADLY POISON. WARNING: DO NOT GET IN EYES, ON SKIN ON CLOTHING. WASH THOROUGHLY DO NOT REATHE FUMES. KEEP AWAY FROM CHILDREN, PETS AND DOMESTIC ANIMALS.

ANTIDOTE

Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear, followed by eight tublepoonsful of mineral oil (not saled or vegetable ail), Have utient lie down and keep warm. Cell a physician ar such

i son to hespital at ence. P. P. King Lat. STANT ANTIN

KEEP OUT OF REACH OF CHILDREN (SEE ANTIDOTE AND CAUTION ON SIDE PANEL) DO NOT USE OF STORE IN OR AROUND THE HOME KEEP PAIL COVERED!

CAUTION

. .

1 1

It is dangenine, the set or dilute this paster with water or syrup, and use it is insecticide, or to prepare baits for rati. If the paste is too thick for your use, write us. Service pails should be washed thoroughly before being refilled with fresh paste from this container. Keep pail covered. DECONTAININATION & DISPOSAL OF CONTAINERS Rines pais the oughly with water, burying rines solution in such a manager as not to contaminate water supplies. Cruch and bury container NOTICE: Seller makes no warranty, expressed or im-plied, concerning, the use of this product other than indicated on the lines. Buyer assumes all risk of use and the makes of this material when such use and the makes of the material when such use