

SURE-GUARD BRAND, when used as directed, both fumigates and protects grain against infesting insects. It must be evenly sprayed on the grain stream while turning.

Double acting SURE-GUARD BRAND is a long-life protectant plus a highly effective fumigant. Cuts grain treatment costs way down.

DIRECTIONS

Use to control the following insects: RED FLOUR BEETLE, INDIAN MEAL MOTH, CONFUSED FLOUR BEETLE, RICE WEEVIL, FLAT GRAIN BEETLE, RUSTY GRAIN BEETLE, LESSER GRAIN BORER, GRANARY WEEVIL, SAW-TOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN MOTH, CADELLE BEETLE.

Bins should be thoroughly cleaned before being filled with treated grain. Then apply STEPHENSON'S SURE-GUARD BRAND directly to the grain as it is being put in storage or as it is being turned.

DIRECTIONS

(Continued)

DOSAGE: Apply SURE-GUARD BRAND at the rate of one gallon per 1,000 bushels of grain. This should be applied as the grain is moving through an enclosed conveyor, spout, or tripper as close to the final site of storage as possible to prevent a loss of SURE-GUARD BRAND vapors. **NOTE:** Be accurate in dosage of SURE-GUARD BRAND. If dosage is too low, insect control may not be obtained. If dosage is too high, the tolerance of the protectant may be exceeded. Insure accurate application by use of proper applicator with spray nozzle sized to deliver a coarse spray.

For best results, ventilators should be closed and all aeration ducts sealed. Keep bin sealed from 3 to 7 days to allow the fumigation to finalize before ventilating or turning grain. Since the surface of the grain may be exposed to atmospheric conditions, check at regular intervals for surface infestation.



SURE

LIQUID GRAIN PROTECTANT
RYE, CORN, WHEAT

(See label for directions)


DANGER

KEEP OUT OF REACH OF CHILDREN
(SEE ANTIDOTE)

ACTIVE INGREDIENTS
Carbon Tetrachloride
Malathion*
Petroleum Distillates
Technical Piperonyl Ethyl Oxide
Pyrethrins
INERT INGREDIENTS

*O, O-dimethyl ether
**Equivalent to 0.1% piperonyl ethyl oxide

STEP 1



SURE-GUARD BRAND

LIQUID GRAIN PROTECTANT AND FUMIGANT FOR OATS,
RYE, CORN, WHEAT, BARLEY, GRAIN SORGHUMS
(seed treatment)

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN
(SEE ANTIDOTE AND WARNING ON SIDE PANEL)

ACTIVE INGREDIENTS:

Carbon Tetrachloride	92.40 %
Malathion*	4.95 %
Petroleum Distillate	2.358 %
Technical Piperonyl Butoxide**	0.020 %
Pyrethrins	0.002 %
INERT INGREDIENTS	0.270 %

100.00 %

*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate

**Equivalent to 0.016% (butylcarbityl) (6-propyl-
piperonyl) ether and 0.004% related compounds.

Contains Premium Grade Malathion

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA



DANGER

KEEP OUT OF REACH OF CHILDREN. Do not inhale, or absorbed through the skin. Do not come in contact with flame or hot surface. Use with care. Wash thoroughly after handling. Consumption of food or drink increases the possibility of harm from this product.

ANTIDOTE: If illness results from inhalation, call physician. If swallowed, call a physician. Give one tablespoon of salt in a glass of warm water.

NOTE TO PHYSICIAN: Malathion is a cholinesterase inhibitor. Atropine is the antidote. 2-PAM is also antidote. Use in conjunction with atropine.

OATS.
IMS

N
PANEL)

SURE-GUARD BRAND when used as directed, both fumigates and protects grain against infesting insects. It must be evenly sprayed on the grain stream while turning.

Double acting SURE-GUARD BRAND is a long-life protectant plus a highly effective fumigant. Cuts grain treatment costs way down.

DIRECTIONS

Use to control the following insects: RED FLOUR BEETLE, INDIAN MEAL MOTH, CONFUSED FLOUR BEETLE, RICE WEEVIL, FLAT GRAIN BEETLE, RUSTY GRAIN BEETLE, LESSER GRAIN BORER, GRANARY WEEVIL, SAW-TOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN MOTH, CADELLE BEETLE.

Bins should be thoroughly cleaned before being filled with treated grain. Then apply STEPHENSON'S SURE-GUARD BRAND directly to the grain as it is being put in storage or as it is being turned.

DIRECTIONS

(Continued)

DOSAGE: Apply SURE-GUARD BRAND at the rate of one gallon per 1,000 bushels of grain. This should be applied as the grain is moving through an enclosed conveyor, spout, or tripper as close to the final site of storage as possible to prevent a loss of SURE-GUARD BRAND vapors. **NOTE:** Be accurate in dosage of SURE-GUARD BRAND. If dosage is too low, insect control may not be obtained. If dosage is too high, the tolerance of the protectant may be exceeded. Insure accurate application by use of proper applicator with spray nozzle sized to deliver a coarse spray.

For best results, ventilators should be closed and all aeration ducts sealed. Keep bin sealed from 3 to 7 days to allow the fumigation to finalize before ventilating or turning grain. Since the surface of the grain may be exposed to atmospheric conditions, check at regular intervals for surface infestation.

DANGER

wash thoroughly after handling. Use of this product increases the possibility of harm to man and animals.

ANTIDOTE: If illness results from contact with this product, call physician. If swallowed, call a physician immediately. Give one tablespoon of salt in a glass of warm water.

NOTE TO PHYSICIAN: Malathion is a cholinesterase inhibitor. Atropine is the antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine.

BRAND

FUMIGANT FOR OATS,
GRAIN SORGHUMS

- 92.40
- 1.95
- 2.358
- 0.020
- 0.002
- 0.270

100.00

diethylmercaptosuccinate
(6-propyl-
d compounds,
de Malathion

d by
CAL CO., INC.
GEORGIA

