

[4887..1597 1 of 3

Net Contents



# SBP 1382<sup>®</sup> FOG COMPOUND

An effective semi-concentrate for application in specialized generators.

**CAUTION:** KEEP OUT OF REACH OF CHILDREN  
(SEE CAUTIONS ON SIDE PANEL)  
DO NOT STORE BELOW 32° F.

**ACTIVE INGREDIENTS**

+ (5-Benzyl-3-furyl) methyl (2-methyl-2-(2-methylpropenyl) cyclopropanecarboxylate)	30
Related Compounds	.04
Aromatic Petroleum Hydrocarbons	.40
Aliphatic Petroleum Hydrocarbons	99.25

**INERT INGREDIENT**

Cis trans isomers ratio max 30% cis and min.	.01%
+ U.S. Patent 3,465,697 70% cis trans.	100.00

SBP 1382 (R) registered trademark of CPC International, Inc

Manufactured by  
**STEPHENSON CHEMICAL CO., INC.**  
COLLEGE PARK, GEORGIA




In proper, specialized application, SBP 1382<sup>®</sup> Fog Compound kills exposed stages of: house flies, mosquitoes, gnats, wasps.

This product is a semi-concentrated insecticide, for application in specialized equipment, such as the Microsol, Challenger Generators, Tornado, Bes-Kill Aerosol Generator, electric and compressed air applicators, and similar equipment. Used as recommended, SBP 1382<sup>®</sup> Fog Compound can be used in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions and homes. When used in food-processing areas, foods and utensils should be removed or covered during treatment. All food-processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

Do not remain in treated areas and ventilate the area after treatment is completed.

## NOTICE

**Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.**



Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



521000 1007 3 of 3

**ACCEPTED**  
  
APR 04 1972  
  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO

500 3-72

7-159

## DIRECTIONS

Use in accordance with manufacturer's directions for the individual type of applicator selected. Apply at a rate of 2 to 4 ounces per 1000 cubic feet of space. Repeat treatments at intervals as needed.

## CAUTION

Keep away from children. Harmful if swallowed. Use the product as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Cover or remove all aquaria in areas to be treated. This insecticide is an oil base material and should not be stored near or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 10,000 cubic feet of enclosed space in order to avoid any explosion hazard.

**CONTAINER DISPOSAL:** Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

**DO NOT USE NEAR FLAME OR STORE  
NEAR HEAT SOURCES**