

Net Contents.....



SBP 1382[®] FOG COMPOUND

An effective semi-concentrate for application in specialized generators.

DRAFT

ACTIVE INGREDIENTS:		
*+(6-Benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	30%
Related Compounds04%
Aromatic Petroleum Hydrocarbons40%
Aliphatic Petroleum Hydrocarbons	99.25%
INERT INGREDIENT		
.....		
.01%		
*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.		
+U.S. Patent 3,465,007	70% (+) trans.	100.00%
SBP 1382 (R) registered trademark of CPC International, Inc.		

KEEP OUT OF REACH OF CHILDREN

DO NOT STORE BELOW 32° F.

CAUTION:

- If Swallowed - Call a physician or poison control center. Do not induce vomiting. This product contains petroleum solvents. Aspiration may be a hazard.
- If in Eyes - Flush with plenty of water. Get medical attention if irritation persists.
- If on Skin - Flush with plenty of water. Get medical attention if irritation persists.

SEE CAUTIONS ON SIDE PANEL

ACCEPTED

OCT 30 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4887-159

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Keep away from children. Harmful if swallowed. Use the product as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

ENVIRONMENTAL HAZARDS

Cover or remove all aquaria in areas to be treated.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. This insecticide is an oil base material and should not be stored near or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid any explosion hazard.

DRAFT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling..

Use in accordance with manufacturer's directions for the individual type of applicator selected. Apply at a rate of 2 to 4 ounces per 1000 cubic feet of space. Repeat treatments at intervals as needed. Do not remain in treated areas and ventilate the area after treatment is completed.

In proper, specialized application, SBP 1382^(R) Fog Compound kills exposed stages of: house flies, mosquitoes, gnats, wasps.

This product is a semi-concentrated insecticide, for application in specialized equipment, such as the Microsol, Challenger Generators, Tornado, Bes-Kill Aerosol Generator, electric and compressed air applicators, and similar equipment. Used as recommended, SBP 1382^(R) Fog Compound can be used in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions and homes. When used in food-processing areas, foods and utensils should be removed or covered during treatment. All food-processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

(Continued from side panel)

places, including all cracks and crevices about the bedroom. Adequate control can only be obtained by repeated applications and direct contact of bedbugs with the spray. Repeat applications as necessary to maintain control.

Carpet beetles - Apply to floor areas and baseboards. Spray directly into cracks, crevices, and under carpets where insects may be found. Treat both the underside and top side of infested carpets. Spray inside of trunks, closets, and infested areas of shelving. Repeat application as necessary.

Stored grain and flour pests - Stephenson Chemicals Fog and Mist Spray is useful in mills, elevators, granaries, warehouses, food storages, and other situations for control of exposed stages of those insects listed under fog and space spray directions. Apply according to fog and space spray directions, paying particular attention to treatment of cracks and crevices in floors and walls. Repeat applications as needed.

For treatment of floors and bins - Stephenson Chemicals Fog and Mist Spray is effective against those insects listed under fog and space directions when used in a good sprayer adjusted to deliver a coarse droplet spray using approximately 1 gal. of material to each 750 sq. ft. of surface. Repeat application as needed.

In mills, elevators, and granaries - Spray floors, walls, and other surfaces of bins, storage, and handling areas thoroughly with particular attention to cracks and crevices and similar protected locations. Waste grain, dust, dirt, and debris should be removed and destroyed and storage areas cleaned before spraying. Treat unloading, handling, and processing areas, and apply the insecticide to conveying, processing, and handling equipment, the inside of reel sifter, purifier conveyors, sifters, roll housings and hoppers, pickup conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment, beds, boxcars, and ship's holds before loading.

For in-transit protection and control - treat trucks - For extended protection, protection and control in warehouses and food products storages, treat exposed surfaces as recommended above and spray heavily cracks, crevices, recesses, hiding and breeding areas. Fully treat walls, floors, shelves, and other exposed surfaces and lightly spray each layer of cartons or containers as stacked.

Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this use.

To control exposed accessible stages of Indian meal moth and Angoumois grain moth in stored grain - Apply to the surface of the binned grain at a rate of 2 gallons per 1,000 square feet (1.6 pints per 100 square feet). Apply at monthly intervals beginning with the first appearance of moths and continue until early fall. In case of severe infestation, break up webbing with rake before spraying and make a second application in two weeks.

In barns, milking parlors, milkrooms, and dairies - To control flies, mosquitoes and gnats, apply as a fog or fine mist, directing spray towards ceiling and upper corners until areas filled with mist, using about 2 ounces per 1,000 cu. ft. of space. For best results, close doors and windows before spraying and keep them closed for 10 to 15 minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

When treating for insects indoors, sweep up and destroy all fallen insects following application.

Mosquito control outdoors - To control adult mosquitoes, using ground application, apply as a fine mist or fog at the rate of 1/2 gal. per acre. Shrubbery and vegetation around stagnant pools, marshy areas, ponds, and shorelines may be treated. Application of this product to any body of water is prohibited when used as an adult mosquitoicide. Repeat as necessary, usually once or twice a week. With motor or truck counted equipment, the above application rate will result if a 400 ft. swath is treated traveling at 5 miles per hour dispensing spray at a rate of 125 gallons per hour. To control mosquito larvae, dilute in oil at a rate of 1 part Fog and Mist Spray to 50 parts oil (5 pints in 16 gal.) and apply at a rate of 20-25 gal. per acre. Apply as a coarse wet spray only to the borders or in shallow water of wetlands, swamps, and marshes where mosquito larvae are known to breed. Do not exceed this dosage or fish kill may result.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL - Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local Authorities.

Notice - Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of injury from handling of this material when such use and/or handling is contrary to label instructions.

Contents _____ gallons

PRECAUTIONS

HAZARDOUS

C

Harmful if swallowed. Avoid breathing dust or fumes. Do not contaminate food or feedstuffs. Foot and hand protection is required when this product is used in food-processing areas. Do not apply to period when plant is not in operation. During treatment or thoroughly clean. Do not breathe spray mist. Wear mask. Consult the Bureau of Mines to give adequate protection. Wash hands and face with soap and water after handling. Wash clothing with soap and hot water before reuse.

ENVIRONMENTAL

This product is toxic to fish, birds, and bees. Do not apply when weather conditions are such that drift or spray may be killed at application rates. Do not apply to these important resources. Remove all drift before spraying.

PHYSICAL DATA

Do not use, pour or spill near heat or

DIRECTIONS

It is a violation of Federal law to use this

When used according to directions, Step 1 use insecticide for application as a thermophilic institutions, public buildings, hospitals, hotels, plants, bakeries, grain mills, dairies, breweries, and other situations where a pyrethrin is accessible exposed stages of flies, fruit flies, gnats, spiders, wasps, hornets, small flies, scorpions, granary weevils, rice weevil, Drugstore beetles, carpet beetles, flour beetles, Mediterranean flour moths, Indian meal moth, confused flour beetles, and saw toothed grubs. Head all directions and cautions before use. (Continued on other side panel)

SBP 1382 FOG COMPOUND

An effective semi-concentrate for application in specialized generators.

ACTIVE INGREDIENTS:

*+(6-Benzyl-3-furyl) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	.50%
Related Compounds	.04%
Aromatic Petroleum Hydrocarbons	.40%
Aliphatic Petroleum Hydrocarbons	99.25%
INERT INGREDIENT	.01%
*Cis-trans isomers ratio: max. 30% (+) cis and min.	
+U.S. Patent 3,465,007	70% (+) trans
SBP 1382 (R) registered trademark of CPC International, Inc.	100.00%

KEEP OUT OF REACH OF CHILDREN

DO NOT STORE BELOW 32° F.

CAUTION:

- If Swallowed - Call a physician or poison control center. Do not induce vomiting. This product contains petroleum solvents. Aspiration may be a hazard.
- If in Eyes - Flush with plenty of water. Get medical attention if irritation persists.
- If on Skin - Flush with plenty of water. Get medical attention if irritation persists.

SEE CAUTIONS ON SIDE PANEL

ACCEPTED

OCT 30 1984

U.S. DEPARTMENT OF AGRICULTURE
FEDERAL REGISTER
WASHINGTON, D.C. 20250
K.A. No. 4887-159

Manufactured by
STEPHENSON CHEMICAL CO., INC.