


ACCEPTED
 8-31-72
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 4887-161

Comments

CONTENTSGALS.
 FOR USE BY PEST CONTROL OPERATORS OR OTHER
 TRAINED PERSONNEL ONLY



DDVP - 20%

(2.2 lbs. gal. of Technical DDVP)

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN
 SEE ANTIDOTE AND WARNING ON SIDE PANEL

DIRECTIONS

Stephenson Chemicals DDVP 20% is formulated for use in tobacco warehouses to aid in the control of cigarette beetles and tobacco moths. This material may be applied as either an aerosol or by thermal fogging. Not for use or storage in or around the home.

CIGARETTE BEETLE—Apply at a dosage rate of one (1) gallon of the material per 499,400 cubic feet of storage space. Twice per week.

TOBACCO MOTH—Apply at a dosage rate of one-half (1/2) gallon of this material per 499,400 cubic feet of storage space. Once per week.

NOTE TO PHYSICIAN: This material is a cholinesterase inhibitor. Atropine and 2-PAM are antidotal and may be administered together. Never give Morphine. Observe patient continuously for 48 hours. Treat symptomatically. Allow no further exposure to cholinesterase inhibiting chemicals until time for cholinesterase regeneration has been allowed as determined by blood test.

ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER AND REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP QUIET. CALL A PHYSICIAN IMMEDIATELY! IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER.

| ACTIVE INGREDIENTS | |
|--|--------|
| *2. 2-Dichlorovinyl Dimethyl Phosphate | 18.4% |
| *Related Compounds | 1.6% |
| 1. 1. 1-Trichloroethane | 80.0% |
| | --- |
| Total | 100.0% |
| *Equivalent to 20% Technical DDVP | |

Manufactured by
STEPHENSON CHEMICAL CO., INC.
 COLLEGE PARK GEORGIA

ACCEPTED WITH COMMENTS

CONTENTS
FOR USE BY PEST CONTROL OPERATORS OR OTHER
TRAINED PERSONNEL ONLY

STEPHENSON

Chemicals

DDVP - 20%

(2.2 lbs. gal. of Technical DDVP)

4-887-10

DIRECTIONS

Stephenson Chemicals DDVP 20% is formulated for use in tobacco warehouses to control infestations of cigarette beetles and tobacco moths. This material may be applied by fogging or by thermal fogging. Not for use or storage in or around the home.

CIGARETTE BEETLE Apply at a dosage rate of one-half gallon of this material per 1000 cubic feet of storage space. Twice per week.

TOBACCO MOTH Apply at a dosage rate of one-half gallon of this material per 1000 cubic feet of storage space. Once per week.

NOTE TO PHYSICIAN: This material is a cholinesterase inhibitor. Atropine and 2-PAM are antidotes and may be administered together. Never give Morphine. Observe patient continuously for 24 hours. Treat symptomatically. Allow no further exposure to cholinesterase inhibiting chemical until time for cholinesterase regeneration has been allowed as determined by blood test.

ANTIDOTE

IF SWALLOWED, GIVE A TABLESPOONFUL OF SALT IN A GLASS OF WARM WATER. REPEAT UNTIL VOMIT FLUID IS CLEAR. HAVE VICTIM LIE DOWN AND KEEP CALM. CALL A PHYSICIAN IMMEDIATELY! IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER.

KEEP OUT OF REACH OF CHILDREN

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

8-31-72

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND FUNGICIDE ACT
FOR THE FEDERAL PESTICIDE
REGISTRATION BOARD
E.C. NUMBER 4887-161

Comments

DANGER

Poisonous if swallowed, inhaled or absorbed through skin! Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate. Do not breathe fumes. Avoid exposure to fumes. During fogging or mist spraying application wear a mask or respirator of a type passed by the U. S. Bureau of Mines for DDVP protection. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep all unprotected persons out of operational area. Keep away from domestic animals.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

DO NOT re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

METAL CONTAINERS—Pour the following mixture into the empty container:

55 GALLON DRUMS—5 gallons water, 2 pounds caustic soda (household lye) 1 cup detergent.

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies.

DO NOT use container in any connection with feed, food, or drinking water.

(Caution: Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow precautions on the package.) Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area.

IF THE ABOVE RINSE METHOD CANNOT BE USED—

Punch holes in the top of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from smoke and fumes. Do not attempt to burn more than five containers at one time.



DANGER

PROCEDURES FOR DECONTAMINATION AND SAFE DISPOSAL OF EMPTY CONTAINERS

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and or handling is contrary to label instructions.

EPA Reg. No. 4887-61

