

PM17

front panel

4887-162 107 4

DRAFT



UNICRON FOGGING SOLUTION

FOR PEST CONTROL OPERATOR USE ONLY

CONTROLS: See Directions for list of insects controlled.

ACTIVE INGREDIENTS:	
Pyrethins	3.00%
*Piperonyl Butoxide	6.00%
**N-octyl bicycloheptene dicarboximide	10.00%
Petroleum Distillate	80.79%
INERT INGREDIENTS21%
	100.00%

*Equivalent to 4.8% (butylcarbityl) (6-propylpiperonyl) ether
and 1.2% other Related Compounds
**MGK 264, Insecticide Synergist

OCT 30 1984

EPA Reg No. 4887-162

KEEP OUT OF REACH OF CHILDREN

CAUTION:

(SEE CAUTIONS ON SIDE PANEL)

Manufactured by
STEPHENSON CHEMICAL CO., INC.
 COLLEGE PARK, GEORGIA

CONTENTS

left side panel

2 of 4

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not apply directly to food. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using by washing with potable water all treated chutes, processing surfaces, etc., that food will touch prior to re-use. When using this product in these areas, apply only when facility is not in operation.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

Remove pets, birds and fish before spraying.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour or spill near heat or open flame.

Note: These statements must be blocked as a group.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Concentrate is designed to be used undiluted in mechanical sprayers which produce aerosol size particles, such as the Micro-Gen Micron Generator, Douglas PC-1 and PC-3, and Leco ULV equipment. It may be used in Homes, Restaurants, Food Processing Plants, Warehouses, and Industrial Installations to control a variety of insect pests which are listed in the directions.

PREPARATION OF AREA TO BE TREATED:

Remove birds, pets, and fish bowls from area to be treated. Remove occupants from room while treating and do not allow to re-enter until area has been well ventilated. Cover or remove exposed fruits, vegetables, foods and food handling equipment to prevent contamination. Open cabinets and other enclosures to allow complete penetration of all areas. Shut off all fans and ventilation equipment. Close all outside windows and doors. Extinguish all open flames, including pilot lights.

APPLICATION DIRECTIONS

To control Roaches, Silverfish, Waterbugs, Earwigs, Ants, Spiders, Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Rice Weevil, Cadelle, Angoumois Grain Moth, and Mediterranean Flour Moth. Prepare area as directed above and apply at a rate of one fluid ounce per 1,000 cubic feet of room space. Direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat dosage as necessary for control. Leave area closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Back
494

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store away from direct sunlight in a cool location. Keep container tightly closed when not in use.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use, according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Plastic - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Note: please block storage & disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Keep away from children. Harmful if swallowed. Use the product as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using.

ENVIRONMENTAL HAZARDS

Cover or remove all aquaria in areas to be treated.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. This insecticide is an oil base material and should not be stored near or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid any explosion hazard.

DRAFT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use in accordance with manufacturer's directions for the individual type of applicator selected. Apply at a rate of 2 to 4 ounces per 1000 cubic feet of space. Repeat treatments at intervals as needed. Do not remain in treated areas and ventilate the area after treatment is completed.

In proper, specialized application, SBP 1382(R) Fog Compound kills exposed states of: house flies, mosquitoes, gnats, wasps.

This product is a semi-concentrated insecticide, for application in specialized equipment, such as the Microsol, Challenger Generators, Tornado, Des-Kill Aerosol Generator, electric and compressed air applicators, and similar equipment. Used as recommended, SBP 1382(R) Fog Compound can be used in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions and homes. When used in food-processing areas, foods and utensils should be removed or covered during treatment. All food-processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

PM17

front panel

4887-162

1074

DRAFT



UNICRON FOGGING SOLUTION

FOR PEST CONTROL OPERATOR USE ONLY

CONTROLS: See Directions for list of insects controlled.

ACTIVE INGREDIENTS:

Pyrethins	3.00%
*Piperonyl Butoxide	6.00%
**N-octyl bicycloheptene dicarboximide	10.00%
Petroleum Distillate	80.79%
INERT INGREDIENTS21%
	100.00%

*Equivalent to 4.8% (butylcarbityl) (6-propylpiperonyl) ether
and 1.2% other Related Compounds
**MGK 264, Insecticide Synergist

061 3 0 1334

EPA Reg. No. 4887-162

KEEP OUT OF REACH OF CHILDREN

CAUTION:

(SEE CAUTIONS ON SIDE PANEL)

Manufactured by
STEPHENSON CHEMICAL CO., INC.
 COLLEGE PARK, GEORGIA

CONTENTS

left side panel

2 of 4

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not apply directly to food. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using by washing with potable water all treated chutes, processing surfaces, etc., that food will touch prior to re-use. When using this product in these areas, apply only when facility is not in operation.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

Remove pets, birds and fish before spraying.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour or spill near heat or open flame.

Note: these statements must be blocked as a group.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Concentrate is designed to be used undiluted in mechanical sprayers which produce aerosol size particles such as the Micro-Gen Micron Generator, Douglas PC-1 and PC-3, and Leco ULV equipment. It may be used in Homes, Restaurants, Food Processing Plants, Warehouses, and Industrial Installations to control a variety of insect pests which are listed in the directions.

PREPARATION OF AREA TO BE TREATED:

Remove birds, pets, and fish bowls from area to be treated. Remove occupants from room while treating and do not allow to re-enter until area has been well ventilated. Cover or remove exposed fruits, vegetables, foods and food handling equipment to prevent contamination. Open cabinets and other enclosures to allow complete penetration of all areas. Shut off all fans and ventilation equipment. Close all outside windows and doors. Extinguish all open flames, including pilot lights.

APPLICATION DIRECTIONS

To control Roaches, Silverfish, Waterbugs, Earwigs, Ants, Spiders, Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Rice Weevil, Cadelle, Angoumois Grain Moth, and Mediterranean Flour Moth. Prepare area as directed above and apply at a rate of one fluid ounce per 1,000 cubic feet of room space. Direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat dosage as necessary for control. Leave area closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Back
4 9 4


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store away from direct sunlight in a cool location. Keep container tightly closed when not in use.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use, according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Plastic - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



Note: please block storage + disposal.

