

This product contains:

- 1. Pyrethrum and Piperonyl Butoxide for mulck kill and flushing action.
- 2. Diazinon for residual insecticide control.
- 3. Amorphous Silica Gel for dehydrating action in long-term insect control.

DIRECTIONS FOR USE

ROACR CONTROL

Dust on surfaces behind sinks, refrigerators, stoves and cabinets that are not accessible to animals, pets, and children. Also apply to cracks and crevices where insect infestation may be found. Any powder visible after application is complete should be are fully brushed into cracks and crevices or else removed. No generalized dusting ould be tone in household areas accessible to children and pets. Repeat as needand to maintain adequate control.

* AUTION

Harmful f inhaled or swallowed. Do not breathe dust. Avoid skin contact. Do not c ntaminate feed and foodstuffs, keep out of reach of children and domestic animals. Wash thoroughly after handling. Store in a dry place

the not use in edible products areas of food processing plants, restaurants or other reas where food is commercially prepared or processed. Do not ase in ser ing areas while food is exposed.

CONTAINER DISPOSAL:

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 4887-167

STEPHENSON

Chemicals B

D. P. S. ROACH POWDER

CAUTION: KEEP OUT OF REACH OF CHILDREN (See Cautions on Side Panel)

ACTIVE INGREDIENTS

O O dethal O. C Source of the Control of the prosphoth natio

NORT INGRED END

dugate on the free as

iquestrictive to the pitch consists of myounds $\frac{1}{2}$

Dazinon trade in the BA-GETON Com

Manufactured by STEPHENSON CHEMICAL CO., INC. COLLEGE PARK, GEORGIA

Manafactured by STEPHENSON CHEMICAL CO., INC. COLLEGE PARK, GEORGIA

ACCEPTED MAR 14/973 4887-167

This product contains:

FUNDISIDE AND RODENTICIDE ACT I. Pyrethrum and Piperonyl All Dyrethrum and Piperonyl All Dyrethrum and Piperonyl All Dyrethrum and Flushing action.

- 2. Diazinon for residual insecticide control.
- 3. Amorphous Silica Gel for dehydrating action in long-term insect control.

DIRECTIONS FOR USE


ROACH CONTROL

Dust on surfaces behind sinks, refrigerators, stoves and cabinets that are not accessible to animals, pets, and children. Also apply to cracks and crevices where insect infestation may be found. Any powder visible after application is complete should be carefully brushed into cracks and crevices or else removed. No generalized dusting should be done in household areas accessible to children and pets. Repeat as needed to maintain adequate control.

CAUTION:

Harmful if inhaled or swallowed. Do not breathe dust. Avoid skin contact. Do not contaminate feed and foodstuffs. Keep out of reach of children and domestic animals. Wash thoroughly after handling. Store in a dry place.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in ser ing areas while food is exposed.



D. P. S. ROACH POWDER

UTION: KEEP OUT OF REACH OF CHILDREN (See Cautions on Side Panel)

Do not rouse empty container. Destroy it by perferating or crushing. Bur, for discard in a safe place away from water supplies.

Manufactured by STEPHENSON CHEMICAL CO., INC. COLLEGE PARK, ĢEORGIA

ACTIVE INGREDIENTS:	
**O. O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidiny	I)
phosphorothioate	
Pyrethrins	.25%
*Technical Piperonyl Butoxide	2.50%
Amorphous Silica Gel	
Petroleum Hydrocarbons	- - - - - - - - - - - - - - - - - - - - - -
INERT INGRÉDIENTS	
TOTAL	100.00%
*Equivalent to 2.0% (butylcarbityl) (6-propy	
ether and .5% of Related Compounds	.p.po. o, v
**Diazinon * trademark of CIBA-GEIGY Corp.	

Mohofactured by STEPHENSON CHEMICAL CO., INC. COLLEGE PARK, GEORGIA