

ACCEPTED
4887-170
MAY 31 1974

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 4887-170

500-474

Directions for Use

Ban-Vap 25 controls cockroaches, ants, crickets, firebrats, silverfish, spiders, and brown dog ticks in and around residential, institutional, and commercial buildings including food handling establishments, homes, apartment buildings, hospitals, stores, and warehouses when used as directed.

Dilution Chart

Gallons of Spray Desired	Fluid ounces* Ban-Vap 25 to use	
	Rate I	Rate II
Water Base		
1	2.0 ounces	4.0 ounces
2	4.0 ounces	8.0 ounces
Oil-Base**		
1	1½ ounces	3.0 ounces
2	3.0 ounces	6.0 ounces

*1 fluid ounce = 2 tablespoonfuls = 6 teaspoonfuls

**Calculated on basis of deodorized kerosene

AREAS OTHER THAN FOOD HANDLING ESTABLISHMENTS.

Control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders: Use a .25% chlorpyrifos - .14% DDVP (Rate I) to control light infestations and a .5% chlorpyrifos - .28% DDVP (Rate II) to quickly reduce heavy infestations. Apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. Repeat as necessary to maintain control.

Brown Dog Ticks: Thoroughly apply a .5% chlorpyrifos - .28% DDVP (Rate II) spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do Not Treat Pets With This Product.

FOOD HANDLING ESTABLISHMENTS

For Control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders:

Food Areas — Includes receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups). All food processing surfaces should be thoroughly cleaned before using. When using this product in these areas, apply only when plant is not in operation.

Use a .20% chlorpyrifos - .14% DDVP (Rate I) to control light infestations and a .5% chlorpyrifos - .28% DDVP (Rate II) to quickly reduce heavy infestations.

Apply as a fine stream in small amounts to cracks and crevices where insects hide or through which they may enter the building. Includes expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. Any material which may come into contact with areas outside of cracks and crevices must be completely cleaned up using soap and water followed by rinsing with potable water.

Caution should be taken to avoid introducing this material into the air.

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

Non-Food Areas — Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).


Use a .25% chlorpyrifos - .14% DDVP (Rate I) to control light infestations and a .5% chlorpyrifos - .28% DDVP (Rate II) to quickly reduce heavy infestations. Apply as a coarse wet spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms or closets; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, lockers, tables, pallets, around plumbing and other utility installations where insects hide or through which they may enter.

Use Precautions

For Spot Application Only. Do not use in poultry houses or other animal buildings. Do not use in serving areas while food is exposed. Do not allow spray to contact food, foodstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Apply this product only as specified on this label. Do not contaminate water by cleaning equipment or disposal of wastes. Promptly crush or perforate empty container and bury with wastes in locations away from domestic water supplies.

Net Contents



BAN-VAP 25

Emulsifiable Concentrate

DANGER **POISON**

KEEP OUT OF REACH OF CHILDREN
(SEE ANTIDOTE AND DANGER ON SIDE PANEL)
Containing Dursban* and DDVP** Insecticides
For Use by Pest Control Operators Only

ACTIVE INGREDIENTS:	
Chlorpyrifos [O, O-d-ethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]	15.62%
**2, 2-d-chlorovinyl dimethyl phosphate	8.28%
**Related Compounds	.62%
Tetrachloroethylene	8.00%
Aromatic petroleum derivative solvents	58.96%
INERT INGREDIENTS	8.52%
TOTAL	100.00%

*Dursban® — Trademark of The Dow Chemical Company
**DDVP — Inactive ingredients from Shell Vapona

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

Net Contents

Directions for Use

Ban-Vap 25 controls cockroaches, ants, crickets, firebrats, silverfish, spiders, and brown dog ticks in and around residential, institutional, and commercial buildings including food handling establishments, homes, apartment buildings, hospitals, stores, and warehouses when used as directed.

Dilution Chart

Gallons of Spray Desired	Fluid ounces* Ban-Vap 25 to use	
	Rate I	Rate II
Water Base		
1	2.0 ounces	4.0 ounces
2	4.0 ounces	8.0 ounces
Oil-Base**		
1	1½ ounces	3.0 ounces
2	3.0 ounces	6.0 ounces

* Note: 1 fluid ounce = 2 tablespoonfuls = 6 teaspoonfuls

** Calculated on basis of deodorized kerosene

FOR AREAS OTHER THAN FOOD HANDLING ESTABLISHMENTS

For Control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders: Use a 2½% chlorpyrifos - 11% DDVP (Rate I) to control light infestations and a 5% chlorpyrifos - 28% DDVP (Rate II) to quickly reduce heavy infestations. Apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets; cracks and crevices in walls, along and behind baseboards; beneath and around sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. Repeat as necessary to maintain control.

Brown Dog Ticks: Thoroughly apply a 5% chlorpyrifos - 28% DDVP (Rate II) spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards; window and door frames and localized areas of floor and floor coverings where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. **Do Not Treat Pets With This Product.**

FOOD HANDLING ESTABLISHMENTS

For Control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders:

Food Areas — includes receiving, serving, storage (dry, cool, frozen), raw, packaging, blending, bottling, wrapping, boxing, preparing, cooking, sautéing, broiling, steaming, cutting, waste storage, enclosed air conditioning systems (hoods, ducts, return fans, scrappers). All food processing surfaces should be thoroughly cleaned before using. When using this product in these areas, apply only when pests are few in operation.

Use a 2½% chlorpyrifos - 11% DDVP (Rate I) to control light infestations and a 5% chlorpyrifos - 28% DDVP (Rate II) to quickly reduce heavy infestations.

Apply as a fine stream in small amounts to cracks and crevices where insects hide or through which they may enter the building. Includes expansion joints, spaces between equipment and floors, and openings leading to voids and narrow spaces in walls, equipment legs and bases. Any material which may come into contact with areas outside of cracks and crevices must be completely cleaned up using soap and water followed by rinsing with potable water.

Care should be taken to avoid introducing this material into the air.

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

Non-Food Areas — includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Use a 2½% chlorpyrifos - 11% DDVP (Rate I) to control light infestations and a 5% chlorpyrifos - 28% DDVP (Rate II) to quickly reduce heavy infestations. Apply as a coarse wet spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms or closets, cracks and crevices in walls, along and behind baseboards; beneath and behind sinks, lockers, tables, pallets, around plumbing and other utility installations where insects hide or through which they may enter.

Use Precautions

For Spot Application Only. Do not use in poultry houses or other animal buildings. Do not use in serving areas while food is exposed. Do not allow spray to contact food, foodstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Apply this product only as specified on this label. Do not contaminate water by cleaning equipment or disposal of wastes. Promptly crush or perforate empty container and bury with wastes in locations away from domestic water supplies.

DANGER

KEEP OUT OF REACH OF CHILDREN. POISONOUS IF SWALLOWED, ABSORBED THROUGH SKIN OR INHALED. CAUSES EYE AND SKIN IRRITATION. COMBUSTIBLE. RAPIDLY ABSORBED THROUGH SKIN.

Do not take internally. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors and spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing before reuse. In case of eye contact, immediately flush eyes with plenty of water and get prompt medical attention.

In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before re-use. Keep away from food, foodstuffs, and domestic water supplies. Handle concentrate in well-ventilated area.

STEPHENSON
Chemicals

BAN-VAP 25

Emulsifiable Concentrate

Containing Dursban* and DDVP Insecticides
For Use by Pest Control Operators Only**

ACTIVE INGREDIENTS:	
Chlorpyrifos [O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]	15.62%
**2, 2-dichlorovinyl dimethyl phosphate	8.28%
**Related Compounds	.62%
Tetrachloroethylene	8.00%
Aromatic petroleum derivative solvents	58.96%
INERT INGREDIENTS	8.52%
TOTAL	100.00%

*Dursban — Trademark of The Dow Chemical Company
**DDVP — Ingredients from Shell Vapona
U.S. Patent No. 8,244,586

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

4887-170

500-474

W...
F...
M...
O...

Intern...
or by...
give...

Exter...
nated...
If in...

AT...
DON...
...

CALL...
S...

IF W...
...
AT...
...

...

S...
...

Tr...

Do...
...
A...
w...

Selle...
label...
to la...

DO

Net Contents _____

STEPHENSON
Chemicals

BAN-VAP 25

Emulsifiable Concentrate

Containing Dursban* and DDVP Insecticides
For Use by Pest Control Operators Only**

ACTIVE INGREDIENTS:	
Chlorpyrifos [O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]	15.62%
**2, 2-dichlorovinyl dimethyl phosphate	8.28%
**Related Compounds	.62%
Tetrachloroethylene	8.00%
Aromatic petroleum derivative solvents	58.96%
INERT INGREDIENTS	8.52%
TOTAL	100.00%
*Dursban — Trademark of The Dow Chemical Company	
**DDVP — Inactive ingredient from Shell Vapona	
U.S. Patent No. 2,944,586	

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

Wear natural rubber gloves, water proof clothing and goggles when handling concentrate to prepare emulsions. During fogging or mist spraying applications wear a mask or respirator of a type approved by U. S. Bureau of Mines for organic phosphates. Keep all unprotected persons out of operational area.

First Aid Treatment

Internal: Induce vomiting by introducing finger into throat or by giving 1 tablespoon salt in glass of warm water (never give anything by mouth to an unconscious person).

External: Remove patient from area, remove all contaminated clothing, wash skin with soap and running water. If in eyes, wash with running water for at least 10 minutes.

ATROPINE IS THE EMERGENCY ANTI-DOTE FOR VAPONA INSECTICIDE POISONING. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below).

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

Do not contaminate feed and foodstuffs. Use only for the use specified and as directed on the label. Keep out of reach of children, farm animals and pets. Avoid contaminating streams, ponds and other bodies of water.

Note to Physician

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against the parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test. 2-PAM is also antidotal and may be administered in conjunction with atropine.

EPA Reg. No. 4887-170 EPA Est. 4887-GA-1

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

...service, storage (dry, cold, fro-
...tting, wrapping, boxing), pre-
...tment, entire waste storage,
...s, tanks, entire ois, sy (ps).
...not be thoroughly cleaned. If
...in these areas, apply only when

DDVP (Rate I) to control light
loss - 28% DDVP (Rate II) to
...
...amounts to cracks and crevices
...which they may enter the building.
...between equipment and floors,
...at narrow spaces in walls, equip-
...ment which may come into contact
...and crevices must be completely
...followed by rinsing with potable

...roducing this material into the
...the food areas of food handling
...rack and crevice treatment, are

...rooms, lavatories, floor drains
...offices, locker rooms, machine
...closets, and storage (after can-


DDVP (Rate I) to control light
loss - 28% DDVP (Rate II) to
...apply as a coarse wet spray or
...as where these pests are found
...k corners of rooms or closets,
...ing and behind baseboards; be-
...tablets, pallets, around plumbing
...insects hide or through which

Precautions
...use in poultry houses or other
...ving areas while food is exposed.
...l, foodstuffs, and water supplies.
...handling utensils with soap and
...d by application of this product.
...contact treated surfaces until
...cover fish bowls (tanks) before

...life and birds. Keep out of any
...only as specified on this label.
...tting equipment or disposal of
...rate empty container and bury
...om domestic water supplies.

**IF ON SKIN OR INHALED,
WASH SKIN.
If spray mist. Wash thorough-
ly before reuse. In case
of spill, wash before reuse. Keep
out of reach of children and pets.**

Net Contents



Wear natural rubber gloves, water proof clothing and goggles when handling concentrate to prepare emulsions. During fogging or mist spraying applications wear a mask or respirator of a type approved by U. S. Bureau of Mines for organic phosphates. Keep all unprotected persons out of operational area.

First Aid Treatment

Internal: Induce vomiting by introducing finger into throat or by giving 1 tablespoon salt in glass of warm water (never give anything by mouth to an unconscious person).

External: Remove patient from area, remove all contaminated clothing, wash skin with soap and running water. If in eyes, wash with running water for at least 10 minutes.

ATROPINE IS THE EMERGENCY ANTIDOTE FOR VAPONA INSECTICIDE POISONING. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** (See WARNING SYMPTOMS below).

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

Do not contaminate feed and foodstuffs. Use only for the use specified and as directed on the label. Keep out of reach of children, farm animals and pets. Avoid contaminating streams, ponds and other bodies of water.

Note to Physician

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against the parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test. 2-PAM is also antidotal and may be administered in conjunction with atropine.

EPA Reg. No. 4887-170

EPA Est. 4887-GA-1

BAN-VAP 25

Emulsifiable Concentrate

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN

(SEE ANTIDOTE AND DANGER ON SIDE PANEL)

Containing Dursban* and DDVP Insecticides
For Use by Pest Control Operators Only**

ACTIVE INGREDIENTS:

Chlorpyrifos [O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate]	15.62%
**2, 2-dichlorovinyl dimethyl phosphate	8.28%
**Related Compounds62%
Tetrachlorethylene	8.00%
Aromatic petroleum derivative solvents	58.98%
INERT INGREDIENTS	8.52%
TOTAL	100.00%

*Dursban® — Trademark of The Dow Chemical Company
**DDVP — Inactive ingredients from Shell Vapona

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

ACCEPTED
4887-170
MAY 31 1974

Directions for Use

Ban-Vap 25 controls cockroaches, ants, crickets, firebrats, silverfish, spiders, and brown borer in and around residential, hotel, apartment, and other buildings, including food handling establishments in the apartment buildings, hotels, stores, and restaurants when used as directed.

Dilution Chart

Gallons of Spray Desired	Fluid ounces* Ban-Vap 25 to use	
	Rate I	Rate II
Water Base		
1	2.0 ounces	4.0 ounces
2	4.0 ounces	8.0 ounces
O.I.-Base**		
1	1 1/2 ounces	3.0 ounces
2	3.0 ounces	6.0 ounces

* Note: 1 fluid ounce = 2 tablespoons = 6 teaspoons

** Calculated on basis of deodorized kerosene

FOR AREAS OTHER THAN FOOD HANDLING ESTABLISHMENTS

Control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders, and Brown Borer: Ban-Vap 25 is used to control night time flying insects and other pests. Apply this product to quickly remove heavy infestation. Apply as a coarse spray or with a pump sprayer to areas where these pests are found or normally occur, including dark corners of rooms and crevices, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and other utility installations and other utility installations. Repeat as necessary to maintain control.

Brown Dog Ticks: Thoroughly apply a 2% chlorpyrifos + 25% DDPV concentrate to areas such as pet beds and nesting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these ticks may be present. Pet bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do Not Treat Pets With This Product.

FOOD HANDLING ESTABLISHMENTS

For Control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders:

Food Areas — Ban-Vap 25 is used to control cockroaches, ants, crickets, firebrats, silverfish, spiders, and brown borer in and around residential, hotel, apartment, and other buildings, including food handling establishments in the apartment buildings, hotels, stores, and restaurants when used as directed.

Non-Food Areas — Ban-Vap 25 is used to control cockroaches, ants, crickets, firebrats, silverfish, spiders, and brown borer in and around residential, hotel, apartment, and other buildings, including food handling establishments in the apartment buildings, hotels, stores, and restaurants when used as directed.

Use Precautions
Do not use in poultry houses or other animal buildings. Do not use in spraying areas where food is exposed. Do not allow spray to contact food, feedstuffs, or drinking water. Thoroughly wash all food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Apply this product only as specified on this label. Do not contaminate water by cleaning equipment or disposal of wastes. Promptly rinse or thoroughly empty container and bury with waste in locations away from domestic water supplies.

STEPHENSON
Chemical

BAN-VA

Emulsifiable Conc

DANGER

Containing Dursban* and DDI
For Use by Pest Control O

ACTIVE INGREDIENTS:
Chlorpyrifos [O, O-diethyl O-(3, 5-dipyridyl) phosphorothioate]
**2, 2-dichlorovinyl dimethyl phosphine
**Related Compounds
Tetrachloroethylene
Aromatic petroleum derivative
INERT INGREDIENTS

TOTAL
*Dursban — Trademark of The Dow Chemical Company
**2, 2-dichlorovinyl dimethyl phosphine — U.S. Patent No. 3,244,666

Manufactured by
STEPHENSON CHEMICAL
COLLEGE PARK, GEO

DANGER
KEEP OUT OF REACH OF CHILDREN. POISONOUS IF SWALLOWED. ABSORBED THROUGH SKIN OR INHALED. CAUSES EYE AND SKIN IRRITATION. COMBUSTIBLE. RAPIDLY ABSORBED THROUGH SKIN.
Do not take internally. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors and spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing before reuse. In case of eye contact, immediately flush eyes with plenty of water and get prompt medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before re-use. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed. Handle concentrate in ventilated area.

Net Contents _____

STEPHENSON
Chemicals

BAN-VAP 25

Emulsifiable Concentrate

Containing Dursban* and DDVP** Insecticides
For Use by Pest Control Operators Only

ACTIVE INGREDIENTS:	
Chlorpyrifos (O, O-diethyl O-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate)	15.62%
**2, 2-dichlorovinyl dimethyl phosphate	8.28%
**Related Compounds	.62%
Tetrachloroethylene	8.00%
Aromatic petroleum derivative solvents	58.96%
INERT INGREDIENTS	8.52%
TOTAL	100.00%

*Dursban® — Trademark of The Dow Chemical Company
**DDVP — Inactive ingredients from Shell Vapona
U.S. Patent No. 2,244,886

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

Wear natural rubber gloves, water proof clothing and goggles when handling concentrate to prevent emulsions. During fogging or mist spraying applications wear a mask or respirator of a type approved by U. S. Bureau of Mines for organic phosphates. Keep all unprotected persons out of operational area.

First Aid Treatment

Internal: Induce vomiting by introducing finger into throat or by giving 1 tablespoon salt in glass of warm water (never give anything by mouth to an unconscious person).

External: Remove patient from area, remove all contaminated clothing, wash skin with soap and running water. If in eyes, wash with running water for at least 10 minutes.

ATROPINE IS THE EMERGENCY ANTIDOTE FOR VAPONA INSECTICIDE POISONING. Consult your physician for obtaining an adequate supply of 1/100-grain atropine tablets for emergency use.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

IF WARNING SYMPTOMS APPEAR, Administer two 1/100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR (SEE WARNING SYMPTOMS below).

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

Do not contaminate feed and foodstuffs. Use only for the use specified and as directed on the label. Keep out of reach of children, farm animals and pets. Avoid contaminating streams, ponds and other bodies of water.

Note to Physician

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against the parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test. 2-PAM is also antidotal and may be administered in conjunction with atropine.

EPA Reg. No. 4887-170

EPA Est. 4887-GA-1

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.