

[4887-171]

(Continued from other side panel)

For Use in Poultry Houses, Dairy and Beef Barns, Swine Housing to control Flies, Mosquitoes, Gnats, Small Flying Moths, and Cockroaches: Cover or remove exposed food and watering troughs and close house as tightly as possible. Direct spray upward and apply until room is filled with mist. Do not exceed a rate of one fluid ounce per 1,000 cubic feet. Keep building closed for 1 hour and ventilate thoroughly before re-entry.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not apply directly to food. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.


Do not breathe spray mist. Wear mask or respirator of a type recommended by the U. S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking.

Remove pets, birds and fish before spraying.

ACCEPTED
10-29-74
UNDER THE FEDERAL INSECTICIDE

Net Contents

FOR APPLICATION BY PERSONN



UNICRON I
Fogging Solution

CAUTION:
KEEP OUT OF REACH OF CHILDREN
(See Cautions on Side Panel)

ACTIVE INGREDIENTS:
Pyrethrins
*Piperonyl Butoxide
Petroleum Distillates

TOTAL

*Equivalent to 4.0% (butylcarbityl)(6-propylpiperonyl) ether and 1.0% Related Compounds

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

Net Contents _____

FOR APPLICABLE PERSONNEL ONLY



UNICRON II Fogging Solution

CAUTION:

KEEP OUT OF REACH OF CHILDREN
(See Cautions on Side Panel)

DIRECTIONS FOR USE

This concentrate is designed to be used undiluted in mechanical sprayers (ultra low volume type) which produce particles of aerosol size.

For Use in Homes, Restaurants, Food Processing Plants, Warehouses, and Industrial Installations to control exposed stages of Roaches, Silverfish, Waterbugs, Earwigs, Ants, Spiders, Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Rice Weevil, Cadelle, Angoumois Grain Moth, and Mediterranean Flour Moth.

Remove birds, pets, and fish bowls from area to be treated. Remove occupants from room while treating and do not allow to re-enter until area has been well ventilated. Cover or remove exposed fruits, vegetables, foods, and food-handling equipment to prevent contamination. Open cabinets and other enclosures to allow complete penetration of all areas. Shut off all fans and ventilation equipment. Close all outside windows and doors. Extinguish all open flames, including pilot lights.

Apply at a rate of one fluid ounce per 1,000 cubic feet of room space. Direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat dosage as necessary for control. Leave area closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

Infested stored products should be fumigated or discarded.

(Continued on other side panel)

ACTIVE INGREDIENTS:

Pyrethrins	3.00%
*Piperonyl Butoxide	5.00%
Petroleum Distillates	92.00%
TOTAL	100.00%

*Equivalent to 4.0% (butylcarbityl)(6-propylpiperonyl) ether and 1.0% Related Compounds

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA

UNIDENTIFIED

STEPHENSON
Chemicals

Container Disposal: Do not reuse empty container. Destroy it by perforating or crushing. Bury in a safe place away from water supplies.

Notice: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 4887-171

EPA Est. 4887-GA-1

Manufactured by
STEPHENSON CHEMICAL CO., INC.
CHICAGO, ILL. 60604

APPLIED BY TRAINED PERSONNEL

KEEP OUT OF REACH OF CHILDREN

STEPHENSON

Chemicals •

MURON

2,4-D

CAUTION

SEE REVERSE SIDE

NET WEIGHT 50 LBS. (22.7 kg)

ENVIRONMENTAL CAUTIONS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA