


DRAFT



FORMULA 382

FOOD PROCESSING AND INSTITUTIONAL SPRAY

ACCEPTED
OCT 30 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4887-172

ACTIVE INGREDIENTS:	w/w
• Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	2.00%
Related compounds	27%
Aromatic Petroleum Hydrocarbons	90.45% 90.13%
INERT INGREDIENTS	7.56% 7.60%
	100.00%

*cis/trans isomers ratio max. 30% (+) cis and min. 70% (+) trans
*U.S. Patent 3,465,007

KEEP OUT OF REACH OF CHILDREN
CAUTION
If swallowed: Call a physician immediately. Do not induce vomiting.
If in eyes: Flush with plenty of water. Get medical attention if irritation persists.
If on skin: Flush with plenty of water. Get medical attention if irritation persists.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 4887-172 Net Contents: _____ EPA Est. No. 4887-GA-1

Manufactured by
STEPHENSON CHEMICAL CO., INC.
COLLEGE PARK, GEORGIA 30337

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store below 32° F. Store away from direct sunlight in a cool location. Store away from food and feed. Keep container tightly closed when not in use. Spills or leaking containers should be handled according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This Synthetic Pyrethroid Emulsifiable Concentrate kills on contact the exposed stages of the following:

Flying Insects

Crawling Insects

Houseflies	Wasps	Roaches	Sowbugs
Mosquitos	Hornets	Ants	Grain Mites
Gnats		Earwigs	Spiders
		Centipedes	

DILUTION CHART

Amount of Finished Spray	Amount Concentrate	Amount Water	% Formula 382 In Finished Spray
CRAWLING INSECTS			
1 gal.	1 pt., 2 oz.	3 qts., 14 oz.	250%
5 gal.	2 qts., 26 oz.	4.3 gallons	
FLYING INSECTS (Except Wasps and Hornets)			
1 gal.	4 oz.	3.9 qts.	0.56%
5 gal.	1.25 pts.	4.8 gals.	

This concentrate is especially compounded for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions and homes.

Crawling Insects:

For best application for an initial clean-up, use a .25% solution and apply in a good sprayer adjusted to deliver a coarse droplet spray, using approximately 1 gal. of diluted material to each 750 sq. ft. of surface. Against roaches, spiders, earwigs, centipedes, grain mites, and sowbugs use this water-diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found, including walls, baseboards, moldings, floors, cabinets, shelves, sinks, and pipes, with special attention to cracks, crevices, niches, dark corners, drains, and similar hiding places. For ants, treat ant trails, runs, and nests. Repeat treatment as needed.

Wasps and Hornets:

Application should be made in late evening when insects are at rest. Using a .250% solution, thoroughly spray into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. See dilution chart for a .25% solution.

Flying Insects (except Wasps and Hornets)

For rapid control of flies, gnats, and mosquitos, use a .056% solution and apply in a good sprayer adjusted to deliver a fine mist. Direct the diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approx. 2 oz. of dilute material for each 1,000 cubic feet of space. Whenever practicable, keep doors and windows closed for 10 minutes after application. Do not remain in treated area, and ventilate the area after treatment is completed.

NOTICE

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in bakeries and other food processing plants, wash all equipment with potable water, including benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

**PHYSICAL OR
CHEMICAL HAZARDS**

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.