

GOOD-LIFE CHEMICALS, INC.
P. O. BOX 687
EFFINGHAM, ILL. 62401
U.S. Pat. & Reg. No.
4931-54



ROSE DUST OR SPRAY



WARNING KEEP OUT OF REACH OF CHILDREN

See additional warnings otherside of package.

U.S.D.A. REG. NO. 4931-54

ACTIVE INGREDIENTS:

Folpet (N-(Trichloromethylthio) Phthalimide)	8.82%
Gamma Isomer of Benzene Hexachloride, from Lindane	1.00%
*1,1-Bis (Chlorophenyl)-2,2,2-Trichloroethanol	4.25%
INERT INGREDIENTS	85.93%

TOTAL 100.00%

Folpet (N-(Trichloromethylthio) Phthalimide) is also known as
PHALTAN.

*Kelthane


NET CONTENTS 4 POUNDS

Manufactured By

GOOD-LIFE CHEMICALS, INC.

GOOD-LIFE DRIVE P. O. BOX 687

EFFINGHAM, ILLINOIS 62401



3-12-70
4931-54

ROSE DUST OR SPRAY

A COMBINATION FUNGIDE AND INSECTICIDE
FOR ROSES

EASY TO USE

ECONOMICAL

SPRAY OR DUST

Controls Black Spot, Powdery Mildew, Aphids, Red Spider and certain other leaf eating insects.

DIRECTIONS: WHEN USED AS A DUST

Best and most economical results will be obtained if a pump dust gun is used which gives a uniform coverage and enables you to easily dust the underside of foliage as well as the top side and blossoms. Apply early morning or late evening when air is still. If used indoors, be sure to provide adequate ventilation.

IMPORTANT: Start dusting schedule early in Spring when leafing starts and at least once a week during growing season. When rain washes dust off plants, apply GOOD LIFE ROSE DUST or SPRAY as soon as leaves are dry.

WHEN USED AS SPRAY:

Thoroughly mix 7 tablespoonsful ROSE DUST or SPRAY in 1 gallon of water. While spraying be sure to keep mixture well mixed by an occasional vigorous "shake" of spray can. It is always best to mix the ROSE DUST or SPRAY with a small amount of water in a small container to form a smooth paste, then dilute and put into sprayer and add the additional water.

GOOD LIFE ROSE DUST or SPRAY may be used on roses for control of Black Spot, Powdery Mildew, Aphids, Red Spider Mites, Thrips, Leaf Hoppers and certain other leaf eating insects.

GOOD LIFE ROSE DUST or SPRAY may also be used on Begonia, Chrysanthemum, Dahlia, Delphinium and Snapdragons for the control of Powdery Mildew, Leaf Spot, Aphids, Thrips, Mites, Leaf Hoppers and certain other leaf eating insects. For further details as to the time, frequency and rate of application, consult your State Agricultural Experiment Station or State Extension Service authorities.

CAUTION:

Harmful if swallowed. Avoid inhalation of dust. Do not get on skin, eyes or on clothing. May cause irritation or sensitization of skin. Wash thoroughly after use. May be absorbed through skin. Do not contaminate foodstuffs and feed.

Toxic to fish, birds and pets. Use with care.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not reuse container. Destroy by burying with waste or burning. Stay out of smoke or fumes.

NOTICE:

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.