

DIRECTIONS: FIRST READ CAUTION AND WARNING ON THIS LABEL.

WEED CONTROL IN TURF: For selective weed control in lawns, golf courses, and other ornamental turf areas. Controls common chickweed, ~~annual~~ chickweed, broad-leaved plantain, ~~perennial~~ plantain (succisors), ~~thick~~ ~~with~~ ~~stems~~, ~~carpet~~ ~~grass~~, ~~crab~~ ~~grass~~, ~~horse~~ ~~weeds~~, ~~henbit~~ and ~~weeds~~ such as ~~sheep~~ ~~grass~~ and ~~black~~ ~~grass~~. Apply 2 to 3 1/2 (in 25 to 40 gallons of water per acre (approx. 1 fluid oz. (2 tablespoonsful) in 1 gallon of water or more per 1,000 square feet.) Best applied in cooler weather during spring or fall; if used in very hot weather, may cause excessive damage to turf. Do not apply to newly sown turf, nor to stoloniferous grass such as bents, Bermuda or St. Augustine.

GENERAL: GOOD-LIFE CHICKWEED KILLER is a foliage herbicide and should be applied to plants in full leaf growing actively. Local conditions may affect the use of this chemical. **MIXING:** Suitable for use in either water or diesel oil or in mixtures of both. For best emulsion performance in mixed oil and water sprays, first mix GOOD-LIFE CHICKWEED KILLER and oil together before adding water.

BRUSH, POISON IVY AND WOODY PLANT CONTROL IN NON CROP AREAS, such as, Lines, Fence Rows, Golf Courses and other Ornamental Grass Areas: Use 1 gallon GOOD-LIFE CHICKWEED KILLER in 100 gallons water per acre for large areas or 8 tablespoonsful in 3 gallons water for spot treatment. May be applied as a straight water emulsion in ground sprayers or knapsack sprayer. Make a spray by adding GOOD-LIFE CHICKWEED KILLER to spray tank with agitation; keep agitated during spraying. Apply when foliage is fully developed to drench all parts. Annual follow up applications may be necessary.

SPOT TREATMENT: For knapsack applications, mix 3 table-spoonsful in 1 gallon of water; spray to wet all foliage.

STUMP APPLICATION: Use 8 tablespoonsful GOOD-LIFE CHICKWEED KILLER in 3 gallons water. Apply when new sprouts have made good growth and before frost stops growth.

SPECIES CONTROLLED: Very effective on the following at above dosage recommendations:

Oaks — such as post oaks, blackjack oak, shinnery oak and Northern oaks.

Maples — including red, sugar and big leaf maple.

Meatite, Poison Ivy and Ground Ivy, Wild Blackberry (bramble), Yucca, Prickly Pear.

Herbaceous Broad-Leaved Weeds such as: Cocklebur, Crotan weed, Broomweed, Lambsquarters, Curly Indigo, Mexican weed, Pokeberry, Ragweed, Sunflower, P.

CHICKWEED KILLER

CONTAINS SILVEX



WARNING

Keep out of reach of children

See other warnings on back panel.

Manufactured By

GOOD-LIFE CHEMICALS, INC.

EFFINGHAM, ILLINOIS

CAUTION:

GOOD-LIFE CHICKWEED KILLER is a 2,4-D type of compound. Do not take internally. Avoid breathing spray mist. May cause skin irritation; avoid contact with eyes, skin and clothing. In case of contact, flush eyes with plenty of water, wash skin with soap and water. Do not store with feeds, seeds or feedstuffs.

WARNING: Be sure use of this product conforms to applicable regulations. Do NOT apply directly to or allow solution or spray drift to contact desirable plants (including but not limited to cotton, okra, tobacco, peanuts, soybeans, beans, peas, tomatoes, peppers, melons, sweet potatoes, and other vegetables; grapes, fruit trees of all kinds, and ornamentals.) Coarse sprays are less likely to drift than fine mist sprays. Be especially careful of drift from airplane applications. Vapors from this product at higher temperatures may also injure susceptible crops and plants growing in vicinity.

Do not use spraying equipment contaminated with 2,4-D or other hormone type weed killers if this increases hazard to desirable plants; or first wash out thoroughly using recommended methods for decontamination. (Strong ammonia water in spray tank, through hose and nozzle, followed by thorough rinsing with fresh water). Do not store near fertilizers, insecticides, fungicides or seeds. Do not use in or near greenhouses.

NOTICE: Because conditions of use which are of critical importance and are beyond our control, GOOD-LIFE CHEMICALS, INC. and the SELLER do not make nor do they authorize anyone involved in the distribution of this product to make any warranty, guarantee or representation, expressed or implied, except that it conforms to the chemical description and directions on the label. The BUYER accepts and uses this product with the express understanding that GOOD-LIFE CHEMICALS, INC. or anyone involved in the distribution of this product shall not be held responsible for any loss, risk or liability, personal or otherwise, resulting from its handling, misuse or storage.

ACTIVE INGREDIENTS:

Innoctyl ester of silvex 65.1%
(2-(2,4,5-trichlorophenoxy) propionic acid)* 34.9%

INERT INGREDIENTS 34.9%

TOTAL 100.0%

*Equivalent to 46.0% by weight of silvex or not less than 4 lbs. of silvex per gallon at 68° F. USDA Reg. No. 4931-78
U.S. Patents No. 2,396,513 2,749,360

Contents 8 Fluid Ounces

ACCEPTED

JUN 9 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PEST CONTROL REGISTERED
UNDER NO. 4931-78 SUBJECT
TO ATTACHED COMMENTS.

DIRECTIONS FOR USE

PREPARATION OF SPRAY

GENERAL WEED CONTROL

ROADSIDES, VACANT LOTS AND ALONG FENCE ROWS

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

PASTURES, MEADOWS AND RANGELANDS

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

WOODY PLANT CONTROL

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.


LAWNS, GOLF COURSES AND ORNAMENTAL TURF

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

FOR TREATING SMALL AREAS

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

For best results, apply 2,4-D Weed Killer to weeds and grasses. Do not spray on crops.



2 LB. LOW VOLATILE 2,4-D WEED KILLER

2,4-D Low-Volatile
Emulsifiable Concentrate
Contains 2.0 Lbs. of 2,4-D Acid Equivalent
Per Gallon

ACTIVE INGREDIENT	2,4-D Low-Volatile	10.4
INERT INGREDIENTS		91.6
TOTAL		100.0

SPRAY THE LEAVES - KILL THE ROOTS

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

Apply 2.0 to 4.0 gallons of 2,4-D Weed Killer per acre. Spray on weeds and grasses. Do not spray on crops.

EPA Reg. No. 4931-81

NET CONTENTS GALLON

CAUTION
Keep out of reach of Children
See other precautions on side panels

Manufactured By
GOOD-LIFE CHEMICALS, INC.
GOOD-LIFE DRIVE, P.O. BOX 487
EFFINGHAM, ILLINOIS 62401

WEED

Control

in

pastures

and

rangelands

and

along

fence

rows

and

road

sides

and

vacant

lots

and

along

fence

rows

and

road

sides

and

vacant

lots

and

along

fence

rows

and

road

sides

and

vacant

lots

and

along

fence

rows

and

road

sides

and

vacant

lots

and

along

fence

rows

and

road

sides

and

vacant

lots

and

along

fence

rows

and

road

sides


and

vacant

lots

and

along



B. LOW VOLATILE 2,4-D WEED KILLER

2,4-D Low-Volatile Emulsifiable Concentrate
 Contains 2.0 Lbs. of 2,4-D Acid Equivalent Per Gallon

ACTIVE INGREDIENT	78.4
INERT INGREDIENTS	21.6
TOTAL	100.0
2,4-D	25.5

SPRAY THE LEAVES KILL THE ROOTS

Use on all susceptible plants and ornamentals. Spray on leaves. Do not use severe injury to plants and plants. Coarse sprays are less sensitive to spray application. Use more 2,4-D on sensitive plants at 1/2 the rate. Harmful if swallowed. Avoid contact with skin, eyes, nose, mouth, and throat. Wash thoroughly with water after use. Do not use empty containers. Destroy or perforate containers. Keep away from water supplies. In case of fire, get out of area immediately. Do not use the same spray equipment for applying other materials to plants. Do not use near fertilizers, seed, insecticide, or fungicide. Do not use product only as specified on this label. Store at temperatures below freezing and may be necessary to warm to 45° F. and shake thoroughly before using. Observe all risks of use, storage or handling of this material and instructions with directions given hereon.

EPA Reg. No. 4931-81

NET CONTENTS

GALLON

Manufactured By
GOOD-LIFE CHEMICALS, INC
 GOOD-LIFE DRIVE P.O. BOX 687
 EFFINGHAM ILLINOIS 62401

CAUTION
 out of reach of Children
 Precautions on side panels

WEED CONTROL IN CROP See label for use

CORN

Amount of Good-Life 2 Lb. Low Volatile 2,4-D Weed Killer Per Acre Read Complete Directions Before Using

GENERAL INFORMATION

GOOD-LIFE 2 LB. LOW VOLATILE 2,4-D WEED KILLER

GOOD-LIFE 2 LB. LOW VOLATILE 2,4-D WEED KILLER

- Field Corn
- Grain Sorghum
- Maize
- Winter Wheat
- Summer Wheat
- Barley
- Oats
- Rye
- Clay Soil
- Light Soil
- Dry Farm
- Fertile Soil
- Highly Fertile Soil
- Low Fertility Soil
- Medium Fertility Soil
- High Fertility Soil
- Very High Fertility Soil
- Very Low Fertility Soil
- Very High Fertility Soil
- Very Low Fertility Soil

- Winter Wheat
- Summer Wheat
- Barley
- Oats
- Rye
- Clay Soil
- Light Soil
- Dry Farm
- Fertile Soil
- Highly Fertile Soil
- Low Fertility Soil
- Medium Fertility Soil
- High Fertility Soil
- Very High Fertility Soil
- Very Low Fertility Soil
- Very High Fertility Soil
- Very Low Fertility Soil

CONTROL NO

ACCEPTED
April 19, 1973
 4931-81