

DIRECTIONS FOR USE:

GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER is an emulsifiable concentrate which forms an emulsion in water and will readily mix with water-free diesel oil, fuel oil, or kerosene.


PREPARING THE SPRAY: Fill the spray tank with half the required amount of water or water-free diesel oil, fuel oil, or kerosene, add the recommended amount of GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER emulsifiable concentrate with agitation and continue filling the spray tank with water or petroleum oil. In straight oil mixtures do not let water get into the GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE KILLER itself or into the finished product.

TREATING SMALL AREAS: One tablespoon of GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER in 1 1/2 gallons of water is about equal to 1 quart in 100 gallons of water.

GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER is designed for use in control of brush and woody plants. It's principal use is on rangeland clearance, power lines, right-of-ways, stump land, certain waste areas where it is desired to kill or repress growth of woody plants. This product is not intended for weed control in growing crops; however, GOOD-LIFE 2,4-D WEED KILLER products are recommended for this use.

FOLIAGE TREATMENT: Foliage of leaf stem sprays are used during the growing season on dense brush or where vine growth such as Smilax, Greenbriers, and other woody vines are a problem. Apply GOOD-LIFE 2,4,5-T LOW VOLATILE BRUSH KILLER after foliage is well developed using a drenching spray containing 3 to 4 quarts in 100 gallons of water (not to exceed 4* Actual per Acre). Coverage should be complete, wetting all parts of the plants, including leaves and stems, to point to runoff. Applications are more effective when applied to actively growing plants. Higher volumes are necessary where the brush is very dense and over 8 to 10 feet high. Do not treat during periods of severe drought or in early fall when leaves have lost their healthy green color. Hard to kill species may need retreatment the following season.

BASAL BARK TREATMENT: This treatment is not adapted for spraying dense stands of brush and woody vines. It can be used any time of the year to obtain better kill of some species where dense brush and woody vines do not prevent proper application. Apply GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER at the rate of 4 quarts in 25 gallons (1 pint in 3 gallons) of fuel oil, diesel oil, or kerosene, treating the basal parts of stems, or tree trunks, less than 6 inches in diameter, from ground line to a height of 12 to 16 inches, thoroughly wetting to runoff all sides of the indicated area. Often a delayed response to treatment can be expected. Treated brush or trees preferably should not be cut for one year following treatment.



4 lb. 2,4,5-T LOW VOLATILE BRUSH KILLER

Isooctyl Ester
(2,4,5-T Low Volatile
Emulsifiable Concentrate)

ACTIVE INGREDIENT:	
Isooctyl 2,4,5-Trichlorophenoxyacetic Acid*	64.1%
INERT INGREDIENTS:	
.....	35.9%
TOTAL	100.0%
*Equivalent to 2,4,5-Trichlorophenoxyacetic Acid 44.3%	

Avoid spray drift to susceptible plants such as cotton, tomatoes, flowers, grapes, fruit trees, and ornamentals. Spray drift may cause severe injury to both growing and dormant plants. Coarse sprays are less likely to drift. Vapors from this product may injure 2,4-D sensitive plants growing near the treated area.

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes or clothing. Do not contaminate irrigation ditches or water intended for irrigation or domestic purposes.

DO NOT reuse empty container. Destroy by perforating or crushing and burying in a safe place away from water supplies. In case of drums, return to drum conditioner or destroy as listed above.

DO NOT use the same spray equipment for applying other materials to plants as injury will result.

DO NOT store near fertilizers, seed, insecticides or fungicides. Harmful if swallowed. Do not use around home or recreation area. Apply this product only as specified on this label.

NOTE: When stored at temperatures below freezing it may be necessary to warm up to at least 45 F. and shake thoroughly before using.

EPA Reg No. 4931-87

NET CONTENTS GALLON

CAUTION
Keep out of reach of Children
See other precautions on side panels

Manufactured By
GOOD-LIFE CHEMICALS, INC.
GOOD-LIFE DRIVE P. O. BOX 687
EFFINGHAM, ILLINOIS 62401

STUMP TREATMENT: To prevent regrowth from cut stems and stubs, apply a solution of 4 quarts of GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER in 25 gallons of water-free diesel oil, fuel oil, or kerosene (1 pint in 3 gallons). Wet thoroughly the cut surfaces of the stump, concentrating the spray on the outside edges, sides of the stump, and exposed roots until runoff to ground is noticed. Best results are usually obtained when applied to freshly cut stumps two inches in diameter or larger.

FRILL TREATMENT: For trees 6 inches in diameter or larger, use the frill or notch treatment. Cut a single back girdle of overlapping axe cuts completely around the tree near the injured area with a solution of 2 quarts of GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER in 25 gallons of diesel oil, fuel oil, or kerosene. (1 1/2 pt. in 3 gallons).

DO NOT graze dairy animals on treated areas within 6 weeks of application.

DO NOT graze meat animals on treated areas within 2 weeks of slaughter.

The following plants are included among those susceptible to GOOD-LIFE 4 LB. 2,4,5-T LOW VOLATILE BRUSH KILLER.

- | | |
|-------------|-------------|
| Alder | Wild Grape |
| Ash | Gum |
| Aspen | Honeysuckle |
| Birch | Locust |
| Box Elder | Maple |
| Brambles | Oak |
| Buckbrush | Sage Orange |
| Wild Cherry | Salmonberry |
| Elderberry | Poison Ivy |
| Elm | Palmetto |
| Greenbrier | Sumac |
| | Willow |

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given here-with.

CONTROL NO.

ATED

7, 1973

AL INSECTICIDE
ODENTICIDE ACT
ISON REGISTER
931-87