

**DIRECTIONS FOR USE:**

4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER is designed for use in control of brush and woody plants. Its principal use is on rangeland clearance, power lines, rights-of-way, stump land and certain waste areas where it is desired to kill or repress growth of woody plants. This product is not intended for weed control in growing crops; however, GOOD-LIFE weed killer products are recommended for this use.


**FOLIAGE TREATMENT:** Foliage or leaf stem sprays are used during the growing season on dense brush or where vine growth such as Smilax, Greenbriers and other woody vines are a problem. Apply 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER after foliage is well developed, using a drenching spray containing 3 to 4 quarts in 100 gallons of water. Coverage should be complete, wetting all parts of the plants including leaves and stems, to a point of run-off. Applications are more effective when applied to actively growing plants. Higher volumes are necessary where brush is very dense and over 8 to 10 feet high. Do not treat during period of severe drought or in early fall when leaves have lost their healthy green color. Hard-to-kill species may need retreatment the following season.

**BASAL BARK TREATMENT:** This treatment is not adapted for spraying dense stands of brush and woody vines. It can be used anytime of the year to obtain better kill of some species where dense brush and woody vines do not prevent proper application. Apply 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER at the rate of 4 quarts in 25 gallons (1 pint in 3 gallons) of fuel oil, diesel oil or kerosene, treating the basal parts of stems or tree trunks, less than 6 inches in diameter, from ground line to height of 12 to 16 inches, thoroughly wetting to run-off all sides of the indicated area. Often a delayed response to treatment can be expected. Treated brush or trees preferably should not be cut for one year following treatment.

**STUMP TREATMENT:** To prevent regrowth from cut stems and stubs, apply a solution of 4 quarts of 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER in 25 gallons of water-free diesel oil, fuel oil or kerosene (1 pint in 3 gallons). Wet thoroughly the cut surfaces of the stump, concentrating the spray on the outside edges, sides of the stump and exposed roots until run-off to ground line is noticed. Best results are usually obtained when applied to freshly cut stumps two inches in diameter or larger.

**FRILL TREATMENT:** For trees 6 inches in diameter or larger, use the frill or notch treatment. Cut a single back girdle of overlapping axe cuts completely around the tree near the ground line. Treat the injured area with a solution of 2 quarts of 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER in 25 gallons of diesel oil, fuel oil or kerosene (1/2 pint in 3 gallons).

**GENERAL INFORMATION:** 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER is an emulsifiable concentrate which forms an emulsion in water and will mix readily with water-free diesel oil, fuel oil, or kerosene.



# 4 lb. Butyl Ester 2,4,5-T Brush Killer

(2, 4, 5-T Emulsifiable Concentrate)

Contains 4.0 Pounds 2, 4, 5-T  
Acid Equivalent Per Gallon

**ACTIVE INGREDIENTS:**

Butyl Ester of 2, 4, 5-Trichlorophenoxyacetic Acid\* ..... 53.6%

**INERT INGREDIENTS:** ..... 46.4%

**TOTAL** ..... 100.0%

\*Equivalent to 2, 4, 5-Trichlorophenoxyacetic Acid 44.0%

**NOTE:** When stored at temperatures below freezing it may be necessary to warm up to at least 45° F. and shake thoroughly before using.

EPA REG. No. 4931-89

NET CONTENTS ONE GALLON

**CAUTION**  
Keep out of reach of Children  
See Other Cautions On Side Panel

**ACCEPTED**  
NOV 18, 1971  
UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND ROBOTICIDES ACT  
GOOD-LIFE CHEMICALS, INC. 4931-89  
GOOD-LIFE DRIVE - P.O. BOX 687  
EFFINGHAM, ILLINOIS 62401

**PREPARING THE SPRAY:** Fill the spray tank with half the required amount of water or water-free diesel oil, fuel oil, or kerosene - add the recommended amount of 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER with agitation and continue filling the spray tank with water or petroleum oil. In straight oil mixtures, do not let water get into the 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER itself or into the finished product.

**TREATING SMALL AREAS:** One tablespoonful of 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER in 1 1/2 gallons of water or oil is about equal to 1 quart to 100 gallons.

**CAUTION:** Harmful if swallowed. Avoid contact with skin, eyes, or clothing. **DO NOT USE AROUND THE HOME OR RECREATION AREAS.**

**DO NOT** contaminate irrigation ditches or water used for domestic purposes.

**DO NOT** graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

Avoid spray drift to susceptible plants such as cotton, tomatoes, flowers, grapes, fruit trees, ornamentals. Spray drift may cause severe injury to both growing and dormant plants. Coarse sprays are less likely to drift. Vapors from this product may injure 2, 4, 5-T sensitive plants in the immediate vicinity.

**DO NOT** use the same spray equipment for applying other materials to plants as injury will result.

**DO NOT** store near fertilizers, seed, insecticides or fungicides.

This product is poisonous to fish. Keep out of any body of water.

Apply this product only as specified on this label. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

The following plants are included among those susceptible to 4 LB. BUTYL ESTER 2, 4, 5-T BRUSH KILLER:

Alder	Elderberry	Oak
Ash	Elm	Osage Orange
Aspen	Greenbrier	Salmonberry
Birch	Wild Grape	Poison Ivy
Box Elder	Gum	Palmetto
Brambles	Honeysuckle	Sumac
Buckbrush	Locust	Willow
Wild Cherry	Maple	

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions given herewith.