16

GOOD-LIFE CHEMICALS, INC.
P. O BOX 687
EFFINGHAM ILLINOIS 62401

To add use
U.S.D.A. Reg. No. 4931-114

ACCEPTED
DEC 4 1970
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO 4931-114 SUBJECT TO ATTACHED COMMENTS.
4931-114

ACTIVE INGREDIENTS

*Diethanolamine salt of 2 (2 methyl 4 chlorophenoxy) propionic acid	13 7%
**Diethanolamine salt of 2,4 dichlorophenoxyacetic acid	13 6%
***Diethanolamine salt of Dicamba (3,6 dichloro o anisic acid)	1 3%
INERT INGREDIENTS	71 4%
TOTAL	100 0%

*2 (2 methyl-4 chlorophenoxy) propionic acid equivalent 0 83 pounds per gallon
**2,4 dichlorophenoxyacetic acid equivalent 0 83 pounds per gallon
***3,6 dichloro-o-anisic acid equivalent 0 083 pounds per gallon

DIRECTIONS FOR USE

Where to use This product may be used on Bermuda, Zoysia and Tifway bermuda lawns, vacant lots, playgrounds, [illegible] areas where broadleaf weeds are present. [illegible] against these weeds such as Sheep Sorrel, Knotweed, Scotch Spurge, Chickweed, Quack Grass and Henbit. In addition to these weeds, it kills also [illegible] Some injury can be expected to turf when used on Centipede or St. Augustine grass lawns. Spot Spray weeds only. Turf present will be damaged if sprayed.

[illegible]	Grassy [illegible]	Peppergrass	Sandwort
Blood Weed	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	Wild Lettuce
Chickweed	Lovegrass	Buttercup	Wild Onion
Clover	Mallow	Purslane	Wild Garlic
[illegible]	Nutsedge	Rocket	[illegible]
[illegible]	Quack Grass	Shepherds Purse	

MANUFACTURED BY
GOOD-LIFE CHEMICALS, INC.
GOOD LIFE DRIVE P.O. BOX 687
Effingham, Illinois 62401
Net Contents 1 Pint

GOOD-LIFE

WEED WOE

LAWN WEED KILLER

Contains New Patented Trimec Weed Killer
U.S. Patent No. 3 781 156

WARNING
KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON SIDE PANEL
U.S.D.A. REG. NO. 4931-114

When to use Spray [illegible] during the growing season when weeds are not very growing. Treat **Chickweed, Henbit, Wild Onion and Garlic** in the fall and again in the spring if needed. On new lawns wait until the turf has reached a height of 2 inches before mowing or [illegible] spray treatment. Spot spray weeds treatment [illegible] be made [illegible] pressure sprayer spraying only the weeds at ground level. Wait 3 weeks before [illegible] new grass seed or sections down in the bare spots. Post weed [illegible] pressure [illegible] during [illegible] before [illegible] is expected. Do not water [illegible] 24 hours after treatment.

How much to use to spray entire lawn 1 Pint covers up to 8,000 sq ft of lawn area.

Dilute with water as indicated below

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

For lawn hose sprayers, dilute the amount shown above and enough water to fill the sprayer to the 2 gal level for 200 sq ft, to the 4 gal level for 1000 sq ft, and the 6 gal level for 2000 sq ft.

To spot spray weeds Lawn hose sprayers are not recommended for this type of treatment. Use a pressure sprayer. Mix [illegible] and spray, each weed to point of spray runoff. A sprayer sprayer [illegible] treatment [illegible] this product.

Caution [illegible] Avoid contact with skin, clothes and eyes. In case of contact flush with water. Do not contaminate domestic or irrigation water.

Avoid drift of spray mist onto vegetables, flowers, ornamentals, plants or desirable weeds and grass. Do not [illegible] Do not spray [illegible] grass, [illegible] Do not apply to [illegible] roots of desirable trees and shrubs. This product may be injurious to St. Augustine grass.

Use lawn sprayers for this use. Do not spray [illegible]

Do [illegible] sprayer [illegible] washing [illegible]

NOTICE [illegible]

18