



BORDEAUX MIX

FUNGICIDE FOR ORCHARD AND GARDEN USE

ACTIVE INGREDIENT:

Copper (in basic copper sulfate)
Expressed As Metallic 12.75%

INERT INGREDIENTS 87.25%

TOTAL 100.00%

CAUTION
KEEP OUT OF REACH OF CHILDREN

Manufactured By
GOOD-LIFE CHEMICALS, INC.
GOOD-LIFE DRIVE P. O. BOX 687
EFFINGHAM, ILLINOIS 62401

DIRECTIONS FOR USE:

USE ON	DISEASE OR FUNGI	DOSAGE AMT PER GAL. / WATER	TIME
FRUITS			
Cherries (sour)	Leaf Spot	2.5 Tbsp.	Apply in popcorn, full bloom & petal fall stages, 2-3 weeks before harvest & 2 post harvest foliage sprays.
Grapes	Anthracnose Black Rot Downy Mildew	9 Tbsp.	Begin when new growth is 1/2" long, repeat at 2 week intervals, before and after bloom when grapes are size of buck-shot, and 2 weeks later.
Apples	Anthracnose Bitter Rot Blotch Scab	9 Tbsp.	Apply in cover sprays. Apply in prepink and pink stages and in cover sprays as required.
Gooseberries Currants	Anthracnose	6 1/2 Tbsp.	Apply after leaves open.
VEGETABLES			
Potatoes	Early & Late Blight	9 Tbsp.	Apply when plants are 4-6 in. high, repeat every 7-14 days.
Tomatoes	Anthracnose Early & Late Blights, Leaf Spots	6 Tbsp.	Apply when plants are set out, repeating 7-14 days.
Cantaloupes Cucumbers Squash Watermelon	Angular Leaf Spots Anthracnose Downy Mildew Leaf Blights, Scab	4 Tbsp.	Apply when plants begin to vine, repeat 7-14 days as necessary.
Beans	Angular Leaf Spot Anthracnose Blight Downy Mildew	4 Tbsp.	Apply before disease is expected to appear, repeat 7-14 days as necessary.
TREES			
Linden Maples Sycamore Elm	Anthracnose Leaf Spot	4 Tbsp.	Apply as leaves unfold in spring. Repeat in 2-3 wks.

CAUTION

Bordeaux Mix is not recommended for early application to varieties of apples susceptible to russetting. Injury to cucurbits and some other crops may occur under certain conditions.

CAUTION: Harmful if swallowed. Keep out of reach of children.

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with wastes or burning. Stay away from smoke and fumes.

ANTIDOTE: In case of swallowing give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Follow with milk or whites of eggs beaten with water. In any case call a physician immediately.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA REG. NO. 4931-135

EPA EST. 4931-IL-1

NET CONTENTS 1 Lb.

CONTROL NO.

Jul
1973