UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



United States Servicemental Protection Office of Pesticide Programs Adapter

August 28, 2007

Dollie Howser West Agro Inc. 11100 N. Congress Ave. Kansas City, MO 64153

Subject: XXX Disinfectant

EPA Registration No. 4959-15 Application Date: July 31, 2007 Receipt Date: August 07, 2007

Dear Ms. Howser:

This acknowledges receipt of notification, submitted under the provision of PR Notice 98-10 FIFRA section 3 (c) 9.

Proposed Notification

• Addition of an Alternate Brand Name "Premise Disinfectant"

General Comments

Based on review of the material submitted, the following comment applies:

This notification application is accepted and a copy has been placed in your file for future reference.

Should you have any questions or comments concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely.

Wanda Y. Henson

Product Reviewer (32)

Regulatory Management Branch II Antimicrobials Division (7510P)



WEST AGRO, INC. 11100 N. Congress Ave. Kansas City, Mo. 64153-1296

Telephone 1-816-891-6960 / TELEFAX 816-891-6990

Document Processing Desk (NOTIF)
Office Of Pesticide Programs (7504-P)
U.S. Environmental Protection Agency
1200 Pennsylvania, N.W.
Washington, DC 20460

July 31, 2007

To Whom It May Concern::

This letter is to notify you that XXX Disinfectant, EPA No. 4959-15; has an additional brand name, marketed as Premise Disinfectant.

Thank you for your attention and assistance in this matter.

Regards,

Dollie Howser

Regulatory Specialist

	Registration
	Amendmen

OPP Identifier Number

\$EPA	Environmental Protection Agency Washington, DC 20460					ndment r		
		Applicati	on for Pestic	ide - Sect	ion I			
1. Company/Product Number 4959-15				2. EPA Product Manager Emily Mitchell			3. Proposed Classification X None Restricted	
4. Company/Product (Name) XXX Disinfectant				PM# 32			None Restricted	
5. Name and Address of Applicant (Include ZIP Code) West Agro Inc. 11100 N. Congress Ave. Kansas City, Mo 64153			(b)(i), to:	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.				
Check if this	is a new address		Prod	uct Name _				
			Section -	11				
Amendment - Explain Resubmission in resp. X Notification - Explain Explanation: Use addition West Agro markets	onse to Agency letter below. al page(s) if necessary	y. (For sectio		Agency lette 'Me Too" Al	oplication.		nt.	
			Section -	111				
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes X No * Certification must Unit Packaging Yes X No If "Yes" Unit Packaging wgt. No. per container		Water Soluble Packaging Yes X No Text If "Yes" No. per Package wgt Container			pe of Container Metal X Plastic Glass Paper Other (Specify)			
be submitted								
3. Location of Net Contents Information A. Size(s) Retail Container 1,5,15,30,55.275 gal., and bulk Container 4. Size(s) Retail Container 5. Location of Label Directions Con Label On Labeling accompaning product The paper glued Stenciled								
		Otolic	Section -	IV	•••			
1. Contact Point (Complete	items directly below fo	or identification			necessary, to	o process this	application.)	
Name Dollie Howser		Regulatory Specialist		Telephon	Telephone No. (Include Area Code) 816 891-1668			
i certify that the stater i acknowledge that any both under applicable i	y knowlinglly false or r		l all ettachments t			•	6. Date Application Received	
2. Signature			3. Title				ι ι ιι ::(:(:(:	
_			Regulatory	Regulatory Specialist				
4. Typed Name	4. Typed Name 5					666		
Dolle Howser		7/31/07				i c i		

PREMISE™ DISINFECTANT

CONCENTRATED BROAD SPECTRUM IODOPHOR FOR USE AS A ONE-STEP CLEANER-DISINFECTANT AND NO RINSE SANITIZER IN:

Veterinary Clinics • Poulity Drinking Water • Sanitizing Commercial Eggs • Egg Processing Plants
 Dairy & Poulity Farms • Meat & Poulity Plants • Food Processing Plants • Kennels, Pet Shops & Zoos
 Hand Sanitizing in Food Plants • Animal Handling Facilities

Used as directed PREMISE DISINFECTANT is effective in hard water (up to 400 ppm as CaCO.) and in 5% organic serum load against the following viruses, bacteria and pathogenic fungi: Pollo 1, Vaccinia, Herpes Simplex Type 1, Influenza A2/Japan 305, and Canine Parvovirus, bactericidal against Salmonella cholerasuis, Staphylococcus aureus, Pseudomonas aeruginosa, and E. Coli; is fungicidal against Trichophyton mentagrophytes (the athlete's foot fungus).

On pre-cleaned food contact surfaces PREMISE is effective against Salmonella cholerasuls, Listeria monocytogenes and Escherichia coli, 0157:H7. Hemorrhadic

Used as directed PREMISE is tuberculocidal when used in hard water (up to 400 ppm as CaCO₂) on precleaned surfaces at 20°C for a contact time of 10 minutes. Prepare a solution of 3 ounces PREMISE to 5 gallons water (provides 75 ppm titratable lodine).

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Not for Residential Use.

The color of a PREMISE solution is proportional to the titratable lodine concentration. Prepare a fresh solution daily, or when there is a noticeable change in its rich amber color, or more often if the solution

ONE-STEP CLEANING AND DISINFECTING:

PRIOR TO USE in Veterinary Clinics, Animal Handling Facilities, Farm Premises, Kennels, Pet Shops and Zoos: Remove all animats and feeds from premises, vehicles and enclosures. Remove all litter and manure from floors, walls and all surfaces to be treated. Empty all troughs, racks and other feeding and watering appliances. Then proceed as directed below.

TO CLEAN AND DISINFECT: Before applying disinfecting solution, food products and packaging materials must be removed from the room or carefully protected. Remove heavy soil deposits before applying the distinecting solution. Using a solution of 3 ounces PREMISE per 5 gallons of warm water (80°F, 20°C or warmer), immerse objects in disinfecting solution, or apply solution with a mop, sponge or brush. Where warmen), immense objects it disappears to produce coanse spray. Allow a 10 minute contact time with disinfecting solution. For efficacy against Canto Parvovins, allow a 10 minute contact time, surface must remain wet. All food contact surfaces must be fire Sar with polable water before reuse. Floors, walls and all other nonfood contact surfaces may drain dry without rinsing. NOTE: When mixing PREMISE with cold water (as low as 41°F, 5°C), increase use to 6 oz. per 5 gallons water.

BEFORE REHOUSING ANIMALS: Ventilate buildings, vehicles and other closed spaces. Do not house animals or use equipment until treatment absorbs, sets or dries. Thoroughly rinse all treated feed racks, managers, troughs, automatic feeders, fountains and waterers with potable water before reuse.

SHOE BATH: Routine use of shoe bath sanitizers helps reduce the spread of disease causing organisms SHOLE MAIN: Notume use of snow partners replayed the spread of assess causing organisms between poultry houses, formwing houses, hog barns and other fivestock buildings. Use 3 ources of PREMISE per i gallon of water, Place sentitzing solution in shallow plastic or stainless steel pans inside all entrances to pouttry and livestock buildings. Scrape shoes outside doorway and stand in shoe bath for 30 seconds before entering building. Replace shoe bath daily or more often if solution becomes solled.

CLEANING MILKING EQUIPMENT AND BULK TANKS: Immediately after milking, flush milking equipment and utensits with lutewarm (100°F; 38°C) water to wash out all milk. Take apart miking machines and immerse air hoses, inflations, metal parts (except pulsator) and utensits in a solution containing 1 ounce of PREMISE per 5 gallone of water. Brush all parts thoroughly, Urain completely, inse with water and allow to air dry. After emptying bulk tanks, flush tanks thoroughly with 100°F (38°C) water to wash out all milk. Brush tanks thoroughly with 100°F (38°C) water to wash out all milk. Brush tanks thoroughly with a solution containing 1 ounce PREMISE per 5 gallons of water. Allow wash solution to drain, rinse with water and air dry

SANITIZING MILKING MACHINES AND BULK TANKS: Before each milking, flush assembled milking machines and empty bulk tanks with a solution containing 1 ounce of PREMISE per 5 gallons of water. Allow a 1 minute contact time. Drain thoroughly and air dry before use.

REMOVAL OF MILKSTONE AND HARD WATER DEPOSITS: Yellow color may appear on equipment after the first use of PREMISE. This may indicate the presence of milkstone or hard water deposits. Remove these deposits by applying a solution containing equal parts of PREMISE and lukowarm water. Wait 2-3 minutes, brush and then rinse with potable water. Daily use of PREMISE will help prevent the formation of milkstone and hard water deposits.

BANITIZING POULTRY AND LIVESTOCK DRINKING WATER: Add 1 ounce of PREMISE per 10 gallons of drinking water. Regular use of this product in drinking water reduces the buildup of slime and mineral deposits in watering equipment. Do not use this product together with other water treatments such as medications. SANITIZING PREVIOUSLY CLEANED FOOD CONTACT SURFACES: Sanitize previously cleaned and

rinsed hard, non-porous surfaces such as glass, metal, plastic and porcelain with a solution containing 1 ounce of PREMISE per 5 gallons of water. Immere equipment with sanktizing solution and allow 1 minute of contact time. Drain solution from equipment, do not make, PREMISE used at 1 ounce per 5 gallons of water contains 25 ppm titratable lodine and does not require a final rinse with potable water in accordance with Federal Food Additive Regulations 178.1010.

FOR INDUSTRIAL, INSTITUTIONAL, AND AGRICULTURAL USE



PREMISE™ DISINFECTANT

lodine, the element of confidence™

AUTHORIZED BY USDA FOR USE IN FEDERALLY INSPECTED MEAT, POULTRY AND EGG PROCESSING PLANTS

> ACTIVE INGREDIENT: INERT INGREDIENTS 100 00% *From alpha-(p-nonytohenyt)-omega-hydroxypoly(oxyethytene)-lodine complex EPA Reg. No. 4959-15 C,T - First letter of tot number indicates establishment

KEEP OUT OF REACH OF CHILDREN DANGER

	FIRST AID .
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice,
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with ptenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
IF SWALLOWED:	Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce verniting unless told to do so by the Poison Control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

Have product container or label with you when calling a Poison Control Center or doctor or going in for treatment. You may also contact 1-800-424-9300 for emergency treatment information NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory degression and convutsion may be needed

CHEM-TREC EMERGENCY # 1-800-424-9300



SANITIZING GLASSES, DISHWARE, POTS, PANS AND UTENSILS IN FOOD SERVICE OPERATIONS:

- Pre-flush or pre-scrape equipment and utensils. If needed, pre-soak to remove gross food particles and soil.
- 2. Wash equipment and utensits in tukewarm water that contains an an adequate amount of a good detergent or cleaner. Keep this water clean by frequent changing.
- 3. Rinse equipment and utensils free of wash water prior to sanitization.
- 4. Sanitize equipment and utensils by immersing them in a solution of 1 ounce PREMISE per 5 gallons of lukewarm water (provides 25 ppm titratable lodine). Allow one minute contact time (or longer if required by local sanitation codes). Fresh solution should be prepared daily or more often if the solution becomes diluted or solled. Use an approved lodine test kit to check for proper concentrations.

8504

5. After required contact time of one minute or more, allow equipment and utensils to drain and then air dry

SANITIZING FOOD-GRADE EGG SHELLS: Coarse spray previously cleaned food-grade egg shells with a solution containing 1 ounce of PREMISE per 5 gailons of water. Solution temperature should be warmer than the eggs, but not to exceed 130°F (53°C). Wet eggs thoroughly for 1 minute allow to drain, A final potable water trace is not required. Eggs should be reasonably dry before casing or breaking. Do not reuse solution

HAND SANITIZING: Thoroughly wash and rinse hands before sanitizing. Dip or rinse hands in a solution containing fource of PREMISE per 5 gallons of water. PREMISE may be injected directly into wash or rinse water at a rate of 1 ource per 5 gallons of water. A linal potable water rinse is not required. DEODORIZING: PREMISE destroys many odors as it sanitizes and disinfects. For general deodorant

applications (garbage pails, refuse containers, etc.), swab surface to be treated with a solution containing 1 ounce of PREMISE per gation of water. Allow treated surface to drain and air dry.

USE DILUTION TABLE

PREMISE DISINFECTANT/WATER	TITRATABLE IODINE
1 oz to 10 gal.	12.5 ppm
1 oz to 5 gal.	25 ppm
3 oz to 5 gal.	75 ppm
1 oz to 1 gal	125 ppm
6 oz to 5 gat	150 ppm

PRECAUTIONARY STATEMENT: MAZARD TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE. Causes irreversible eye damage. Harmful if swallowed, Do not get in eyes or on clothing. Avoid contact with skin, Wear goggles or face shield, Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in witting prior to discharge, Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not store below 25°F or above 100°F for extended periods PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinates is a violation of Federal taw. If these vastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or punctum and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. burned, stay out of smoke.

DOT DESCRIPTION

UN3264, Corrosive liquid, inorganic, N.O.S. (contains Phosphoric Acid), 8, PG II

NET CONTENTS:

LOT NO:

EXP. DATE:

NOTIFICATION

Date Reviewed: \$128/07

Reviewed By: Q. Thanyon.

8504-G0707