UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



United States Environmental Protection Office of Pesticide Programs Agency

FILE COPY

September 17, 2008

Dollie Howser West Agro, Inc. 11100 N. Congress Ave. Kansas City, MO 64153

Subject: ZZZ Disinfectant

EPA Registration Number: 4959-16 Application Dated: September 02, 2008 Receipt Date: September 11, 2008

Dear Ms. Howser:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification

Removal of label claim for Tuberculosis

General Comment

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely,

Wanda Henson/

Product Reviewer (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

Please read impructions on reverse before comp	form.	Form Approve MB No.	<u>. 2070-0060,</u>	Approval expires 2-28-9
Environmental Pr	d States rotection Agency n, DC 20460	Registr X Amend Other	ration	OPP Identifier Number
Ap	plication for Pesticide	- Section I		
1. Company/Product Number 4959-16	2. EPA Pro	2. EPA Product Manager Emily Mitchell 3. Proposed Classification Restricted		
4. Company/Product (Name) ZZZ Disinfectant	PM#	32	IX.	TOTAL TIMESTOCK
5. Name and Address of Applicant (Include ZIP Code)	6. Expedi	ted Reveiw. In accord	lance with F	IFRA Section 3(c)(3)
West Agro, Inc. 11100 N. Congress Ave. Kansas City, MO 64153	to:	product is similar or iden	•	
Check if this is a new address	Product	Name	•	
	Section - II			
Amendment - Explain below. Resubmission in response to Agency letter date X Notification - Explain below.	A4	nal printed labels in repson gency letter dated de Too" Application. her - Explain below.	se to	
lation of FIFRA and I may be subject to enforcement a	ction and penalties under sectio	ns 12 and 14 of FIFRA.		
Material This Product Will Be Packaged In:				
Child-Resistant Packaging Unit Packaging	ır Soluble Pack	aging 2. Type of	f Container	
Yes Yes X No	Yes X No T	X	Metal Plastic Glass	
		No. per container	Paper Other (Spe	ocify)
	ize(s) Retail Container 1,5, 15, 30, 55, 275 gal., Bu	JIK S. Location of La	Label	npaning product
i. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Other		
	Section - IV			0 00
. Contact Point (Complete items directly below for ide	entification of individual to be co	ntacted, if necessary, to p	rocess this ap	plication.)
Dollie Howser, Tammy Wright	Title Regulator	y Specialist	i	lo. (Includo Area Code) 568, (816) 891-6971
I certify that the statements I have made on this I acknowledge that any knowlinglly false or misle both under applicable law.			mplutuse	Description Received (Stamped)
. Signature	3. Title Regulatory 9	Specialist		
. Typed Name	5. Date			1

Dallia Harrear

FOR INDUSTRIAL, INSTITUTIONAL AND AGRICULTURAL USE

ZZZ DISINFECTANT

Authorized by USDA for use in federally inspected meat, poultry and egg processing plants.

CONCENTRATED BROAD SPECTRUM IODOPHOR FOR USE AS A ONE-STEP CLEANER-DISINFECTANT AND NO-RINSE SANITIZE NI.

Hospitals and Clinics Food Processing Plants Dental Offices Hand Sanitizing in Food Plants Schools and Institutions Nursing Homes Kitchens and Lunch Rooms Restrooms

VIRUCIDE*, BACTERICIDE, FUNGICIDE Meets OSHA's Bloodborne Pathogens Act requirements

Used as directed ZZZ Disinfectant is effective in hard water (up to 400 ppm as CaCO₃) and in 5% organic serum load against the following viruses, bacteria and pathogenic fungi: Polio 1*, Vaccinia*, Herpes Simplex Type 1*, and Influenza A2/Japan 305*, Hepatitis B; bactericidal against Salmonella enterica, Staphylococcus aureus, Pseudomonas aeruginosa, and El Coli; fungicidal against Trichophyton mentagrophytes (the athlete's foot fungus).

Z Disinfectant is effective against Listeria monocytogenes on pre-cleaned food contact surfaces.

Used in hard water (up to 400 ppm CaCO₃), ZZZ Disinfectant is effective against the HIV-1 Virus* on pre-cleaned environmental surfaces and objects previously soiled with blood or other body fluids. (This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile area of the body, or (2) contacts intact mucus membranes but does not ordinarily penetrate the blood barrier or otherwise enter the normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection).

ACTIVE INGREDIENT:

lodine*	1.75%
INERT INGREDIENTS:	
Total:	100.00%

^{*}From alpha-(p-nonylphenyl)-omega-hydroxypoly(oxyethylene)-iodine complex

PANGER:

KEEP OUT OF THE REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: Hazard to humans and domestic animals

CORROSIVE. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

	FIRST AID
IF IN EYES:	Hold eye open and rinse slowly and genth; with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
IF SWALLOWED:	 Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.
Have the product cor	ntainer or label with you when calling a poison control center or doctor, or going for

treatment. You may also contact 1-800-424-9300 for emergency treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for Residential Use.

The color of an ZZZ Disinfectant solution is proportional to the titratable iodine concentration. Prepare a fresh solution daily, or when there is a noticeable change in its rich amber color, or more often if the solution becomes diluted or soiled

ONE-STEP CLEANING AND DISINFECTING:

This product may be used to clean and disinfect operating areas, patient rooms, floors, walls, countertops, rest rooms, shower areas, refuse containers, bed frames, morgues, laboratories, cafeterias, commercial freezers, animal rooms, cages and other hard nonporous surfaces. Before applying disinfecting solution, food products and packaging materials must be removed from the room or carefully protected. Remove heavy soil deposits before applying the disinfecting solution. Using a solution of 3 ounces ZZZ Disinfectant per 5 gallons of warm water (68°F, 20°C or warmer), immerse objects in disinfecting solution, or apply solution with a mop, sponge or cloth. Where appropriate, use a mechanical sprayer to produce coarse spray. Allow a 10 minute contact time with disinfecting solution. All food contact surfaces must be rinsed with potable water before reuse. Floors, walls and all other non-food contact do not require rinsing before reuse.

NOTE: When using ZZZ Disinfectant against the following viruses, bacteria and pathogenic fungi: Polio 1*, Vaccinia*, Herpes Simplex Type 1*, and Influenza A2/Japan 305*, Salmonella



choleraesuis, Staphylococcus aureus, Pseudomonas aeruginosa, E. Coli, Trichophyton mentagrophytes, in a solution of cold water (as low as 41°F, 5°C), increase use to 6 oz. per 5 gallons water.

KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodefeciency virus Type 1 (HIV-1) (Associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES AND OBJECTS PREVIOUSLY SOILED WITH BLOOD OR OTHER BODY FLUIDS.

PERSONAL PROTECTION: Clean up should always be done wearing protective latex gloves, gowns, masks and eye protection (Specific barrier protection items to be used when handling items soiled with blood or bodily fluids are disposable gloves, gowns, masks, or eye coverings)

CLEANING PROCEDURE: Blood and other body fluids (containing HIV-1) must be thoroughly uned from surfaces and objects before application of this product. Thoroughly wet hard surfaces with a solution of 3 ounces ZZZ Disinfectant per 5 gallons of water. Completely immerse objects in the disinfecting solution; avoid entrapment of air bubbles. Allow at least 10 minutes contact time.

CONTACT TIME: This contact time will not control other common types of viruses and bacteria listed on this label. To be effective against Hepatitis B virus, a 10 minute contact time is required.

DISPOSAL OF INFECTIOUS MATERIAL: Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

TO CLEAN AND DISINFECT TOILET BOWLS AND URINALS: Flush toilet. Add 1 ounce of ZZZ Disfectant directly to toilet bowl. Brush to cover all bowl surfaces including under the rim. Allow disinfectant to remain for at least 10 minutes. Flush toilet. Rinse metal parts with water after disinfecting to prevent corrosion.

SANITIZING PREVIOUSLY CLEANED FOOD CONTACT SURFACES: Sanitize previously cleaned and rinsed hard, non-porous surfaces such as glass, metal, plastic and porcelain with a solution containing 1 ounce of ZZZ Disinfectant per 5 gallons of water. Immerse equipment with sanitizing solution and allow 1 minute of contact time. Drain solution from equipment; do not rinse. Disinfectant used at 1 ounce per 5 gallons of water contains 25 ppm titratable iodine and

a not require a final rinse with potable water in accordance with Federal Food Additive Regulation 178,1010.

SANITIZING GLASSES, DISHWARE, POTS, PANS, AND UTENSILS IN FOOD SERVICE OPERATIONS:

- Pre-flush or pre-scrape equipment and utensils. If needed, pre-soak to remove gross food particles and soil.
- Wash equipment and utensils in lukewarm water that contains an adequate amount of a good detergent or cleaner. Keep this water clean by frequent changing.
- 3. Rinse equipment and utensils free of wash water prior to sanitization.
- 4. Sanitize equipment and utensils by immersing them in a solution of 1 ounce ZZZ Disinfectant per 5 gallons of lukewarm water (provides 25 ppm titratable iodine). Allow one minute contact time (or longer if required by local sanitation codes). Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled. Use an approved iodine test kit to check for proper concentrations.
- 5. After required contact time of one minute or more, allow equipment and utensils to adequately drain. Do not rinse before use.

HAND SANITIZING IN FOOD PROCESSING PLANTS: Thoroughly wash and rinse hands before sanitizing. Dip or rinse hands in a solution containing 1 ounce of ZZZ Disinfectant per 5 gallons of water. ZZZ Disinfectant may be injected directly into wash or rinse water at a rate of 1 ounce per 5 gallons of water. A final potable water rinse is not required.

USE D	ILUTION TABLE 🛒 🚉 🚉 🦂	
ZZZ DISINFECTANT/WATER=	TITRATABLE OD	<u>INE</u>
	ດວ ຕອງ ດອວ ່ວີ ້ວັ	
1 oz to 5 gal.	25 ppm	
3 oz to 5 gal.	000 00 0 75 ppm	
6 oz to 5 gal.	0 00 000150 ppm	

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not store below 25°F or above 100°F for extended periods.

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

5 gallon or less containers - Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap.. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Capacity greater than 5 gallon containers – Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times, Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by State and local authorities, burn container. If burned, stay out of smoke.

EPA Reg. No. 4959-16

EPA Est. No. 4959-IL-01

Sold By:

West Agro, Inc.

1110 N. Congress Ave. Kansas City, MO 64153

NET CONTENTS:

LOT NO.:

0005-0908

Made in U.S.A.