

4959-21

1-4-2001

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 4 2001

West Agro, Inc.  
501 Santa Fe  
Kansas City, MO 64105

Attention: Dollie Howser  
Regulatory Specialist

Subject: Udder-San Sanitizer and Udder Wash  
EPA Registration Number 4959-21  
Your Amendment Dated November 3, 2000

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to revise your label per PR Notice 2000-3 will be acceptable provided that you make the labeling changes listed below before you release this product for shipment bearing the amended label.

1. On front left panel, add the heading "Precautionary Statements" followed by "Hazards to Humans and Domestic Animals."
2. On front left panel, second sentence change the word "wallowed" to read: "swallowed".
3. Under the "First Aid Statement" revise the "If Swallowed" to read:
  - o Call poison control center or doctor immediately for treatment advice.
  - o Have person sip a glass of water if able to swallow.
  - o Do not induce vomiting unless told to do so by the poison control center or doctor.
  - o Do not give anything by mouth to an unconscious person.
4. For Toxicity Category I eye and skin irritants, use the following "Note to Physician".  
  
"Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage".
5. Under the "Environmental Hazards Statement" revise the first sentence to read: This product is toxic to fish and aquatic organisms.

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

A stamped copy is enclosed for your records. Submit one copy of the final printed label before you release the product for shipment bearing the amended label.

If you have any questions concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,



Robert S. Brennis  
Product Manager (32)  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

**! DANGER**

**KEEP OUT OF REACH OF CHILDREN**



**DANGER:** Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.



**PHYSICAL AND CHEMICAL HAZARDS:** Mix only with water following label directions. Do not mix with chlorinated cleaners and sanitizers. Toxic chlorine gas will be formed. Contact with soft metals may generate hydrogen gas. Do not store near heat or open flame.



**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Keep out of ponds, lakes, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of EPA.

**FIRST AID:**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**IF SWALLOWED:** Call a Poison Control Center or doctor for treatment advice. Do not induce vomiting. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

**IF INHALED:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.



**WESTAGRO®**

**Udder-San®  
SANITIZER AND  
UDDER WASH**

**ACTIVE INGREDIENTS:**

Iodine 1.75%  
Phosphoric Acid 11.50%

**INERT INGREDIENTS:**

86.75%  
100.00%  
From Nonylphenoxypolyethoxyethyl and Iodine complex

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See side panel for additional  
precautionary statements

EPA Reg. No. 4959-21 EPA Est. No. 4959-IL-01

Manufactured by  
**WESTAGRO®**

1100 N. Congress Ave. Kansas City, MO  
84163-1222

NUC NO. 33392-113-08  
33392-113-04  
33392-113-02

**0113**

**DIRECTIONS FOR USE:**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**FOR USE AS A UDDER WASH:**

- Prepare UDDER-SAN solution using 1 ounce of sanitizer to each 5 gallons of lukewarm water (100°F). This solution contains 25 ppm titratable iodine.
- Dip a single service paper towel into wash solution and wash teats clean to base of the udder.
- Forestrip.
- Dry teats with individual paper towel. Attach milker unit.
- Prepare a fresh solution if wash solution fades noticeably or becomes diluted or soiled.

**FOR SANITIZING DAIRY EQUIPMENT AND UTENSILS:**

- Wash the equipment to be sanitized using Super Kleenite™ Manual Cleaner, following label directions. Rinse with potable water and drain.
- Prepare a solution by mixing 1 ounce of UDDER-SAN sanitizer for each 5 gallons of water, or add ½ ounce of sanitizer to a 10 quart pail of water. This provides 25 ppm of titratable iodine.
- Immerse equipment: milking claws, liners, teat cups into solution making sure that all surfaces are in contact with the solution. A contact time of one minute is required.
- For equipment that can not be immersed (bulk coolers, receiver groups, etc.) spray a 25 ppm iodine solution onto all pre-cleaned surfaces for a sparkling, spot-free shine.
- Allow solution to drain and air-dry.
- Prepare a fresh solution if sanitizing solution fades noticeably or becomes diluted or soiled.
- UDDER-SAN sanitizer and udder wash is its own indicator of germicidal activity. The amber or yellow color shows the presence of the active ingredient-iodine.

™ - Super Kleenite is a trademark of West Design, Inc.

**STORAGE AND DISPOSAL**

Keep container closed when not in use. Do not store below 20°F. or above 100° for extended periods. In case of spill, flood area with large quantity of water. Product or rinsates that cannot be used should be diluted with water before disposal in sanitary sewer. Do not reuse container, but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ACCEPTED  
NET CONTENT: with COMMENTS  
in EPA Letter Dated:

LOT NO.: JAN - 4 2001

EXP. DATE: 12/31/01  
Under EPA Reg

3/4



KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS



DANGER: Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: Mix only with water following label directions. Do not mix with chlorinated cleaners and sanitizers. Toxic chlorine gas will be formed. Contact with soft metals may generate hydrogen gas. Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

FIRST AID:


IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor for treatment advice. Do not induce vomiting. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



UDDERWASH, BACTERICIDE, CLEANER, SANITIZER

ACTIVE INGREDIENTS:

Iodine*	1.75%
Phosphoric Acid	11.50%
INERT INGREDIENTS:	86.75%
	100.00%

\* From Nonylphenoxyethoxyethanol-Iodine Complex

DANGER

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautionary Statements

ACCEPTED with COMMENTS

EPA Reg. No. 4959-21


in EPA Letter Dated:

EPA Est. No. 4959-IL-01

JAN 4 2001

4959-CA-01

Federal Insecticide, Fungicide, and Rodenticide Act as amended and the pesticide: EPA Reg. N



Manufactured by: West Agro, Inc. 11100 North Congress Ave.

NDC 54592-665-08 54592-665-04 54592-665-02 54592-665-01

9665

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR USE AS A UDDER WASH:

- Prepare UDDER-BAC solution using 1 ounce of sanitizer to each 5 gallons of lukewarm water (100°F). This solution contains 25 ppm titratable iodine.
- Dip a single service paper towel into wash solution and wash teats clean to base of the udder.
- Forestrip.
- Dry teats with individual paper towel. Attach milker unit.
- Prepare a fresh solution if wash solution fades noticeably or becomes diluted or soiled.

FOR SANITIZING DAIRY EQUIPMENT AND UTENSILS:

- Wash the equipment to be sanitized using C-Chlor Manual Cleaner, following label directions. Rinse with potable water and drain.
- Prepare a solution by mixing 1 ounce of UDDER-BAC sanitizer for each 5 gallons of water, or add 1/2 ounce of sanitizer to a 1/2 quart pail of water. This provides 25 ppm of titratable iodine.
- Immerse equipment: milking claws, liners, teat cups into solution making sure that all surfaces are in contact with the solution. A contact time of one minute is required.
- For equipment that can not be immersed (bulk coolers, receive groups, etc.) spray a 25 ppm iodine solution onto all pre-cleaned surfaces for a sparkling, spot-free shine.
- Allow solution to drain and air-dry.
- Prepare a fresh solution if sanitizing solution fades noticeably or becomes diluted or soiled.
- UDDER-BAC sanitizer and udder wash is its own indicator of germicidal activity. The amber or yellow color shows the presence of the active ingredient-iodine.


STORAGE AND DISPOSAL

Keep container closed when not in use. Do not store below 20°F. above 100° for extended periods. In case of spill, flood area with fair quantity of water. Product or rinsates that cannot be used should be diluted with water before disposal in sanitary sewer. Do not re-use container, but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Chemtrec Emergency Number 1-800-424-9300

HAZARD RATING 4-EXTREME 3-HIGH 2-MODERATE 1-LIGHT 0-INSIGNIFICANT

TOXICITY



NET CONTENT:

LOT NO.:

EXPIRATION DATE: