



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

June 19, 2003

Ms. Dollie Howser
Regulatory Specialist
West Agro, Inc.
1100 N. Congress Avenue
Kansas City, MO 64153

Subject: **losan®**
EPA Registration No. 4959-23
Your Application Dated April 21, 2003

Dear Ms. Howser:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with comment.

Proposed Amendment:

- Response to PR Notice 2001-1

Label Comments:

1. Directly under Storage and Disposal, the statement "Do not contaminate water, food, or feed by storage or disposal" must be added. Revise the Storage and Disposal Statement format to read:

<p>STORAGE AND DISPOSAL</p> <p>Do not contaminate water, food or feed by storage or disposal.</p> <p>"PESTICIDE STORAGE: Keep container closed when not in use. Do not store below 25°F or above 100°F for extended periods.</p> <p>"PESTICIDE DISPOSAL: Pesticide wastes are.....Regional Office for guidance."</p> <p>"CONTAINER DISPOSAL: Triple rinseand local authorities."</p>
--

Refer to PR Notice 83-3 for detailed information and appropriate languages.


2. The total First Aid Statement must be grouped together in the same box and placed on the front panel of the label.

General Comment:

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling, before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6422 or Renae Whitaker at (703) 308-7003.

Sincerely,


Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure

Indicate
 2000
 2000
 reports



Pharmaceutical
 Products to Humans



Pharmaceutical
 Products to Humans



Pharmaceutical
 Products to Humans

Pharmaceutical
 Products to Humans

ACTIVE INGREDIENTS:

Iodine	1.73%
Phosphoric Acid	15.95%
INERT INGREDIENTS	82.30%
Total	100.00%

*From Nonyl phenoxypoly (sulfate) ethoxy sulfonate complex and Polypropylene glycol ethoxy sulfonate complex.

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

See side panel for additional precautionary statements

Manufactured by:
VESTAGRO

11101 N. Congress Ave. Kansas City, MO
 64153-1236

VESTAGRO[®]
Iosan[®]
Detergent Germicide
For Dairy Farm Sanitation

A concentrated manual detergent-germicide to be diluted with water. An Iosan solution can be used for sanitizing milking clothes, milking utensils, milk tanks and for wash and sanitize cows' teats and udders prior to milking.

EPA Reg. No. 4955-23 EPA Est. No. 48554L-01



DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is regulated by the U.S. Food & Drug Administration under the Food Additives Regulations for use on food processing equipment and utensils up to 25 ppm (active iodine) without requiring a rinse with potable water.

Iosan Detergent-Germicide is its own indicator of germicidal activity. The amber or yellow color shows the presence of the active ingredients - iodine. When color fades, prepare a fresh solution. Iosan Detergent-Germicide is not adversely affected by water hardness or cold water.

For use as an Udderwash:

- Prepare a wash solution using 1 ounce of Iosan Detergent Germicide to each 5 gallons of tapwater water.
- The solution provides 25 ppm iodine.
- Dip a single service paper towel into wash solution and wash teats to the base of the udder.
- Rinse.
- Dry teats with individual paper towel. Attach milker unit.
- Prepare a fresh solution if wash solution fades noticeably or becomes diluted or soiled.

For Sanitizing Dairy Equipment and Utensils:

- Wash the equipment to be sanitized using Super Ovensol[™] Manual Cleaner, following label instructions. Rinse with potable water and drain.
- Prepare a solution by adding 1/2 ounce of Iosan Detergent Germicide for each 5 gallons of water, or add 1/4 ounce of sanitizer to a 10 quart pail of water. This provides 12.5 ppm (active iodine).
- Immerse equipment - milking cans, buckets, test cups into solution making sure that all surfaces are in contact with the solution. A contact time of 1 minute is required.
- For equipment that cannot be immersed, spray a 25 ppm iodine solution onto all pre-cleaned surfaces.
- Allow solution to drain and air-dry.
- Prepare a fresh solution at each milking or more frequently if sanitizing solution fades noticeably or becomes diluted or soiled.

For Illustrative Reference:

- Should yellow color show on equipment after the first use of an Iosan solution, calibration is indicated.
- Remove milking lines using an Iosan solution. Make a solution using equal parts Iosan Detergent-Germicide and hot warm water. Squeeze over equipment to be cleaned.
- Wait 2-3 minutes, then brush and rinse with potable water.

Made in U.S.A.
 011-0101-0000
 © Copyright, 2003 Vestagro, Inc.

CHEMTREC EMERGENCY
 ☎ 1-800-424-9300

