

# WESTAGRO<sup>®</sup> ACIDET

BACTERIA

## SANITIZER

For Dairy Farm and Food Sanitation

<b>ACTIVE INGREDIENTS:</b>	
Dodecylbenzenesulfonic Acid .....	15.0%
Phosphoric Acid .....	50.0%
<b>INERT INGREDIENTS</b> .....	35.0%
<b>Total</b> .....	100.0%

Keep Out Of Reach Of Children.

### DANGER:

**PRECAUTIONARY STATEMENTS:**

**Hazard to Humans and Domestic Animals.** Corrosive. Causes Eye Damage and Irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothes. Wear protective goggles and clothing when using. Avoid contamination of food.

Do not mix ACIDET with Chlorine Sanitizers or Chlorinated Cleaners. A harmful gas is formed.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Phosphate content by weight percent expressed as % P .....  
Phosphate content expressed as grams P per ounce .....

EPA Reg. No. 4959-29  
EPA Est. No. 4959-IL-1

# WESTAGRO

WEST AGRO, INC. / Kansas City, Missouri 64153

Super Kleenite is a trademark of West Design Chemical, Inc.  
0465-A0588

MADE IN U.S.A.

### DIRECTIONS FOR USE:

**GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

All surfaces should be cleaned and rinsed before sanitizing with ACIDET. At a use dilution of 1 oz. to 5 gallons of water, ACIDET provides 230 ppm of dodecylbenzenesulfonic acid.

### FARM USE:

**For Milk Cans and Infections:** Clean with a suitable detergent and rinse with potable water. Flush an ACIDET solution of 1 oz. to 5 gal. of water through the system. Do not recirculate. Be sure the solution is in contact with food-use surfaces for 1 to 2 minutes. Drain the solution thoroughly.

**Hand Utensils:** Scrape or pre-clean dirty utensils. Clean using Super Kleenite™ Manual Cleaner, following label directions. Rinse with potable water. Soak or spray utensils/infections with ACIDET solution (1 oz./5 gal. of water). After 1 to 2 minutes contact time, drain solution thoroughly. Prepare a fresh solution daily or more often if the solution becomes soiled or dirty.

**Bulk Milk Tanks:** Clean tank with DYNEMATE® Cleaner, and rinse with potable water. Manually spray an ACIDET solution (1 oz./5 gal. of water) on all surfaces to be sanitized. After 1 to 2 minutes contact time, drain solution thoroughly.

### FOOD PLANT USE:

**Bulk Tanks, Vats and Utensils:** Scrape or pre-clean dirty surfaces. Wash equipment with DYNEMATE® Cleaner and rinse with potable water. Sanitize with ACIDET solution (1 oz./5 gal. of water) by either brush, soak or spray method. After 1 to 2 minutes contact time, drain solution thoroughly.

Follow State and local Health Department Regulations covering cleaning and sanitizing.

### STORAGE AND DISPOSAL:

**Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

**Container Disposal:** Triple rinse. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Copyright, 1988, West Agro, Inc.

0465

### NET CONTENT:

LOT NO:

ACCEPTED  
19 OCT 1988  
Under the Federal Insecticide, Fungicide, and Rodenticide Act registered under EPA Reg. No. 4959-29

BEST AVAILABLE COPY