PRECAUTIONARY STATEMENTS Hazard to Humans and Domestic Animals.



Corrosive. Causes irreversible eve damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear gogoles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soep and water after handling. Remove contaminated clothing and wash clothing before reuse.



Do not mix ACIDET ACID SANITIZER with Chlorine Sanitizers or Chlorinated Cleaners. A harmful gas is formed.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

#### FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 19-20 minutes. Remove contact lenses, if present, after the first 5 ninutes. Then continue rinsing. Call a Poison Control Center or ctor for treatment advice.

#F ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor in:mediately for treatment advice. Do not induce vomiting. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol,

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artifical respiration, preferably mouth-tomouth, if possible. Call a Poison Control Center or doctor.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans other waters unless in accordance with the requirements of a ational Pollutant Discharge Elimination System (NRDES) permit and the permitting authority has been notified in writing prior to. discharge. Do not discharge effluent containing this product to sewer. systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Made in USA

1857-C0800

FOR DAIRY FARM & FOOD-USE SURFACE SANITATION

# **ACID SANITIZER**

ACTIVE INGREDIENTS Total ..... 100.0% Phosphate content by weight percent expressed as % Ps . . 15.8% Phosphate content expressed as grams P per ounce ..... 6.5gm/oz.

EPA Reg. No. 4959-29

EPA Est. No. 4959-IL-1 4959-OH-01

40871-CA-1

# KEEP OUT OF REACH OF CHILDREN

DANGER. CORROSIVE. See side panel for additional Precautionary Statements.

Manufactured By:

West Agro, Inc. 11100 North Congress Kansas City, Missouri 64153 Reorder# 1-800-421-1905

HAZARD RATING 4-EXTREME 3HIGH TOXICITY 2-MODERATE 1-SLIGHT 0-INSIGNIFICANT

CHEM-TREC EMERGENCY # 1-800-424-9300

torner the Federal Insections Fungicide, and

#### **DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

All surfaces should be cleaned and rinsed before sanitizing with ACIDET ACID SANITIZER. At a use dilution of 1 oz. per 5 gallons of water, ACIDET ACID SANITIZER provides 300 ppm of dodecylbenzenesulfonic acid.

On pre-cleaned food contact surfaces ACIDET ACID SANITIZER is effective against Salmonella cholerasuis, Listeria monocytogenes and Escherichia coli. 0157:H7, Hemorrhagic.

#### FARM USE:

For Milk Claws and Inflations: Clean with a suitable detergent and rinse with potable water. Flush an ACIDET ACID SANITIZER solution of 1 oz. to 5 gal. of water through the system. Do not recirculate. Be sure the solution is in contact with food-use surfaces for 1 to 2 minutes. Drain the solution thoroughly.

Hand Utensits: Scrape or preclean dirty utensils. Clean using a manual cleaner, following label directions. Rinse with potable water. Soak or spray utensils/inflations with ACIDET ACID SANITIZER solution (1 oz./5 gal, of water). After 1 to 2 minutes contact time, drain solution thoroughly. Prepare a fresh solution daily or more often if the solution becomes soiled or dirty.

Bulk Milk Tanks: Clean tank with suitable detergent and rinse with potable water. Manually spray an ACIDET ACID SANITIZER solution (1 oz./5 gal. of water) on all surfaces to be sanitized. After 1 to 2 minutes contact time, drain solution thoroughly.

#### **FOOD PLANT USE:**

Bulk Tanks, Vats and Utensils: Scrape or preclean dirty surfaces. Wash equipment with a suitable detergent and rinse with potable water. Sanitize with ACIDET ACID SANITIZER solution (1 oz. per 5 gal. of water) by either brush, soak or spray method. After 1 to 2 minutes contact time, drain solution thoroughly.

Follow State and local Health Department Regulations covering cleaning and sanitizing.

### STORAGE AND DISPOSAL:

Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incinerator, or, if allowed by state and local authorities, by burning. If burned, stay out of

For additional information, consult your West Agro, Inc. representative or the Material Safety Data Sheet (MSDS).

# **NET CONTENTS:**

# LOT NUMBER: