

P11132

4959-34

10/2

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 4959-34	DATE OF ISSUANCE 82 SEP 1988
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT YYY Disinfectant	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

West Agro, Inc.
 1100 North Congress Avenue
 Kansas City, MO 64153

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is now eligible for registration in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit to the Administrator for registration/reregistration of your product under FIFRA section 3(c)(7)(A) data that the Agency requires all registrants of similar products to submit with their:
2. Make the following changes to the label for your product or statement:
 - a. Add to the label "EPA Registration No. 4959-34."
 - b. Add to the label the following text: "This product is subject to the Food and Drug Administration's (FDA) 'No Food Contact' rule."

Mr. [Name] [Address]
 [City] [State] [Zip]
 [Phone Number]

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

53652;I;Pringle:LK-04;KENCO:09/21/88;11/02/88;aw:psr;vo:rw


Pringle 9/21

-2-

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Jeff Kempter
Product Manager (32)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosures

FOR INDUSTRIAL AND INSTITUTIONAL USE

0005

YYY-H
DISINFECTANT

RECOMMENDED FOR CLEANING, DISINFECTING AND SANITIZING IN HOSPITALS, INSTITUTIONS, FOOD PLANTS AND COMMERCIAL BUILDINGS.

YYY-H DISINFECTANT is Tuberculocidal when used on precleaned non-porous surfaces. Prepare a dilution of 3 ounces of YYY-H DISINFECTANT per gallon of water at 20°C (or warmer).

YYY-H DISINFECTANT is not adversely affected by hard water (up to 400 ppm). Use a dilution of 6 ounces YYY-H DISINFECTANT to 1 gallon in hard water.

YYY-H DISINFECTANT is not adversely affected by low water temperatures (as low as 5°C). Use a dilution of 6 ounces YYY-H DISINFECTANT per 1 gallon in cold water.

YYY-H DISINFECTANT has its own built-in indicator of germicidal activity. A fresh solution should be prepared daily or when there is a noticeable change in the amber color.

ACTIVE INGREDIENT:

Titrateable Iodine*..... 0.35Z

INERT INGREDIENTS:..... 99.65Z

Total 100.00Z

* From Alpha-(p-nonylphenyl)-omega-hydroxypoly(oxyethylene)-iodine complex

KEEP OUT OF REACH OF CHILDREN.

DANGER:

CORROSIVE, CAUSES EYE DAMAGE AND SKIN IRRITATION. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. (See side panel for First Aid).

NET CONTENTS: _____
LOT NO.: _____

EPA Reg. No. 4959-
EPA Est. No. _____-State-01


Sold by: (Logo)

ACCEPTED
with COMMENTS
In EPA Letter Dated:

SEP 22 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide register, Under EPA Reg. No.

4959-34



YYY-H DISINFECTANT

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for residential use. For general cleaning and disinfecting use 3 ounces of YYY-H DISINFECTANT per gallon of water. For hospital use or at low water temperatures (as low as 5°C), use 6 ounces of YYY-H DISINFECTANT per 1 gallon of water. Remove heavy soil deposits before application of the disinfecting solution.

For sanitizing previously cleaned food contact surfaces, use 1 ounce of YYY-H DISINFECTANT in 1 gallon of water. This dilution provides 25 ppm titratable iodine.

Hospitals: Use as recommended above in animal rooms and cages, cafeterias, commercial freezers, morgues, laboratories, operating areas, patient rooms, bedframes, walls and floors, thermometers, and rubber gloves. Allow at least 10 minutes contact time, then drain surface but do not rinse. Follow directions for food plants when using on food-handling surfaces.

Surgical and Medical Instruments: Surgical/medical instruments, tubing and catheters should be previously cleaned to remove all adhering blood and serous exudates before disinfecting. Flush and fill the lumen of hollow instruments, avoiding entrapment of air bubbles. Then immerse the equipment in a solution of 6 ounces YYY-H DISINFECTANT in 1 gallon of water, allowing at least 10 minutes of contact time.

Food Plants: To sanitize food-processing equipment and utensils, which were first washed in a suitable detergent and rinsed in potable water, use 1 ounce of YYY-H DISINFECTANT in each gallon of water. Spray or immerse equipment, allowing solution to remain on surfaces for a minimum of one minute. Then drain but do not rinse. When used at this dilution (1:128), YYY-H DISINFECTANT does not require a potable water rinse in accordance with the Federal Food Additive Regulation 178.1010.

Commercial Building, Institutions and General Housekeeping: Use 3 ounces of YYY-H DISINFECTANT per gallon of water for cleaning and disinfecting floors, walls, lavatories, shower rooms, refuse containers, kitchen areas and lunch rooms. Allow at least 10 minutes contact time. At low water temperatures (as low as 5°C) use 6 ounces per gallon of water. Follow directions for food plants when using on food handling surfaces.



STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

STORAGE: Keep container closed when not in use. Do not store below 25°F or above 100°F for extended periods.

DISPOSAL: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if plastic by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.


If unused product cannot be disposed of by use according to label instructions, contact State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call physician. Remove and wash contaminated clothing before reuse.


If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink a large quantity of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

(Logo)



3/16/88
FF/YYEPA
jl



YYYTM-F
DISINFECTANT
FARM AND INDUSTRIAL DISINFECTANT

ACTIVE INGREDIENT:

Titratable Iodine*..... 0.35%

INERT INGREDIENTS:..... 99.65%

Total 100.00%

* From Alpha-(p-nonylphenyl)-omega-hydroxypoly(oxyethylene)-iodine complex

FOR CLEANING, DISINFECTING AND SANITIZING ANIMAL HOUSING AND EQUIPMENT; FOR SANITIZING POULTRY DRINKING WATER; FOR USE AS A SHOE BATH PRIOR TO ENTERING BARN AND POULTRY HOUSES; FOR USE AS A DEODORANT; FOR SANITIZING FOOD-PROCESSING EQUIPMENT.

KEEP OUT OF REACH OF CHILDREN.

DANGER

CORROSIVE, CAUSES EYE DAMAGE AND SKIN IRRITATION. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. (See side panel for First Aid.)

NET CONTENTS: _____

Lot No.: _____

EPA Reg. No. 4959-

EPA Est. No. _____-STATE-01

Sold By: (Logo)

BEST AVAILABLE COPY

P1132

4959-34

758

YYY-F DISINFECTANT is a Tuberculocidal when used on precleaned non-porous surfaces. Prepare a dilution of 3 ounces of YYY-F DISINFECTANT to 1 gallon of water at 20°C (or warmer).

YYY-F DISINFECTANT is not adversely affected by hard water (up to 400 ppm). Use a dilution of 3 ounces YYY-F DISINFECTANT to 1 gallon in hard water.

YYY-F DISINFECTANT is not adversely affected by low water temperatures (as low as 5°C). Use a dilution of 6 ounces YYY-F DISINFECTANT to 1 gallon in cold water.

YYY-F DISINFECTANT has its own built in indicator of germicidal activity. A fresh solution should be prepared daily or when there is a noticeable change in the amber color.

DIRECTIONS FOR USE:

FOR USE ON THE FARM:

General: Not for Residential Use. Remove all animals, feeds and drinking water from the premises until treatment has been absorbed, set or dried. Clean buildings and equipment to remove manure and litter. Ventilate buildings and other closed places while using this product.

For Sanitizing: To sanitize hard, non-porous surfaces (glass, metal, porcelain, linoleum, finished wood) of buildings, equipment, or utensils which have previously been thoroughly cleaned, use 1 ounce of YYY-F DISINFECTANT per gallon of water. Spray or swab solution on surfaces to be sanitized. Allow for a one minute contact time, then drain dry without rinsing.

For Disinfecting: To clean and disinfect, use 3 ounces of YYY-F DISINFECTANT per gallon of water. Scrub surfaces to be cleaned and disinfected with a good brush or sprayer. Saturate all surfaces with YYY-F DISINFECTANT. Allow surfaces to remain wet for at least 10 minutes. Start at the highest point and work down.

Immerse all halters, ropes, forks, shovels, scrapers and other similar equipment. Let the solution stay on the surface at least 10 minutes, draining dry without rinsing.

Sanitizing Poultry Drinking Water: Add 1/2 ounce of YYY-F DISINFECTANT to every 2 gallons of drinking water. The regular use in the drinking water also helps keep the waters free of slime and mineral deposits.

Shoe Bath: To help prevent tracking disease organisms into buildings, place a shoe bath inside the doorway, containing 15 ounces of YYY-F DISINFECTANT per gallon of water. After scraping shoes outside doorway, stand in shoe bath for 30 seconds prior to entering building. Change shoe bath daily or more frequently if there is a noticeable change in the solution color.



Food Plant Sanitization: Use 1 ounce of YYY-F DISINFECTANT in each gallon of water as the final sanitizing rinse on previously-cleaned and rinsed food-processing equipment and utensils. Spray or immerse equipment, allowing for a one minute contact time. Drain but do not rinse. A 1 ounce per gallon dilution of YYY-F DISINFECTANT provides 25 ppm titratable iodine. When used at this dilution (1:128), YYY-F DISINFECTANT does not require a final potable water rinse, as prescribed in Federal Food Additive Regulation 178.1010.

Deodorant: YYY-F DISINFECTANT destroys many odors as it sanitizes and disinfects. For general deodorant applications (toilet bowls, urinals, garbage pails, refuse containers, etc.), swab or spray on a solution of 5 ounces of disinfectant per gallon of water.

Hand Dip: Hands must be washed and thoroughly rinsed prior to sanitizing with YYY-F DISINFECTANT. YYY-F DISINFECTANT may be injected directly into wash and rinse waters at a rate of 1 ounce per gallon of water. Hands need not be rinsed with potable water following use of YYY-F DISINFECTANT.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

STORAGE: Keep container closed when not in use. Do not store below 25°F or above 100°F for extended periods.

DISPOSAL: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if plastic by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

If unused product cannot be disposed of by use according to label instructions, contact State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Improper disposal of excess pesticide, spray mixture or rinseate is a violation of Federal Law.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink a large quantity of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

