

ACCEPTED  
 4959-35  
 JUL 11 1984  
 U.S. Dept. of Health, Education & Welfare  
 Center for Disease Control  
 Division of Field Epidemiology

0458-011

**USE BY SERVICE PERSONS.**

**CLASSIFICATION**

in a manner inconsistent with its labeling.


**USE ON DAIRY EQUIPMENT**

When using, rinse surfaces thoroughly with available chlorine. Maintain contact with sanitizer after treatment with LCS Sanitizer. Do not use (2 level teaspoons) of LCS Sanitizer solution per 4 ppm available chlorine by weight.

Use a chlorine test kit and increase dosage, as needed, to available chlorine.

**USE IN WATER**

Use LCS Sanitizer to 9 parts softened water. Mix in feed line of solution with a hypochlorinator to maintain a residual of at least 0.2 ppm and no more than 1.0 ppm, as determined by a DPD chlorine test kit. Frequency no less than that prescribed by the manufacturer. Check water frequently with DPD chlorine test kit.



**KEEP OUT OF REACH OF CHILDREN.**

**DANGER**

FIRST AID. IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention. IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water. IF SWALLOWED, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**NET CONTENTS: 1 Gallon U.S. (3.785 liters)**

**PRECAUTIONS**

**DANGER**  
 Irritant to skin. Do not breathe vapors or dusts.

**ENVIRONMENTAL**  
 This product is not for use in U.S. Environmental Protection Agency (EPA) restricted use areas.

**PHYSICAL AND CHEMICAL**  
 STRONG OXIDIZER (e.g., with organic materials, etc.) will cause fire or explosion.


**STOP**  
 Storage. I cannot contact.

MADE IN U.S.A.

BEST DOCUMENT AVAILABLE

ACCEPTED  
4959-35  
JUL 11 1984  
U.S. Environmental Protection Agency  
Washington, D.C. 20460

0458-011



EPA Reg. No. 4959-35  
EPA Est. 7044-IN-01

Use for at least 15 minutes. Get prompt  
rinse with plenty of soap and water. IF  
in contact with other acids DO NOT induce

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER: CORROSIVE.** Will cause severe skin and eye irritation or chemical burns to broken skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with NPDES permit. For guidance, contact the regional office of the U. S. Environmental Protection Agency.

#### PHYSICAL AND CHEMICAL HAZARDS

**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with organic matter (e.g. urine, feces, etc.) or chemicals (e.g. ammonia, acids, detergents, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

#### STORAGE AND DISPOSAL

Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

U.S. (3.785 liters)

MADE IN U.S.A.

011-0458-A0584

BEST DOCUMENT AVAILABLE

ACCEPTED  
4959-35  
JUL 11 1984  
U.S. DEPARTMENT OF AGRICULTURE  
FEDERAL REGISTER

**ONLY FOR SALE TO, USE OR STORAGE BY SERVICEPERSONS.**

**DIRECTIONS FOR USE — GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT**

Clean equipment in the normal manner. Just before using, rinse surfaces thoroughly with LCS Sanitizer solution containing 200 ppm available chlorine. Maintain contact with sanitizer for a minimum of 2 minutes. Do not rinse with water after treatment with LCS Sanitizer. Do not soak overnight. Addition of 1 fluid ounce (2 tablespoons) of LCS Sanitizer solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

**NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

**DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS.**

Dilute LCS Sanitizer solution in the ratio of 1 part LCS Sanitizer to 9 parts softened water. Mix LCS Sanitizer solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations.\* Check water frequently with DPD chlorine test kit.

\*Contact your local health department for further details

Manufactured for:

**WESTAGRO**  
WEST AGRO INC / SHAWNEE MISSION, KS 66222



KEEP  
OF C  
DAI  
FIRST  
aid  
SWALL  
vomiting  
See #

Chemical burns to broken  
shield and rubber gloves  
persons. Vacate poorly ven-  
tilated.

roads, or public waterways  
to regional office of the

Directions. Mixing this  
monia, acids, detergents,  
mucous membranes.

Do not use to avoid deteriora-  
tion of product or rinsates that  
are in contact with sewer. Do not  
use in contact with sewer.

011-0458-A0584

BEST DOCUMENT AVAILABLE

ONLY FOR SALE TO, USE OR STORAGE BY SERVICEPERSONS

0458-150



BEST DOCUMENT AVAILABLE

KEEP OUT OF REACH OF CHILDREN.

**DANGER**

FIRST AID IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention. IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water. IF SWALLOWED, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER: CORROSIVE.** Will cause severe skin and eye irritation or chemical burns to broken skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS**

**STRONG OXIDIZING AGENT.** Mix only with water according to label directions. Mixing this product with organic matter (e.g. urine, feces, etc.) or chemicals (e.g. ammonia, acids, detergents, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

**STORAGE AND DISPOSAL**


Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

**NET CONTENTS: 5 Gallons U.S. (18.925 liters)**

Manufactured for

**WESTAGRO**

WEST AGRO, INC. SHADREE, MISSOURI 64482



EPA Reg No 4959-35  
EPA Est 7044-IN-01

MADE IN U.S.A.

150-0458-A0584

# LCS

## LIQUID CHLORINATION SANITIZER FOR FOOD PROCESSING OR DAIRY EQUIPMENT, AND WELL WATER TREATMENT.

4959-35

### DIRECTIONS FOR USE — GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling

### DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with LCS Sanitizer solution containing 200 ppm available chlorine. Maintain contact with sanitizer for a minimum of 2 minutes. Do not rinse with water after treatment with LCS Sanitizer. Do not soak overnight. Addition of 1 fluid ounce (2 tablespoons) of LCS Sanitizer solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine

### DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS.

Dilute LCS Sanitizer solution in the ratio of 1 part LCS Sanitizer to 9 parts softened water. Mix LCS Sanitizer solution and water thoroughly and begin feeding of solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with DPD chlorine test kit

BEST DOCUMENT AVAILABLE

Manufactured for

**WESTAGRO**

MADE IN U.S.A.

150 0458 A0584