

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 28 2001

West Agro, Inc.
501 Santa Fe
Kansas City, MO 64105

Attention: Dollie Howser
Regulatory Specialist

Subject: Maxidyne Germicide Sanitizer
EPA Registration Number 4959-38
Your Amendment Dated January 22, 2001

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to revise your label per PR Notice 2000-3 is acceptable provided that you make the labeling change listed below before you release this product for shipment bearing the amended label.

Under the "Environmental Hazards Statement" revise the first sentence to read: "This product is toxic to fish and aquatic organisms" and delete "Keep out of lakes, ponds or streams".

A stamped copy is enclosed for your records. Submit one copy of the final printed label before you release the product for shipment bearing the amended label.

If you have any questions concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,



Robert S. Brennis
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510C)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

IMPORTANT: MAXIDYNE™ Germicide Sanitizer is not adversely affected by common water hardness or low temperatures. Do not mix MAXIDYNE™ Germicide Sanitizer with hot water. Use cool or tepid water only. Follow your state and local Health Department requirements for sanitizing food processing equipment.

MAXIDYNE™ Germicide Sanitizer is regulated by the Food and Drug Administration under the Food Additive regulation for use on food processing equipment and utensils up to 25 ppm iodine without requiring a rinse with potable water.

Precautionary Statements: HAZARD TO HUMANS AND DOMESTIC ANIMALS

▲ DANGER

KEEP OUT OF REACH OF CHILDREN



Danger. Corrosive. Causes eye damage and skin irritation. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Avoid contamination of food.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. **PHYSICAL AND CHEMICAL HAZARDS:** Contact with aluminum, copper, or brass may generate hydrogen gas.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Do not store below 0°F for extended periods.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

USE DILUTION TABLE

MAXIDYNE™	WATER	IODINE	
1 oz.	-	13 ppm	25.0 ppm
1 qt.	-	25 ppm	12.5 ppm

1980-3010*

Made in USA

WESTAGRO®

FOR INDUSTRIAL USE ONLY

MAXIDYNE GERMICIDE SANITIZER

*AUTHORIZED BY USDA FOR USE IN FEDERALLY
INSPECTED MEAT AND POULTRY PLANTS*

ACTIVE INGREDIENTS:

Iodine 3.75%

INERT INGREDIENTS:..... 96.25%

Total..... 100.00%

*From polyethoxypolypropoxyethanol-iodine complex

EPA Reg. No. 4959-38

EPA Est. No.

4959-IL-01

4959-OH-01

40871-CA-1

KEEP OUT OF REACH OF CHILDREN

DANGER. Corrosive. See left panel for additional precautionary statements.

Manufactured By:

West Agro, Inc.

11100 North Congress

Kansas City, Missouri 64153

Reorder# 1-800-421-1905

HAZARD RATING


4-EXTREME

3-HIGH

2-MODERATE

1-SLIGHT

0-INSIGNIFICANT



CHEM-TREC EMERGENCY #
1-800-424-9300

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner

MAXIDYNE™ Germicide Sanitizer is a concentrate and must be removed gross food particles and soil with a pre-rinse, pre-scrub treatment. Thoroughly wash all surfaces with a good detergent to the application of the sanitizing solution.

SOFT DRINK PLANTS IN-PLACE SANITIZING

For one-step in-place sanitizing of bottling or pre-mix dispenser with cold or lukewarm water. Fill equipment with a solution of per 13 gallons of water to provide 25 ppm iodine. Allow solution for at least 1 minute or until operations resume. Drain sanitizer completely removal of flavors during crossover between product flush the system with MAXIDYNE™ Germicide Sanitizer sanitizer per 13 gallons of water).

SANITARY FILLING

MAXIDYNE™ Germicide Sanitizer is recommended for use in application. MAXIDYNE™ Germicide Sanitizer is metered into the washer or rinse at a concentration of 25 ppm iodine. Allow 1 MAXIDYNE™ Germicide Sanitizer solution containing 20-25 ppm spraying of the filler and closing machine. MAXIDYNE™ Germicide use in the internal filler sanitation program.

STORAGE TANK SANITIZING

MAXIDYNE™ Germicide Sanitizer is recommended for sanitizing sanitizing solution of 25 ppm iodine should be applied by spray automated cleaning systems. Allow 1 minute contact time. Do

FOR USE IN FOOD PROCESSING PLANTS

To sanitize food processing equipment in federally inspected with a detergent wash and rinse with potable water. Final rinse MAXIDYNE™ Germicide Sanitizer per 13 gallons of water. After draining. Air dry. For mechanical operations, the prepared solution may be reused for other purposes, such as cleaning non-food fresh sanitizing solution should be prepared daily or more often. MAXIDYNE™ Germicide Sanitizer is specifically formulated for processing plants as well as milk and ice cream processing plant sanitizing filler syrup lines, or tanks. MAXIDYNE™ Germicide sanitizer in frozen and fresh pack processing plants to reduce

FOR USE ON NON-FOOD CONTACT SURFACES

MAXIDYNE™ Germicide Sanitizer may be used continuously on food processing plants to sanitize walls, conveyors, equipment heavy soils by thoroughly cleaning with a detergent prior to a Sanitizer sanitizing solution. Use 1 oz. MAXIDYNE™ Germicide 1 minute contact time. Air dry. Fresh sanitizing solution should

For additional information, consult your West Agro Material Safety Data Sheet (MSDS).

NET CONTENTS:

LOT NUMBER: