

Ms. Dollie Howser
West Agro, Inc.
11100 N. Congress Avenue
Kansas City, MO 64153

MAY 28 2003

Subject: Maxidyne
EPA Registration Number 4959-38
Application Date: 4/14/03
Receipt Date: 4/16/03

Dear Ms. Howser:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- To update the "first aid" statement in accordance with PR Notice 2001-1

Conditions

- Under the "Ingredient" Statement delete the "s" on "Active Ingredients".
- On front left panel, the first sentence is missing from the label.
- Delete on front left panel "Keep Out of Reach of Children" and "!!Danger" below the "Precautionary Statement".

General Comments


A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,



Robert S. Brennis
Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510C)

hardness or low temperatures. Do not mix MAXIDYNE™ Germicide Sanitizer with hot water. Use cool or tepid water only. Follow your state and local Health Department requirements for sanitizing food processing equipment.

MAXIDYNE™ Germicide Sanitizer is regulated by the Food and Drug Administration under the Food Additive regulation for use on food processing equipment and utensils up to 25 ppm iodine without requiring a rinse with potable water.

Precautionary Statements: HAZARD TO HUMANS AND DOMESTIC ANIMALS

⚠ DANGER

KEEP OUT OF REACH OF CHILDREN



Danger. Corrosive. Causes eye damage and skin irritation. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Avoid contamination of food.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Contact with aluminum, copper, or brass may generate hydrogen gas.

FIRST AID

If in Eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency treatment information.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Do not store below 0°F for extended periods. **PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WESTAGRO®

FOR INDUSTRIAL USE ONLY

MAXIDYNE GERMICIDE SANITIZER

AUTHORIZED BY USDA FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS

ACTIVE INGREDIENTS:

Iodine*..... 3.75%

INERT INGREDIENTS..... 96.25%

Total..... 100.00%

*From polyethoxypolypropoxyethanol-iodine complex

EPA Reg. No. 4959-38

EPA Est. No. 4959-IL-01

OH-01

4959-

CA-1

40871-

KEEP OUT OF REACH OF CHILDREN

DANGER. Corrosive. See left panel for additional precautionary statements.

Manufactured By:

West Agro, Inc.
11100 North Congress
Kansas City, Missouri 64153
Reorder# 1-800-421-1905

HAZARD RATING

4-EXTREME
3-HIGH
2-MODERATE
1-SLIGHT
0-INSIGNIFICANT

FIRE

ACCEPTED

with COMMENTS

EPA Letter Dated:

MAY 28 2003

CHEM-TREC EMERGENCY #
1-800-424-9300

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 4959-38

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner

MAXIDYNE™ Germicide Sanitizer is a concentrate and must be diluted. Remove gross food particles and soil with a pre-rinse, pre-scrub. Thoroughly wash all surfaces with a good detergent, followed by application of the sanitizing solution.

SOFT DRINK PLANTS IN-PLACE SANITIZING

For one-step in-place sanitizing of bottling or pre-mix dispensing with cold or lukewarm water. Fill equipment with a solution of 13 gallons of water to provide 25 ppm iodine. Allow solution to stand 1 minute or until operations resume. Drain sanitizing solution from flavors during crossover between products, rinse thoroughly with water. MAXIDYNE™ Germicide Sanitizer sanitizing solution (1 oz. in 13 gallons of water).

SANITARY FILLING

MAXIDYNE™ Germicide Sanitizer is recommended for use in sanitary filling application. MAXIDYNE™ Germicide Sanitizer is metered into the washer or rinse at a concentration of 25 ppm iodine. Allow 1 minute contact time. MAXIDYNE™ Germicide Sanitizer solution containing 20-25 ppm iodine is recommended for use in bottling and closing machine. MAXIDYNE™ Germicide Sanitizer is also recommended for use in sanitation program.

STORAGE TANK SANITIZING

MAXIDYNE™ Germicide Sanitizer is recommended for sanitizing storage tanks. A sanitizing solution of 25 ppm iodine should be applied by spray cleaning systems. Allow 1 minute contact time. Drain solution from tanks.

FOR USE IN FOOD PROCESSING PLANTS

To sanitize food processing equipment in federally inspected meat and poultry plants, a detergent wash and rinse with potable water. Final rinse with MAXIDYNE™ Germicide Sanitizer per 13 gallons of water. Allow a 1 minute contact time. In mechanical operations, the prepared solution may not be reused for other purposes, such as cleaning non-food contact surfaces. For maximum effectiveness, the solution should be prepared daily or more often if the solution becomes cloudy. MAXIDYNE™ Germicide Sanitizer is specifically formulated for use in bottling, beverage and ice cream processing plants to insure sanitary filling process. MAXIDYNE™ Germicide Sanitizer may be used at 25 ppm iodine in food processing plants to reduce cross-contamination.

FOR USE ON NON-FOOD CONTACT SURFACES

MAXIDYNE™ Germicide Sanitizer may be used continuously on non-food contact surfaces and food processing plants to sanitize walls, conveyors, equipment and floors by thoroughly cleaning with a detergent prior to application of sanitizing solution. Use 1 oz. MAXIDYNE™ Germicide Sanitizer per 13 gallons of water. Air dry. Fresh sanitizing solution should be prepared daily.

USE DILUTION TABLE

MAXIDYNE™	WATER	ppm Iodine
1 oz. +	13 gal. =	25
1 oz. +	26 gal. =	12.5

For additional information, consult your West Agro Material Safety Data Sheet (MSDS).

NET CONTENTS:

LOT NUMBER: