

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460United States
Environmental Protection
AgencyOffice of Pesticide Programs

October 17, 2006

Dollie Howser
West Agro, Inc.
11100 N. Congress Avenue
Kansas City, MO 64153

Subject: Maxidyne
EPA Registration No.4959-38
Applications Dated: July 7, 2006
Receipts Dated: July 19, 2006

Dear Ms.Howser:

This amendment submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted with conditions.

1. Remove the statement "MAXIDYNE Germicide Sanitizer is regulated by the Food and Drug Administration (FDA) under the Food Additive regulation for use on food processing equipment and utensils up to 25ppm iodine without requiring a rinse with potable water." FDA no longer regulates sanitizers for food processing equipment and utensils, it is covered by the Environmental Protection Agency. T
2. Revise the Ingredient statement as follows:

ACTIVE INGREDIENT:

Iodine* 3.75%

OTHER INGREDIENTS 96.75%

Total 100.00%

*From polyethoxypolypropoxyethanol-iodine complex

General Comments

A stamped copy of the labeling accepted with conditions is enclosed. Submit one copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely,

Emily H. Mitchell
Product Manager – Team 32
Regulatory Management Branch II
Antimicrobials Division (7510P)

IMPORTANT: MAXIDYNE™ Germicide Sanitizer is not adversely affected by common water hardness or low temperatures. Do not mix MAXIDYNE™ Germicide Sanitizer with hot water. Use cool or tepid water only. Follow your state and local Health Department requirements for sanitizing food processing equipment. MAXIDYNE™ Germicide Sanitizer is regulated by the Food and Drug Administration under the Food Additive regulation for use on food processing equipment and utensils up to 25 ppm iodine without requiring a rinse with potable water.

Precautionary Statements: HAZARD TO HUMANS AND DOMESTIC ANIMALS



Danger. Corrosive. Causes eye damage and skin irritation. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Avoid contamination of food.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Contact with aluminum, copper, or brass may generate hydrogen gas.

FIRST AID	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person.
IF INHALED:	Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
Have the container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency treatment information.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.	

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Do not store below 0°F for extended periods.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

1880-F1205

MADE IN A.

WESTAGRO

FOR INDUSTRIAL USE ONLY

MAXIDYNE GERMICIDE SANITIZER

AUTHORIZED BY USDA FOR USE IN FEDERALLY
INSPECTED MEAT AND POULTRY PLANTS

ACTIVE INGREDIENT:

Iodine*3.75%

INERT INGREDIENTS96.25%

Total100.0%

*From polyethoxypolypropoxyethanol-iodine complex

EPA REG. NO. 4959-38

EPA EST. NO. 4959-IL-01

4959-OH-01

40871-CA-1

Keep Out Of Reach Of Children


DANGER. Corrosive. See left panel for additional precautions.

Manufactured by:

West Agro, Inc.
11100 North Congress
Kansas City, Missouri 64153
Reorder #1-800-421-1905

HAZARD RATING

4-EXTREME
3-HIGH
2-MODERATE
1-SLIGHT
0-INSIGNIFICANT



DIRECTIONS FOR USE

It is a solution of Federal Law to use this MAXIDYNE™ Germicide Sanitizer is a gross food particle and soil with a pre-flush. Thoroughly wash all surfaces with a good application of the sanitizing solution.

SOFT DRINK PLANTS IN-PLACE SANITIZING
For one-step in-place sanitizing of bottling equipment, use with cold or lukewarm water. Use MAXIDYNE™ Germicide Sanitizer per 13 gallons of water. Contact with equipment for at least 1 minute from equipment. To insure complete removal, thoroughly with water, then, flush the system with solution (1 oz. MAXIDYNE™ Germicide Sanitizer per 13 gallons of water).

SANITARY FILLING

MAXIDYNE™ Germicide Sanitizer is recommended for final application. MAXIDYNE™ Germicide Sanitizer of the container washer or rinse at a container and drain. A MAXIDYNE™ Germicide Sanitizer is recommended for external spraying of the filler. Sanitizer is also recommended for use in storage tank sanitizing.

STORAGE TANK SANITIZING

MAXIDYNE™ Germicide Sanitizer is recommended for final application. A sanitizing solution of 25 ppm iodine with automated cleaning systems. Allow air dry.

FOR USE IN FOOD PROCESSING PLANTS

To sanitize food processing equipment in place with a detergent wash and rinse with water. MAXIDYNE™ Germicide Sanitizer becomes diluted or soiled. MAXIDYNE™ Germicide Sanitizer may be reused for other purposes, manual operations, fresh sanitizing solution becomes diluted or soiled. MAXIDYNE™ Germicide Sanitizer may be used at 25 ppm iodine to reduce cross-contamination.

FOR USE ON NON-FOOD CONTACT SURFACES

MAXIDYNE™ Germicide Sanitizer may be used on beverage and food processing plants to gross fill or heavy soils by thoroughly cleaning with MAXIDYNE™ Germicide Sanitizer sanitizing per 13 gallons of water. Allow 1 minute of contact. Prepared daily.

MAXIDYNE™
1 oz.
1 oz.

For additional information, consult your V or the Material Safety Data Sheet (MSDS).

NET CONTENTS:
LOT NUMBER:
EXP. DATE:

Chemtrec Emergency Number
1-800-424-9300

0375



Universal

Maxidyne

Germicide Sanitizer

ACTIVE INGREDIENTS:

Iodine* 3.75%

INERT INGREDIENTS: 96.25%

Total: 100.0%

*From polyethoxypolypropoxyethanol-iodine complex

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. MAXIDYNE is regulated by the U.S. Food and Drug Administration under the Food Additive regulation for use on food processing equipment and utensils up to 25 ppm of titratable iodine, without requiring a rinse with potable water. MAXIDYNE is a concentrate and must be diluted before use.

USE DILUTION TABLE

MAXIDYNE	+	WATER	=	IODINE
1 oz.	+	13 gal.	=	25.0 ppm
1 Oz.	+	26 gal.	=	12.5 ppm

Remove gross food particles and soil with a pre-flush, pre-scrape or when necessary, a pre-soak treatment. Thoroughly wash all surfaces with a good detergent, followed by a potable water rinse prior to the application of the sanitizing solution.

IMPORTANT: Follow state and local Health Department requirements for sanitizing milking equipment. Do not mix Maxidyne with hot water. Use cool or tepid water only.

IMPORTANT: Maxidyne is not adversely affected by common water hardness or low temperatures.

FOR USE IN DAIRIES:

BACK FLUSHING MILKING CLAW UNITS

For use through claws and liners between milking each cow. Helps reduce microorganisms in milker units which may cause mastitis.

Step 1: Thoroughly pre-rinse claws and liners with potable water.

Step 2: Flush claws and liners with a well mixed solution of 1 oz. Maxidyne per 13 gallons of water. Allow at least 1 minute contact time. This solution provides 25 ppm iodine.

Step 3: Thoroughly drain units.

GENERAL WASH DOWN

For general cleaning of the milking parlor, use a well mixed solution containing 1 oz. Maxidyne per 13 gallons of water. Thoroughly hose down all surfaces.

FOR USE AS AN UDDERWASH

To clean cow's teats prior to milking, use a well mixed solution containing 1 oz. Maxidyne per 13 gallons of water. Wash teats and flanks thoroughly, then dry with a clean, single service paper towel.



KEEP OUT OF REACH
OF CHILDREN

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes eye damage and skin irritation. Harmful or Fatal if Swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Avoid contamination of food.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Contact with aluminum, copper, or brass may generate hydrogen gas.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

Have the container with you when calling a poison control center, doctor or going for treatment.

You may also contact 1-800-424-9300 for emergency treatment information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL:


PESTICIDE STORAGE: Keep container closed when not in use. Do not store below 0°F for extended periods.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 4959-38-62666 EPA Est. No. 4959-IL-01

40871-CA-1



CORROSIVE

8

DOT SHIPPING NAME

Corrosive liquids, acidic, inorganic, N.O.S.
(Contains Sulfuric Acid, Phosphoric Acid),
8, UN 3264, PG II

Manufactured for: Universal
11100 N. Congress Avenue
Kansas City, MO 64153
© Copyright 2006, Made in USA
0375-H0206

Chemtrec Emergency Number
1-800-424-9300

Net Contents:
Lot No.:
Expiration Date:

Handwritten number: 484