

MEGA-SAN

ACID SANITIZER

MEGA-SAN is a non-iodine acid sanitizer for C.I.P. and C.O.P. systems, Tanks and Back flush system

ACTIVE INGREDIENTS

Decanoic Acid	3.0%
Nonanoic Acid	3.0%
Phosphoric Acid	28.5%
Propionic Acid	10.0%
INERT INGREDIENTS	55.5%
Total	100.0%

Precautionary Statements:

Hazards to Humans and Domestic Animals

KEEP OUT OF REACH OF CHILDREN

DANGER

CORROSIVE. Causes eye damage and skin damage. Do not get in eyes, on skin, or on clothing. Wear protective goggles or face shield and rubber gloves when handling. Harmful if swallowed. Wash thoroughly with soap and water after handling.

PHYSICAL and CHEMICAL HAZARDS:

Mix only with water following label directions. Do not mix with chlorinated cleaners or sanitizers. Toxic chlorine gas will be formed. Contact with soft metals may generate hydrogen gas.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.

FIRST AID	
If in Eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency treatment information	
<p align="center">NOTE TO PHYSICIAN</p> <p>Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

STORAGE AND DISPOSAL

Storage: Keep container closed when not in use. Do not store below 0°F for extended periods.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of pesticide wastes or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Food Processing and Dairy Equipment:

Remove gross food particles and soil by a pre-flush or pre-scrape, and when necessary, pre-soak treatment. Clean all surfaces with a chlorinated alkaline cleaner, followed by a potable water rinse prior to the application of the sanitizing solution.

Sanitize equipment prior to use with a solution of 1 ounce MEGA-SAN per 6 gallons of water, to provide 90 ppm of decanoic and nonanoic acid. Circulate sanitizing solution through CIP or COP systems for a minimum of 2 minutes. Sanitizing solution should have a pH of 4 or below. Completely drain solution and allow to air dry. For mechanical operations, the prepared use solution may not be re-used for sanitizing, but may be re-used for other purposes such as cleaning. For manual operations, fresh sanitizing solution should be prepared daily or more often if the solution becomes dirty or soiled.

Follow State and local Health Department regulations for cleaning and sanitizing food processing and dairy equipment.

Regular use of MEGA-SAN will prevent formation of milkstone and mineralstone on food contact surfaces.

EPA Reg. No. 4959-42
EPA Est. No. _____-State-01

NET CONTENTS:
LOT NO.:


Manufactured by:

WEST AGRO, INC.
11100 North Congress Ave.
Kansas City MO 64153

0101

Made in USA

©Copyright, 2003, West Agro, Inc.



4959-42

5/27/2003

Page 1 of 1