

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS**



**DANGER.** Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Protect eyes and skin when handling. Avoid contamination of food.



Harmful if swallowed.

**ACCEPTED**  
MAR 27 2001  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 4959-46

# CHEMLAND

## BIO HATCH

### DISINFECTANT-SANITIZER-DEODORIZER

*AUTHORIZED BY USDA FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS*

**ACTIVE INGREDIENTS:**

Didecyl dimethyl ammonium chloride ..... 7.5%  
**INERT INGREDIENTS:**..... 92.5%  
 Total ..... 100.0%

EPA Reg. No. 4959-46

EPA Est. No. 4959-IL-01  
 4959-OH-01  
 40871-CA-1

## KEEP OUT OF REACH OF CHILDREN DANGER


### READ AND UNDERSTAND INSTRUCTIONS BEFORE USING THIS PRODUCT

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by:

West Agro, Inc.  
 11100 North Congress  
 Kansas City, Missouri 64153  
 Recorder# 1-800-421-1905

**HAZARD RATING**  
 4-EXTREME  
 3-HIGH  
 2-MODERATE  
 1-SLIGHT  
 0-INSIGNIFICANT



**CHEMTREC EMERGENCY #**  
 1-800-424-9300

# 4201

At 1 oz. to 4 gallons, BIO HATCH fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in water up to 1000 ppm of hardness calculated as CaCO3 when evaluated by the A.O.A.C. Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. BIO HATCH in 4 gallons of warm water. No potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

**Disinfection of Poultry Equipment, Animal Quarters and Kennels:** Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by a solution of 1/2 oz. of BIO HATCH in 1 gallon of water with a mop, cloth or brush. Surfaces should remain wet for at least 10 minutes. Fresh solution should be prepared daily or when use solution becomes visibly dirty. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals, or employ equipment until treatment has been absorbed, set or dried.

All treatment equipment that will contain feed or drinking water must be rinse with potable water before reuse.

**SANITIZING FOOD EGGS** - To sanitize previously cleaned food grade eggs and egg product processing plants, spray with 1 ounce BIO HATCH in 4 gallons of water (150 ppm active). The solution should be warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are to be immediately broken for use in the manufacture of egg products. Eggs should be reasonably dry before casing or breaking. The solution should not be re-used for sanitizing eggs.

**STORAGE AND DISPOSAL**


**STORAGE:** Keep container closed when not in use. Do not store below 0°F for extended periods.

**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS:

LOT NUMBER:



**ENVIRONMENTAL HAZARDS:**

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

**FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes. Then continue rinsing. Call a poison control center or doctor for treatment advice.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing of Food Processing Equipment and other hard surfaces in food contact locations.

For sanitizing food processing equipment, dairy equipment, food utensils and other non-porous hard surfaces. No potable water rinse is required. Wash and rinse all articles thoroughly, then apply a solution of 1 oz. of BIO HATCH in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least 1 minute followed by an adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing application.

4959-46  
3/27/2001  
Page 1 of 1