DIRECTIONS FOR USE

- i. Clean and rinse all equipment prior to disinfecting.
- When used as a bactericide for dairy utensils, milking machines and equipment, use 1½ ounce per 3½ gallons of water. This solution can also be used for washing cow's udder and the milker's hands. Test frequently to maintain a concentration above 50 PPM.
- 3. When used as a disinfectant for equipment, in food and beverage plants, use a solution of 1 pound per 40 gallons of water and apply in such a manner that all parts and surfaces are properly reached with solution.
- For domestic and household, use a solution of 1 ounce per gallon of water for disinfecting glasses, dishes, etc. For cleaning and deodorizing of porcelain and enameled surfaces such as sinks, refrigerators, etc., use a solution of 1 ounce per quart of water.

TABLE OF DOSAGE

Parts per Million of Chlorine	Ounces per Gallon of Water	Level Tablespoon per Gallon of Water
50	14	1/2
100	1 2	1
२००	1	2
500	2	5
1000	4	10

LBS. NET

FORMULA CS-10 CLEANER-SANITZ

RECOMMENDED FOR DISINFECTING AND SANITIZING A OF EQUIPMENT AND UTENSILS USED IN THE HANDLING PRODUCTS, MILK, BEVERAGES, ETC.

	INGREDIENTS:		I	IERT INGREDIENT
Sodium Hypochlorite	Over 3.259	3.25%	Sedium Chloride	•
Expressed as NA ₂	PO4.12H2OOver	91.78%		
		CAU	TION	



NOT FOR INTERNAL USE. KEEP OUT OF REACH OF C

internally — Feed gruel or cooked coreal followed by oliveoking oil. For Eyes — Immediately flood with cold water. Call a pl

ABSO-CLEAN CHEMICAL COMPANY . 17325 LAMONT AVENUE .

DIRECTIONS FOR USE

- 1. Clean and rinse all equipment prior to disinfecting.
- 2. When used as a bactericide for dairy utensils, milking machines and equipment, use 1½ ounce per 3½ gallons of water. This solution can also be used for washing cow's udder and the milker's hands. Test frequently to maintain a concentration above 50 PPM.
- 3. When used as a disinfectant for equipment, in food and beverage plants, use a solution of 1 pound per 40 gallons of water and apply in such a manner that all parts and surfaces are properly reached with solution.
- 4. For domestic and household, use a solution of 1 ounce per gallon of water for disinfecting glasses, dishes, etc. For cleaning and deodorizing of porcelain and enameled surfaces such as sinks, refrigerators, etc., use a solution of 1 ounce per quart of water.

TABLE OF DOSAGE

Parts per	Ounces per	Level Tablespoon
Million of	Gallon of	per Gallon
Chlorine	Water	of Water
50	1/4	1½
100	1/2	1
200	1	2
500	2	5
1000	4	10

LBS. NET

E prior -

nent, use ter. This washing nds. Test

r equipits, use a allons of ir that all reacher

e a soluer for discleaning denamed gerators.

SE

iblespoon Gallon^{ik} Nater

2 5

FORMUL CLEANERS

RECOMMENDED FOR DISINFECTING OF EQUIPMENT AND UTENSILS USINFECTINE PRODUCTS, MILK, E

ACTIVE INGREDIENTS:



NOT FOR INTERNAL USE.

Internally — Feed gruel or cooking oil. For Eyes — Immediately flo

ABSO-CLEAN CHEMICAL COMPANY



ABSO-CLEAN CHEMICAL COMPANY • 17325 LAMONT AVENUE • DETROIT 12, MICH.