



DIRECTIONS FOR USE: It is a violation of Federal law to use the product in a manner inconsistent with its labeling.

To control fleas, ticks and lice: Holding can upright, spray the animal with short bursts from a distance of 10 to 12 inches. Starting at the tail, stroke against the lay of the hair, spraying the part fur directly behind the head to insure penetrating the coat. Dampen the fur up to the head. Spraying a cat 20 to 30 seconds or an average dog 30 to 45 seconds is usually sufficient. Repeat application weekly if necessary to control reinestation.

Do not treat or cause exposure to kittens or puppies under four weeks of age. To control infestation in sleeping quarters, after treating animals, spray bedding, walls and floor with special attention to cracks and crevices.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

STORAGE AND DISPOSAL: Do not incinerate. Wrap container and put in trash collection.

**PRECAUTIONARY STATEMENTS
HAZARDS OF HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed or inhaled. Avoid contact with skin or inhalation of spray mist. Wash thoroughly immediately after use. Avoid contamination of feed, foodstuffs or utensils.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.



Sold by
PROTEXALL PRODUCTS, INC. - P.O. Box 216, Maitland, FL 32751

ACCEPTED

SEP 1 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended for the pesticide, registered under 4972-41,
EPA Reg. No. 4972-41

22