

Page 4 of 15
PM 15
p. 1315

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 4972-69	DATE OF ISSUANCE NOV 6 1985
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT ROACH ZAPPER II	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Protexall Products, Inc.
 1109-11 Hwy. 427, NORTH
 Longwood, FL 32750

160 / 145242
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:


1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA registration no. 4972-69."
- b. Revise pesticide and container STORAGE and DISPOSAL statements to per PR Notice 83-3. Attached please find a copy of the most recently approved comments for your use.
- c. In the ENVIRONMENTAL HAZARDS block delete "keep out of lakes, streams, or ponds," and replace with "Do not and directly to water."
- d. Submit a completed Formulator's Exemption Form which has been included for your use.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

11/6/85

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

Dively 10/23/85

P.S. on front panel add statement "For Industrial/
Commercial Use Only."

PROTEXALL'S ROACH ZAPPER II

EPA Reg. No. 4972-

EPA Est. No. 4972-FL-1

A Desiccant Dust

PROVIDES QUICK CONTROL.
KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED.
 NON-STAINING AND RELATIVELY ODORLESS.
 FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, GRANARIES
 AND ON CATS AND DOGS.

CONTROLS ANTS, COCKROACHES, SILVERFISH, BEDBUGS, FLEAS, LICE,
 BEES, AND AS STIPULATED IN THE USE DIRECTIONS ON NUMEROUS
 STORED PRODUCT PESTS. TO PROTECT AGAINST ENTRANCE OF
 DRYWOOD TERMITES.

ACTIVE INGREDIENTS:

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10.0%
Amorphous Silica Gel	40.0%
Petroleum Distillate	49.0%

ACCEPTED
 with COMMENTS
 in EPA Letter Dated:

NOV 6 1985

*Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0%
 related compounds

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

~~4972-69~~

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precautionary statements.

DRIONE — Registered Trademark of Fairfield American Corporation

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

APPLICATIONS WITHIN FOOD AREAS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, super-
 markets, meat and poultry processing plants, hotels, motels, hospitals, and schools
Limit to Crack and Crevice Treatment Only:
 Using a bulbous duster apply a small amount of material directly into cracks and
 crevices such as expansion joints between different elements of construction or
 between equipment bases and the floor, wall voids, motor housing, junction boxes or
 switch boxes, conduits or hollow equipment legs where cockroaches, ants, silverfish,
 spiders, boxelder bugs, and crickets hide. Care should be taken to avoid depositing
 the product onto exposed surfaces or introducing the material into the air. Avoid
 contamination of food or food processing surfaces

NET CONTENTS: _____

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD
 ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT,
 NOT PERMITTED

NON-FOOD AREAS:

Homes, institutions, hospitals, office buildings, hotels, motels, the
 warehouses, truck trailers and railroad cars. To control crawling insects
 cockroaches, silverfish, firebrats, spiders, boxelder bugs, ticks, lice,
 animal quarters, distribute Drione at the rate of 2 ounces per 100 square
 area. Apply a continuous visible film underneath and behind stairs,
 appliances. Treat on, around and behind moldings, shelving, baseboard
 openings, cracks, crevices, and other areas where insects hide. For
 infestations, apply Drione behind cabinets and walls. In crawl spaces use
 rate of 16 ounces per 1000 square feet of surface area. Repeat treat

STORED PRODUCT PESTS:

To aid in the control of cadellles, cheese mites, cigarette beetles, c
 beetles, dark meal worms, drugstore beetles, grain mites, granary
 beetles, rice weevils, sawtoothed grain beetles and yellow meal worm
 elevators and granaries. Clean up waste materials, dust, dirt, and a
 Thoroughly treat floors, walls and other surfaces in bins, storage a
 Apply into cracks and crevices and other difficult to reach areas wh
 hide

BEES AND WASPS:

It is generally advisable to treat wasp and bee nests in the evening
 less active and have returned to the nest. Using hand or power dust
 means, with extension tubes if necessary, thoroughly dust nest and
 surrounding areas where insects alight. Nests in wall voids can be
 with your ear against the wall. Drill a hole in the area, blow dust in
 ground wasps' dust entrance and surrounding areas. For best results
 carefully one or two days after treatment to ensure complete kill. I
 destroy nest to prevent emergence of newly hatched insects. If re
 feasible, retreat the nest, if necessary. Do not use this product to

SEWER TREATMENTS

American and Oriental cockroach infestations in sanitary sewers n
 at approximately 6 ounces of Drione per manhole. When treating sewer
 per 200 feet of line should be treated. Treatments are made by
 cover and replacing with a disc of plywood bored to receive the
 from portable or truck mounted vent-lating equipment. 6 ounces of
 introduced into the ventilating air to be dispersed quickly and throu
 system

BEDBUGS

Take bed apart. Dust into joints and channels if hollow, such as squ
 see that the interior of framework is well dusted. Mattresses should
 tufts, folds, and edges. Picture frame moldings and all cracks and cre
 should be treated

DRYWOOD TERMITES

To protect against entrance, using an electric or hand operated rola
 Drione through an entry, e.g. crawl hole into attic and crawl space o
 1 pound per 1000 square feet of floor area. All vents and blowers o
 should be closed. All wood surfaces should be covered. In case of
 probe to locate galleries and drill holes to inject Drione into the gal
 heavy infestation has already developed, fumigation should be empl

FLEAS: DOGS AND CATS

Liberally apply powder to the animal. Rubbing thoroughly to the skin
 and include the underbody, legs, feet and the base of the tail. Repe
 Surfaces of kennels should be dusted at the rate of one ounce per
 infested lawns, basements, and crawl spaces should be dusted at th
 1000 square feet. Repeat as necessary

**SOW BUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPED
 AND SCORPIONS:**

Apply around doors and windows and other places where these pes
 Treat baseboards, storage areas and other locations where these pes

DISPOSAL

Do not reuse container. Destroy when empty.

**PRECAUTIONARY STATEMENTS
 HAZARDOUS TO HUMANS & DOMESTIC ANIMALS
 CAUTION**

Avoid inhalation. Containers larger than one pound may not be
 used or stored in food handling establishments

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds f
 runoff is likely to occur. Do not apply when weather conditions favor
 treated. Do not contaminate water by cleaning of equipment or disp
 Buyer assumes all the risks of use, storage or handling of this prod
 accordance with directions given herewith