REDWOOD'S VAPONA INSECTICIDE OIL CONCENTRATE

FOR PROFESSIONAL USE ONLY NOT FOR STORAGE IN OR AROUND THE HOME

For Control of: Cockroaches, Ants, Spiders and silverfish in households, restaurants, theatres, food processing plants, industrial plants and warehouses.

DOSAGE ACTUAL VAPONA INSECTICIDE: To make a 0.5% solution of oil concentrate, use 1 quart of 2 lb. material to 12½ gallons of deodorized kerosene or other base oil.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS.

Limited to Crack and Crevice Treatment only—Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where cockroaches, ants, spiders and silverfish hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Application of this product in the food areas of food handling establishments, other than as a Crack and Crevice treatment, are not permitted.

Equipment that can deliver a pencil-thin stream of insecticide must be used for Crack and Crevice treatment. A coarse wet spray would not be appropriate for this type of treatment.

'USEHOLD USE: For control of Cockroaches, Ants, Spiders and Perfish. Apply a 0.5% Vapona as a coarse, wet spray with low pressure sprayer to localized areas insects may infest. Treat infested areas around baseboards, cracks, walls, door and window frames and localized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, tood containers, or cooking utensils. Do not treat animals with this product.

This product is toxic to fish and wildlife. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

Rinse empty container thoroughly with water and discard it.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

REDWOOD'S

VAPONAR

INSECTICIDE OIL CONCENTRATE

2 pounds of VAPONA® Insecticide per gallon

ACTIVE INGREDIENTS:
Dimethyl 2,2-dichlorovinyl phosphate*
Related Compounds
Petroleum Distillate

Total

23.2° Weight
1.7% Weight
75.1% Weight

* Equivalent to 24.9% Vapona® Insecticide .

DANGER POISON KEEP OUT OF REACH OF CHILDREN

See side panel for additional cautions.

ANTIDOTE: ATROPINE IS ANTIDOTAL. 2-PAM is also antidotal and may be administered in conjunction with Atropine. If swallowed: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet.

In case of eye contact, immediately flush with running water for at least 10 minutes and get medical attention.

CALL A PHYSICIAN IMMEDIATELY.

If on skin: In case of contact, remove contaminated clothing immediately and wash skin with soap and water.

If inhaled: Remove victim to fresh air.

DANGER: Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get into eyes or on skin. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type recommended by the U.S. Bureau of Mines for DDVP Protection. In case of contact, wash immediately with soap and water. Keep all unprotected humans out of operational area. Do not contaminate feed and foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not get in eyes or on skin or on clothing.

Formulated by

REDWOOD CHEMICAL INCORPORATED Houston, Texas

Net Contents: 1 gal.

* Shell Trademark

EPA Reg. No. 4981-28

of oil consentate that applied of the material to the pattern of coopyrate kerseens or other base oil.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTAB-LISHMENTS.

Limited to Crack and Crevice Treatment only—Apply a small emount of material directly into cracks and crevices such as expension joints between different elements of construction or between equipment bases and the floor, well voids, motor housing, junction bases or switch bases, conduits or hollow equipment ligs where cackroaches, ants, spiders and silverfish hids. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Application of this product in the food areas of food handling establishments, other than as a Crack and Crevice treatment, are not permitted.

Equipment that can deliver a pencil-thin stream of insecticide must be used for Crack and Crevice treatment. A coarse wet spray would not be appropriate for this type of treatment.

VSEHOLD USE: For control of Cockreaches, Ants, Spiders and verfish. Apply a 0.5% Vepona as a coerse, wet spray with low pessure sprayer to localized areas insects may intest. Treat infested areas around baseboards, cracks, walls, door and window frames and iccalized areas of floors. Do not apply to areas which will be contacted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or cooking utensils. Do not treat animals with this product.

This product is toxic to fish and wildlife. By not questioning water by cleaning equipment of disease of water. Apply the product only as specified on the last.

Rines empty contained limitagely with water and discord it.
DO NOT USE, First, SPILL OR TISSE MEAN HEAT OF SPEE PLANE

REDWOOD'S

VAPONA®

INSECTICIDE OIL CONCENTRATE

2 pounds of VAPONA® Insecticide per gallon

ACTIVE INGREDIENTS:

Dimethyl 2,2-dichlorovinyl phosphate*

Related Compounds

Petroleum Cietiliate

23.2% Weight

75.1% Weight

Total 100.0% Weight

* Equivalent to 24.9% Vapona® Insecticide

DANGER & POISON KEEL OF CHILDREN

ANTIDOTE: ATROPINE IS ANTIDOTAL. 2-PAM is also antidotal and may be administered in conjunction with Atropine. If swallowed: Give a tablespoonful of sait in a glass of where water and repeat until vomit fluid is clear. Have victim lie

In case of eye contact, immediately flush with running water for at least 10 minutes and get medical attention.

CALL A PHYSICIAN IMMEDIATELY.

If on skin: In case of contact, remove contaminated clothing immediately and wash skin with some and water.

If Inhalade Remove victim to fresh air.

DANGER: Polesters: If estallanting inhaled or atterfed through skin or eyes. Do not get into spite or on skin. Do not breathe furnes. Wear natural subbar gioves, protective clothing and soughts when handling the consentrate to prepare emulsions. Wear a mask or respirator of a type recommended by the U.S. Barreau of Mines for DEVP Protection. In case of contact, wash immediately with soap and water. Ease all unprotected himmes out of spenetions area. Do not contaminate food and functionly. West hands, arms, and foce thoroughly with soap and water before acting or smalling. Wash sil contaminated chathing with soap and hot water before sevens. Do not get it ever or en skin or on clothing.