

DIRECTIONS FOR USE

HOUSE FLIES: for reduction of fly population use 2 gallons per 100 gallons of water or 1 pint in 6 gallons of water for control in dairy barns, corrals, manure piles, garbage heaps, city dumps, etc.; apply spray thoroughly to wet ceiling, walls and other places where flies congregate. Repeat application as necessary.

NOTE: Do not use where milk is processed or stored or in human dwellings. Avoid contamination of feed and feed products. Remove animals and poultry before treating. **DO NOT USE ON ANIMALS.**

FLEAS: For control of fleas in dog houses and garages make a 2.5% Malathion spray by mixing one part 57% Malathion Emulsifiable with 22.8 parts water. Remove animals before spraying. Thoroughly treat infested areas. Fresh bedding should be placed in animal quarters following treatment. Repeat application as necessary. Do not use on pets and other animals.

PEARS: Use 1 to 2 pints per 100 gallons of water for control of: Spider Mites, making 2 or more applications as needed. For control of Pear Psylla make one or more applications as needed. Make no application on pears 14 days before harvest.

ORNAMENTALS: For the control of: Aphids, Spider Mites, Whitefly, Mealybugs, Thrips, Japanese Beetle adults, Four-lined Leaf Bug, Tarnished Plant Bug, Rose Leafhopper and Potato Leaf Hopper use 1 1/2 pints per 100 gallons of water making one or more applications as needed.

For control of: Soft Brown Scale, Monterey Pine Scale and Black Scale Crawlers use 2 1/2 pints per 100 gallons of water making one or more applications as needed. For control of: Juniper Scale, Fletcher Scale, Bagworms and Oak Kermes use 2 pints to 100 gallons of water. Make one or more applications as needed after crawlers have settled on the foliage.

For control of: Pine Needle Scale use 4 pints per 100 gallons of water. Make one or more applications as needed after crawlers have settled on the foliage.

NOTE: Do not use on Boston Maidenhair, Pteris Ferns as well as species of Crassula. Do not apply on Petunias.

CONTAINER DISPOSAL: Do not re-use container. Destroy it by burying with waste or by burning. Stay away from smoke and fumes.

This product is **TOXIC TO FISH** and wildlife. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label.

FLAMMABLE MIXTURE: Keep away from heat or open flame.

*This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

REDWOOD'S

57% MALATHION

EMULSIFIABLE CONCENTRATE

CONTAINING 5 POUNDS MALATHION
PER GALLON

ACTIVE INGREDIENTS:

Malathion*	57%
Xyel	35%

INERT INGREDIENTS	8%
Total	100%

*O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate.

CAUTION! KEEP OUT OF REACH OF CHILDREN.
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

Harmful if swallowed. Avoid prolonged breathing of spray mist or dust. Avoid repeated or prolonged contact with skin. Wash thoroughly. Avoid contamination of foodstuffs.

REDWOOD CHEMICAL INCORPORATED
1215 JACKSON HOUSTON, TEXAS 77003

USDA REG. NO. 4981-29

NET CONTENTS: 1 GAL.

ACCEPTED FOR SALE COMMENT

REDWOOD'S

57% MALATHION
EMULSIFIABLE CONCENTRATE

CONTAINING 5 POUNDS MALATHION
PER GALLON

ORNAMENTALS: For the control of: Aphids, Spider Mites, Whitefly, Mealybugs, Thrips, Japanese Beetle adults, Four-lined Leaf Bug, Tarnished Plant Bug, Rose Leafhopper and Potato Leaf Hopper use 1½ pints per 100 gallons of water, making one or more applications as needed.

ACTIVE INGREDIENTS:

Malathion*

57%

ACCEPTED WITH COMMENTS