

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Hazardous if swallowed, inhaled, or absorbed through skin or eyes. Do not take internally. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield when handling. Wash thoroughly after handling, and before eating or smoking. Wash contaminated clothing before reuse. In case of eye contact, immediately flush eyes with plenty of water and get prompt medical attention. Immediately wash contaminated skin with soap and plenty of water. Keep away from food, feed stuffs, and domestic water supplies. Do not breathe vapors or spray mist. Keep container closed. Handle concentrate in a ventilated area.

ENVIRONMENTAL AND USE PRECAUTIONS

Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Keep all unprotected persons out of the operational area. Wear a pesticide respirator jointly approved by the Mining, Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30CFR Part II for DDVP protection.

Note to Physician:

Chlorpyrifos and DDVP are cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote. 2-PAM (2,2,6,6-tetramethyl-1-piperidine) may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife, and birds. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

REDWOOD'S

D.V. 2 in 1

A Water Emulsifiable Formulation of Chlorpyrifos and DDVP for Fast-Acting, Long-Lasting control of Cockroaches, Ants, Crickets, Firebrats, Silverfish, Spiders, and Brown Dog Ticks in and around Residential, Commercial, Industrial, and Institutional Structures. Also Use Out-of-Doors as an Aid in Reducing Annoyance from Flies and Mosquitoes.

For sale to, Use and Storage by Service persons Only (such as) Pest Control Operators, Public Health Organizations, and Other Trained Personnel Responsible for Insect Control Programs

Active Ingredients:

Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)phosphorothioate)	18.4%
2,2-Dichlorovinyl dimethyl phosphate	7.6%
Related compounds	0.6%
Aromatic petroleum distillate	65.2%

INERT INGREDIENTS

10.2%

Contains 1.34 pounds of chlorpyrifos and 0.67 pound of 2,2-dichlorovinyl phosphate (DDVP) and related compounds per gallon.

**KEEP OUT OF REACH
OF CHILDREN**

DANGER

Read Complete Precautions On Side Panel

POISON




Mfg. By REDWOOD CHEMICAL INC.
Houston, Texas

EPA Registration No. 4981-62

EPA Est. No. 4981 TX-2

NET CONTENTS



**REDWOOD'S D.V. 2 IN 1
INSECTICIDE**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
General Information: Use Redwood's D.V. 2 in 1 insecticide to control the pests indicated in the areas listed below by application as a low-concentration spray containing 0.25% chlorpyrifos and 0.125% DDVP or a high-concentration spray containing 0.5% chlorpyrifos and 0.25% DDVP. Use the low-concentration spray to control light infestations and the high-concentration spray to quickly reduce heavy infestations, or as directed. To prepare the spray, dilute Redwood's D.V. 2 in 1 with water only as shown in the following **SPRAY DILUTION CHART**. Repeat treatment as needed.

SPRAY DILUTION CHART

Gallons of Mixture Desired	Fluid Ounces* of D.V. 2 in 1 to Use for:	
	High-Concentration	Low-Concentration
1	4	2
3	12	6
5	20	10
10	40	20

* Fluid ounce = 2 1/2 teaspoonful; 1/2 teaspoonful

FOOD HANDLING ESTABLISHMENTS — Places other than private residences in which exposed food is held, processed, prepared, or served. Do not use in edible products areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

SERVING AREAS: Facilities where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. Prepare the spray as recommended in the table and apply as a spot treatment to selective surfaces such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. Do not apply when the facility is in operation or foods are exposed.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, stages, mop closets, and storage (after canning or bottling). Prepare the spray as recommended in the table and apply as a spot treatment to baseboards, around water pipes, surfaces behind and beneath sinks, doors, tables, palleys, and other areas where insects hide or through which they may enter.

APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDE HOMES AND APARTMENT BUILDINGS AND IN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING NON-FOOD AREAS OF HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES. For spot treatment only — Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strains resistant to certain other insecticides), ants, crickets, fleas, silverfish, and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators, and cut-outs, around plumbing and other utility installations. For ants apply to ant trails, and around doors and windows and wherever else these pests may find entrance.

FOR CONTROL OF BROWN DOG TICKS: Thoroughly apply a high-concentration spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

FLIES AND MOSQUITOS: Use only out-of-doors as an aid in reducing annoyance from these insects. Thoroughly apply a high-concentration spray to outside surfaces of windows and door frames as well as other areas where these pests may find entrance into structures. Also spray dark corners and localized resting areas (such as under eaves) where flies and mosquitoes may congregate. Repeat treatment when effectiveness diminishes.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately.

Seller makes no warranty, expressed or implied, concerning the use of this product other than that shown on the label. Buyer assumes all risk of use and/or handling of this material which such use and/or handling is contrary to label instructions.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide spray mixture, or rinse water that cannot be used according to label instructions, must be disposed of according to Federal or approved state procedures under Section C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL
Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved state and local procedures.