Front Panel

HEDDY HEDGE CONTROL

Helps inhibit the growth of hedges and limits the clippings required.

ACTIVE INCREDIENT Diethonolomine salt of 1, 2-Dihydro-3, 6- pyridozinedione. INERT INGREDIENTS

58% Total

. Equivalent to 30% Moleic Hydrozide

ACCEPTED

Net Contents: 8 il. oz.

U.S.D.A. #4990-X

CAUTION: Keep out of reach of children. See caution elsewhere

on label.

Back Panel

HEDDY HEDGE CONTROL inhibits growth of many types of hedges and enables you to maintain neater, longer hedges with much less clippings required. Also effective on shrubs, ivy and trees, as listed.

DIRECTIONS FOR USE

CAUTION: Thoroughly mix 4 tablespoons HEDDY HEDGE CONTROL in one gallon water equal to 1-1/3 gallons in 100.

WHEN TO APPLY: HEDDY HEDGE CONTROL may be applied any time during the growing season. However, best results are obtained when applied to vicorous new growth.

HOW TO APPLY: Use hand sprayer, compressed air sprayer (knapsack or tank type), or hose-end sprayer. Consult instructions on hose-end sprayer for proper mix equal to 4 tablespoons per gallon. Spray all exposed surfaces of leaves and bark to the drip point.

HEDGES, SHRUBS, IVY. Privet, Pyracantha, Myrtus, Nylosmas, Viburnum, Eugenia, Pittosporum, Cissus, Hanns Ivy, Algerian Ivy, Honeysuckle, Fersydan, Ice Plant. When new growth has reached a height of 2 to 4 inches in Spring, trim as usual to the desired shape and height. Then spray all exposed surfaces to the drip point. For very dense hedges, spread tops apart so that spray will reach the inner surfaces. If these inner surfaces are missed, some shoots will grow taller than the unsprayed areas, requiring occasional snapping to maintain a neat, trim-looking appearance. A second application may be advisable a few months later if growth becomes strong and vigorous. Prune to the desired shape and height and apply spray to all exposed surfaces.

TREES: Sycamore, Willow, Alder, Poplar, Oak, Mulberry, Black Williat, Maple, Sweet Gum, Elm, Tomarack. Apply in Spring as soon as new leaves have expanded. Or prune tree to a sired simple, whit thall remove research 2-4 inches high then spray. Spray only those parts of tree where growth is to be inhibited. If aree height is to be controlled, spray outs to: half of tree. If a particular side is to be inhibited, spray only that side of the tree.

CAUTION: May be harmful if swaflowed. Avoid inhalation of spray mist. Avoid contact with skin, eyes, clothing. Use ordinary care in spraying to minimize drift on flowers. Do not use on food or feed crops. Do not use if rain is expected within 12 hours of application.

NON-WARRANTY: Since use of this product is beyond control of the Seller, Buyer assumes all risks of use or handling, whether in accordance with directions or not. Seller makes no warranty, express or implied, conderning effects of use of this product.

COVERAGE: 8 ozs. will soray a privet hedge approximately 40 ft. long, and XX 2 ft. wide, by 3 to 4 ft. high.

HEDDY CORPORATION

Paterson, N. J. 07514