

DEC 19 1988

Petrolite Corporation
369 Marshall Avenue
St. Louis, MO 63119

Attention: C.S. Letcher

Gentlemen:


Subject: X-Cide 320
EPA Registration No. 5009-4
Your Application Dated October 20, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable and a stamped copy is enclosed for your records.

At the printing of your next set of labels, revise the statement "First Aid" to read "Statement of Practical Treatment."

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 557-6982.

Sincerely yours,

John H. Lee 
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C)

Enclosure

52360:I:DeLaney:LL-4:KENCO:12/1/88:1/17/89:rv:SG:AS

CONCURRENCES

SYMBOL	SURNAME	DATE						

PETROLITE OIL FIELD CHEMICALS

369 Marshall Avenue

St. Louis

PETROLITE CORPORATION

Trademark of Petrolite Corporation

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE—Keep away from heat and flame

For Use with Closed Delivery Systems Only

X-CIDE[®] 320

Industrial Bactericide

FOR USE IN INDUSTRIAL PROCESSES ONLY. NOT FOR DOMESTIC USE

ACTIVE INGREDIENTS

Alkyl(1,3 propylene diamine)acetates 42.41%

INERT INGREDIENTS

57.59%

100.00%

*Alkyl as derived from coconut or fatty acids

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE LEFT COLUMN FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG NO 5009-4

EPA EST NO 5009-MO-1, CA-1, TX-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in OIL FIELD AND PETROCHEMICAL SYSTEMS treatment or in continuous application. Dosages in slug application to 30-50 ppm of X-CIDE 320 in gallons equals approximately 30 ppm. A typical X-CIDE 320 (1 pint per 1000 gallons of water) at of bacterial slime. Badly fouled systems may be sl by continuous treatment of 30 ppm for 14 to 17 p tain control.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed. Pour, spill or store near heat, open flame.

PESTICIDE DISPOSAL: Pesticide wastes are not excess biocide or unsafe sludge. Follow Federal L of by use according to label instructions, contact Control Agency or the Hazardous Waste Repres Office for guidance.

CONTAINER DISPOSAL: Triple rinse for equivalent conditioning, or puncture and dispose of in a san approved by state and local authorities.

FIRST AID

In case of contact immediately flush eyes or skin minutes. For eyes call a physician. Remove an reuse. If swallowed drink promptly a large quant or if these are not available drink large quantitie can immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate against circulatory shock, respiratory depression. 55 U.S. GAL AT 60°F

ACCEPT
DEC 19 1988
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, this pesticide registered under EPA Reg No 5009